

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES
DEPARTMENT OF AGRICULTURE
LIBRARY



BOOK NUMBER 1
705494 Ag84M
557-575

84M 486

5 UNITED STATES DEPARTMENT OF AGRICULTURE


Miscellaneous Publication No. 557

Washington, D. C.

December 1944

DIRECTORY OF U. S. REGISTER OF
MERIT SIRES AND DAMS QUALIFYING
UNDER THE NATIONAL POULTRY
IMPROVEMENT PLAN

1942-43



CONTENTS

	Page		Page
Introduction.....	1	U. S. Register of Merit lists.....	6
Progress in breeding from U. S. Register of Merit birds.....	1	Single-Comb White Leghorn.....	6
Requirements for U. S. Register of Merit and U. S. R. O. M. honor roll.....	2	Single-Comb Rhode Island Red.....	34
Sources of data.....	2	White Plymouth Rock.....	39
Explanation of data in U. S. Register of Merit lists.....	4	New Hampshire.....	44
U. S. Register of Merit summary.....	5	Barred Plymouth Rock.....	48
Use of the directory.....		White Wyandotte.....	50
		Buff Orpington.....	50
		Summary for each breeder having U. S. Reg- ister of Merit birds.....	51

LIST OF STATE R. O. P. SUPERVISORS

The production records of U. S. R. O. P. breeders are checked by State R. O. P. supervisors, whose names and addresses are as follows:

Alabama.—H. M. Doss, Poultry Division, Department of Agriculture and Industries, Montgomery
Arizona.—W. R. Van Sant, Arizona Poultry Improvement Association, P. O. Box 751, Phoenix
Arkansas.—J. S. Campbell, Arkansas Poultry Improvement Association, Little Rock
Colorado.—O. C. Ufford, Colorado Poultry Improvement Board, Fort Collins
Connecticut.—Roy E. Jones, Connecticut Poultry Improvement Association, Storrs
Delaware.—George M. Bringhurst, State Board of Agriculture, Dover
Florida.—D. C. Gilles, Florida State Livestock Sanitary Board, Tallahassee
Georgia.—R. J. Lee, Room 230, State Capitol, Atlanta
Idaho.—Pren Moore, Idaho Poultry Improvement Association, Boise
Illinois.—John Sheets, Illinois Department of Agriculture, Springfield
Indiana.—E. E. Schnetzler, Purdue University, La Fayette
Iowa.—R. E. Phillips, Iowa Poultry Improvement Supervisory Board, Ames
Kansas.—E. R. Halbrook, Kansas State College, Manhattan
Kentucky.—George T. Davis, Kentucky Poultry Improvement Association, Lexington 29
Louisiana.—Clyde Ingram, Louisiana Poultry Improvement Association, Agricultural Extension Building, University Station, Baton Rouge
Maryland.—Wade Rice, Maryland Poultry Improvement Board, College Park
Massachusetts.—Julius Kroec, Department of Agriculture, State House, Boston
Michigan.—O. E. Shear, Michigan State College, East Lansing
Minnesota.—W. K. Dyer, 611 State Office Building, St. Paul 1
Mississippi.—F. Z. Beanblossom, Mississippi Poultry Improvement Association, State College
Missouri.—E. M. Funk, Missouri Poultry Improvement Committee, Columbia
Nebraska.—J. H. Claybaugh, Nebraska Poultry Improvement Supervisory Board, Lincoln
New Hampshire.—T. B. Charles, University of New Hampshire, Poultry Department, Durham
New Jersey.—B. K. Messersmith, Department of Agriculture, Trenton 8
New Mexico.—E. E. Anderson, New Mexico Poultry Improvement Board, State College
New York.—Ralph Wooster, New York Poultry Improvement Board, Inc., Ithaca
North Carolina.—C. J. Maupin, State College of Agriculture, State College Station, Raleigh
North Dakota.—S. A. Coliver, Poultry Improvement Board, Bismarck
Ohio.—G. S. Vickers, Ohio Poultry Improvement Association, Columbus 10
Oklahoma.—H. G. Ware, Oklahoma Agricultural College, Stillwater
Oregon.—C. E. Holmes, Oregon Poultry Improvement Board, Corvallis
Pennsylvania.—E. J. Lawless, Jr., Pennsylvania Department of Agriculture, Harrisburg
Rhode Island.—Ralph A. Farrow, Department of Agriculture and Conservation, 310 State House, Providence
South Carolina.—P. H. Gooding, South Carolina Poultry Improvement Association, Clemson
South Dakota.—Lee W. Herrick, Jr., South Dakota Poultry Improvement Association, Brookings
Tennessee.—Fred Gentry, Tennessee Poultry Improvement Board, Inc., McEwen
Texas.—S. A. Moore, Texas A. and M. College, College Station
Utah.—Carl Frischknecht, Utah Poultry Improvement Committee, Logan
Vermont.—H. A. Dwinell, Vermont Poultry Improvement Board, Montpelier
Virginia.—Harry L. Moore, Virginia Polytechnic Institute, Blacksburg 12
Washington.—J. W. Kalkus, Washington Poultry Improvement Association, Puyallup
West Virginia.—H. M. Hyre, State Poultry Improvement Committee of West Virginia, Morgantown
Wisconsin.—C. Howard King, Department of Agriculture, Madison 2
Wyoming.—Lawrence Morris, Wyoming Poultry Association, Laramie

UNITED STATES DEPARTMENT OF AGRICULTURE
MISCELLANEOUS PUBLICATION NO. 557

Washington, D. C.

December 1944

**DIRECTORY OF U. S. REGISTER OF MERIT
SIRES AND DAMS QUALIFYING UNDER
THE NATIONAL POULTRY IMPROVEMENT PLAN, 1942-43**

Compiled by the National Poultry Improvement Plan Staff,¹ Bureau of Animal Industry, Agricultural Research Administration

INTRODUCTION

To improve the production and breeding qualities of poultry and to reduce mortality from pullorum disease, the National Poultry Improvement Plan was inaugurated in 1935. It is a cooperative project between the States and the United States Department of Agriculture.²

This directory is published to give official recognition to the sires and dams that, during the 1942-43 trap-nest record year, met the progeny-test requirements of U. S. Register of Merit (U. S. R. O. M.)—the highest breeding stage of the National Poultry Improvement Plan. This is the fifth annual directory issued by the United States Department of Agriculture since the inauguration of the plan.³ It contains the U. S. R. O. M. records of 121 U. S. R. O. P. breeders and includes 408 U. S. R. O. M. sires and 2,333 U. S. R. O. M. dams.

PROGRESS IN BREEDING FROM U. S. REGISTER OF MERIT BIRDS

It is now generally recognized that the selection of breeding birds on the basis of family records results in much more rapid progress than selection on the basis of individual performance, on which eligibility for U. S. Record of Performance (U. S. R. O. P.) depends. It is obvious that the average performance of the progeny is the only true index of the breeding value of a mating of an individual sire and dam. Proved sires and dams should be remated whenever possible. The qualified sons and daughters of U. S. R. O. M. matings are very likely to be better than average breeding birds and should be used in U. S. R. O. P. matings.

¹ Paul B. Zumbro, senior poultry coordinator, in charge; Arthur F. Gannon, poultry coordinator; Frank E. Moore, poultry coordinator; Albert B. Godfrey, geneticist; Kate W. Robey, statistical clerk; Ann C. Heird, clerk-stenographer; Bessie B. Reynolds, tabulating-machine operator; Dorothy Godley, clerk-stenographer.

² More details regarding the plan are given in Misc. Pub. 300, *The National Poultry Improvement Plan*, and in Misc. Pub. 317, *Improving Poultry Through the National Poultry Improvement Plan*.

³ The first three directories were issued in processed form and may be obtained from the Bureau of Animal Industry, U. S. Department of Agriculture. The directory for the 1941-42 trap-nest record year (Misc. Pub. 539) is for sale by the Superintendent of Documents.

The records show that pullets entered in U. S. R. O. P. are definitely superior to average farm chickens in egg-laying ability. The records of all the pedigreed candidates (77,692) for which complete egg-production records were obtained in 1942-43 showed a hen-housed average egg production⁴ of 171 eggs as compared with an average farm production of 112 eggs per layer for 1943. Likewise, the daughters of U. S. R. O. M. sires and dams are definitely superior to the average pedigreed U. S. R. O. P. candidates. In 1942-43, the 27,766 daughters of U. S. R. O. M. sires averaged 199 eggs per bird, and the 21,689 daughters of U. S. R. O. M. dams averaged 205 eggs per bird.

REQUIREMENTS FOR U. S. REGISTER OF MERIT AND U. S. R. O. M. HONOR ROLL

A male in a supervised single-male mating is considered to be a U. S. R. O. M. sire when a minimum of 20 and at least one-third of his daughters entered under U. S. R. O. P. supervision qualify as U. S. R. O. P. females. A female member of a supervised single-male mating qualifies as a U. S. R. O. M. dam when a minimum of 4 and at least one-third of her daughters entered in U. S. R. O. P. qualify as U. S. R. O. P. females.

Prior to 1942, only U. S. R. O. P. males or females were eligible for U. S. R. O. M. qualification. As a result of a change adopted at the National Poultry Improvement Plan conference that year, non-U. S. R. O. P. birds used in trial matings may now qualify if they meet the progeny-test requirements.

During 1944, a U. S. R. O. M. honor roll was substituted for the existing honor roll for high viability. For a sire or dam to qualify for the U. S. R. O. M. honor roll, the daughters must have a hen-housed family average of 200 or more eggs and a family average egg weight of 24 ounces or more per dozen. Only those sires having 40 or more daughters entered in U. S. R. O. P. and those dams having 8 or more daughters entered are eligible for the U. S. R. O. M. honor roll.

SOURCE OF DATA

During the 1939 National Poultry Improvement Plan conference in Cleveland, Ohio, a committee was appointed to develop a procedure to be followed in supplying information concerning the U. S. R. O. M. sires and dams in the cooperating States. After such a procedure had been worked out, officials of the United States Department of Agriculture devised a system of transferring the U. S. R. O. P. records to punch cards, analyzing the data on a family basis, and preparing a U. S. R. O. P. production and pedigree report for the breeder and the official State agency. Since the report shows the performance records for all daughters entered in U. S. R. O. P. by families, it supplies the necessary information on the U. S. R. O. M. sires and dams for these publications.

In this directory only those sires and dams that qualified for U. S. R. O. M. on the basis of reports submitted to the Bureau of Animal Industry for analysis are included. The number of 1942-43 records

⁴ Obtained by dividing the number of eggs laid during the year by the number of birds entered.

received for analysis, the number of breeders having U. S. R. O. M. sires and dams, and the number of U. S. R. O. M. birds, by States, are shown in table 1. Production records for 177 breeders, located in 35 States, were received.

TABLE 1.—*U. S. Register of Merit data by States for the 1942-43 trap-nest record year*

State	Breeders and flocks ¹ with pedigree candidates for which reports were submitted		Breeders and flocks ¹ with nonpedigreed candidates for which reports were submitted		Breeders and flocks ¹ with U. S. R. O. M. birds		U. S. R. O. M. and U. S. R. O. M. honor-roll birds			
							Sires		Dams	
	Breeders	Flocks	Breeders	Flocks	Breeders	Flocks	U. S. R. O. M.	Honor roll	U. S. R. O. M.	Honor roll
	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Arizona	1	1								
Arkansas	2	2	1	1	2	2	9	1	52	12
Colorado	6	7			5	6	15	8	92	43
Connecticut	1	2			1	1			1	
Delaware	3	3	2	2	3	3	4		54	3
Florida	6	10			2	2	7	7	36	21
Georgia	2	2			2	2	1		18	3
Idaho	6	7	3	5						
Illinois	3	5			3	5	48	17	267	98
Indiana	6	16			5	7	21	4	139	50
Iowa	4	4			2	2			11	
Kansas	1	1			1	1	1		3	2
Kentucky	4	5			4	4			16	3
Maryland	3	3			3	3	27	4	136	48
Massachusetts	8	10			7	9	13	1	98	21
Michigan	4	4			4	4	35	25	128	32
Minnesota	1	1			1	1	3		35	13
Mississippi	14	19	1	1	12	12	13		74	8
Missouri			3	3						
Nebraska	9	12			8	11	34	8	201	60
New Hampshire	2	3	1	1	2	3	2		12	
New Jersey	4	4			3	3	12		72	23
New York	4	4			4	4	6		35	9
North Carolina	2	2			1	1		2		
North Dakota	17	18	1	1	14	15	38	17	201	66
Ohio	6	6			6	6	53	31	261	99
Oregon	10	11	1	1	6	6	3		22	8
South Carolina	6	7	4	5	4	5	26	20	190	84
Texas	5	6			3	3	6		32	7
Utah	3	5			2	4	2		13	1
Vermont	7	7			5	5	13	2	55	10
Virginia	3	4			3	3	12	7	51	12
Washington	2	3	1	1	2	3	1	1	10	4
West Virginia	1	1	1	1	1	1	3	2	16	8
Total	156	195	21	24	121	137	408	155	2,333	748

¹ Each breed and variety owned by a breeder is considered as a separate flock.

The number of U. S. R. O. M. birds and the number qualifying for the U. S. R. O. M. honor roll are tabulated in table 2 according to breed and variety. The five more popular breeds and varieties accounted for 99.5 percent of the U. S. R. O. M. sires and dams. More White Leghorns qualified than any other breed.

TABLE 2.—Number of U. S. Register of Merit and U. S. R. O. M. honor-roll sires and dams by breeds and varieties, 1942-43

Breed and variety	Sires		Dams	
	U. S. R. O. M.	Honor roll	U. S. R. O. M.	Honor roll
Single-Comb White Leghorn	265	117	1,476	482
Single-Comb Rhode Island Red	58	24	292	126
White Plymouth Rock	40	6	236	52
New Hampshire	34	4	226	60
Barred Plymouth Rock	11	4	89	18
White Wyandotte			13	1
Buff Orpington			1	
Total	408	155	2,333	748

The summary of U. S. R. O. M. data by years is shown in table 3. The number of U. S. R. O. M. sires and dams qualifying in 1942-43 was slightly less than for the previous year.

TABLE 3.—Summary of U. S. Register of Merit data since inauguration of the National Poultry Improvement Plan

Item	1935-36	1936-37	1937-38	1938-39	1939-40	1940-41	1941-42	1942-43
States with U. S. R. O. M. birds	Number							
States with U. S. R. O. M. birds	5	6	6	24	24	28	32	31
Breeders with U. S. R. O. M. birds	18	22	21	65	92	116	121	121
Flocks with U. S. R. O. M. birds	18	24	24	68	96	123	133	137
U. S. R. O. M. sires	36	52	89	155	191	337	420	408
U. S. R. O. M. dams	144	310	418	809	1,153	1,919	2,483	2,333

EXPLANATION OF DATA IN U. S. REGISTER OF MERIT LISTS

The U. S. R. O. M. birds are listed (pages 6 to 50) by breeds and varieties, and under each the breeders' names appear alphabetically. The leg band of each qualifying sire is listed first in numerical sequence, then that of each of his qualifying mates preceded by an asterisk. U. S. R. O. M. dams mated to more than one sire are indicated by a 3 placed before their numbers. The qualifying mates of nonqualifying sires are also listed by leg-band numbers, but no asterisks are used.

The first U. S. R. O. M. sire listed is No. 1-1238. This sire was leg-banded with the above number when he qualified as a U. S. R. O. P. male. His dam laid 306 eggs during her first trap-nest record year, and the average weight of all eggs weighed during her first laying year was 25.4 ounces per dozen. Her body weight was 4.9 pounds, which is the average of 2 or more weights taken during the first laying year. This sire had 58 daughters entered in U. S. R. O. P. and 43 qualified as U. S. R. O. P. females. The 58 daughters entered averaged 252 eggs per bird on the basis of a hen-housed average. The average egg weight of all daughters for which such weights were reported was 25.1 ounces per dozen. The average body weight of all daughters for which weights were reported was 4.2 pounds. The leg-band number and record of the sire are printed in bold-faced type, indicating that he also qualified for the U. S. R. O. M. honor roll, since he met the requirements of having 40 or more daughters entered with an average of 200 or more eggs on a hen-housed basis and an average egg weight of 24 or more ounces per dozen.

The first U. S. R. O. P. dam below sire No. 1-1238 is leg-banded with No. 9-128. Her number is preceded by an asterisk, which shows that she was mated to sire No. 1-1238. She laid 260 eggs, her official average egg weight was 24.6 ounces to the dozen, and her average body weight was 4.2 pounds. All of her 4 daughters entered in U. S. R. O. P. met U. S. R. O. P. requirements. This fact qualified her as a U. S. R. O. M. dam, since the number of qualifying daughters is 4 or more and one-third or more of all entered. The hen-housed average production of her daughters was 254 eggs. The average egg weight of all daughters entered on which official weights were obtained was 24.7 ounces per dozen, and the average body weight of all daughters having 2 or more weights reported was 4.4 pounds. Since she had only 4 daughters entered, she failed to qualify for the U. S. R. O. M. honor roll; consequently, her number and record are not in bold-faced type. Those of the second dam, No. 9-202, are in bold-faced type, indicating that she qualified for the U. S. R. O. M. honor roll as she had 10 daughters entered with an average of 246 eggs and an egg-weight average of 25.3 ounces per dozen.

U. S. REGISTER OF MERIT SUMMARY

The U. S. R. O. M. committee recommended that this fifth directory include a summary for each breeder having sires or dams that qualified for U. S. R. O. M. This summary begins on page 51 and includes the names of 121 U. S. R. O. P. breeders.

The 195 flocks for which records were analyzed included 77,692 pedigreed U. S. R. O. P. candidates of which 28,553, or 36.8 percent, qualified for U. S. R. O. P.

The 137 flocks having U. S. R. O. M. birds included 121 farms. The farms had 314,050 pullets of the breed or breeds trap-nested and 70,302 pedigreed U. S. R. O. P. candidates, of which 27,087 qualified. Progeny tests of 1,805 sires were made; 408 qualified for U. S. R. O. M. Only 713 of the progeny-tested sires had 40 daughters or more entered in U. S. R. O. P. Of the 713 sires, 361 qualified for U. S. R. O. M.; 155 qualified for the U. S. R. O. M. honor roll. There were 15,168 dams progeny-tested; 2,333 qualified for U. S. R. O. M. Only 2,869 of the 15,168 dams had 8 daughters or more entered in U. S. R. O. P. Of the 2,869 dams, 1,500 qualified for U. S. R. O. M., and 748 qualified for the U. S. R. O. M. honor roll.

USE OF THE DIRECTORY

This directory and the preceding ones in the series are the only sources of published information on the records of sires and dams that have been officially progeny-tested.⁵ The publication should be useful to prospective purchasers of foundation poultry breeding stock in selecting a good source of supply. The breeder who has a relatively high percentage of sires and dams that qualify for U. S. R. O. M. in general will have better than average stock for flock-improvement purposes.

The sires and dams listed in bold-faced type—in other words, those qualifying for the U. S. R. O. M. honor roll—are especially to be rec-

⁵ Another good source of data on the performance of birds trap-nested under U. S. R. O. P. supervision is the annual U. S. R. O. P. summary, published each year in the March issue of the Hatchery Tribune at Mount Morris, Illinois.

ommended. A sufficient number of daughters have been trap-nested to prove that the honor-roll sires and dams are satisfactory breeders for egg production, egg weight, and livability during the laying season. In general, these birds have also been adequately progeny-tested for hatchability, livability during the growing season, and desirable breed characteristics.

It is generally recognized that many U. S. R. O. M. sires and dams have reached the end of their usefulness before they are given official certification, but sons and daughters of an outstanding mating of a U. S. R. O. M. sire and dam are usually retained for use in U. S. R. O. P. matings, and chicks and hatching eggs are available from them.

U. S. REGISTER OF MERIT LISTS

[See explanatory text just preceding this table]

SINGLE-COMB WHITE LEGHORN

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam				Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	No.	Oz.	Lbs.
Alampa Breeding Farm Williamstown, N. J.	25	Dam	No. 209	Oz. 25.8	Lbs. 4.4	No. 10	No. 4	No. 184	24.9	4.3
	96	do	279	25.6	4.5	9	4	173	26.6	4.6
	* 109	do	240	25.3	4.3	10	4	166	25.8	4.2
	119	do	257	26.1	4.2	9	4	142	26.9	4.7
	H-165	do	248	26.6	4.4	11	4	161	25.5	3.6
Allred, John E. Hyrum, Utah.			No. 216	Oz. 24.0	Lbs. 4.3	No. 7	No. 4	No. 173	25.4	4.2
			247	26.7	4.8	5	4	208	26.8	4.3
			206	25.5	4.5	8	4	154	25.2	4.7
			248	26.8	4.8	8	6	206	25.1	4.4
Altenburg, H. L. Middle River, Md.	432	do	216	24.0	4.3	7	4	173	25.4	4.2
	933	do	247	26.7	4.8	5	4	208	26.8	4.3
	946	do	206	25.5	4.5	8	4	154	25.2	4.7
	861	do	248	26.8	4.8	8	6	206	25.1	4.4
Avery, G. W. Tualatin, Oreg.	1-1238	Sire	306	25.4	4.9	58	43	252	25.1	4.2
	*9-128	Dam	260	24.6	4.2	4	4	254	24.7	4.4
	*9-202	do	272	26.0	4.7	10	7	246	25.3	4.8
	*9-552	do	284	26.0	4.6	10	8	263	24.9	4.2
	*64	do	286	26.5	4.6	8	6	254	25.3	4.1
Bartlett, W. C. Canton, N. C.	*164	do	296	24.8	5.0	7	4	253	24.6	4.4
	*447	do	257	26.8	4.3	5	4	282	24.9	4.2
	*461	do	292	26.0	4.5	9	7	237	25.4	4.3
	1-1242	Sire	307	25.7	5.6	72	49	259	24.6	4.3
	*130	Dam	280	26.3	4.5	18	11	231	24.8	4.5
Bartlett, W. C. Canton, N. C.	*267	do	277	24.0	3.9	17	13	254	24.6	4.2
	*270	do	267	25.8	4.5	8	6	253	24.9	4.4
	*426	do	305	25.1	4.4	5	4	277	24.5	4.4
	*588	do	271	24.0	4.4	7	5	286	24.5	4.3
	1-1290	Sire	250	27.2	4.7	91	63	225	25.6	4.2
Bartlett, W. C. Canton, N. C.	*9-488	Dam	271	25.9	4.3	15	9	230	25.5	4.2
	*45	do	311	24.5	4.2	8	5	261	24.9	3.8
	*53	do	285	26.8	5.4	13	8	201	25.6	4.5
	*111	do	323	24.7	4.2	10	9	249	25.5	4.2
	*179	do	278	25.1	5.4	9	7	231	25.5	4.5
Bartlett, W. C. Canton, N. C.	*239	do	287	25.8	4.6	9	7	226	25.7	4.1
	*521	do	268	24.4	4.5	10	8	237	26.2	4.3
	*557	do	305	26.7	4.7	4	4	246	24.9	3.9
	1-1327	Sire	272	25.8	4.6	34	23	232	25.3	4.7
	*200	Dam	272	28.0	4.9	4	4	263	25.8	4.5
Bartlett, W. C. Canton, N. C.	1-1328	Sire	272	25.8	4.6	70	47	228	25.3	4.4
	*6-165	Dam	282	24.4	4.1	4	4	246	25.0	4.2

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production ¹	Average egg weight per dozen	Average body weight	
Avery G. W.	*8-14	Dam	No. 296	Oz. 25.0	Lbs. 5.0	No. 7	No. 6	No. 229	25.4	4.5	
		do	273	25.9	4.7	7	5	255	26.0	4.5	
		do	299	24.2	4.2	13	9	222	25.0	4.3	
		do	295	26.4	4.2	5	4	248	26.1	4.5	
		do	301	24.2	4.5	9	7	225	24.9	4.4	
		Sire	293	26.8	4.8	54	40	222	26.2	4.2	
		Dam	250	26.7	4.1	7	6	234	26.5	3.8	
		do	305	25.6	4.4	7	4	177	26.1	4.0	
		do	270	27.3	5.0	9	8	253	27.0	4.5	
		do	291	25.6	4.8	19	15	245	25.5	4.2	
		Sire	256	26.9	4.3	115	76	240	25.1	4.4	
		Dam	291	26.2	4.0	13	11	249	25.4	4.3	
		do	284	25.1	4.1	8	4	226	24.8	4.3	
		do	288	26.2	4.3	13	7	233	25.0	4.5	
		do	301	26.6	4.8	10	8	245	25.3	4.7	
		do	280	24.0	4.4	10	6	251	24.4	4.5	
		do	285	24.9	4.8	7	4	216	25.1	4.6	
		do	288	28.0	4.7	12	6	214	26.1	4.5	
		do	268	27.7	5.4	5	4	244	25.4	4.7	
		do	271	26.4	4.5	6	4	249	24.9	4.2	
		do	258	26.2	3.9	14	11	268	25.0	4.3	
		do	260	26.5	4.4	9	5	247	24.8	4.3	
		Sire	329	25.7	4.3	76	35	245	24.2	4.2	
		Dam	293	25.8	4.2	7	4	246	24.0	4.0	
		do	317	25.2	4.7	9	4	258	24.3	4.4	
		do	296	27.4	4.2	7	5	249	24.8	4.1	
		do	305	24.3	3.9	11	5	286	23.6	4.1	
		do	256	26.9	4.3	14	9	247	24.9	4.4	
		do	311	24.5	4.5	7	4	244	23.9	4.3	
Ayrlawn Farms Bethesda, Md.	2045	do	236	26.4	5.0	7	4	200	24.3	4.0	
Becker's Ravenswood Leghorn Farm Oxford, Fla.	1173	Sire	278	25.1	4.2	69	27	175	25.4	3.9	
	*1-84	Dam	224	25.6	6.4	8	4	185	26.4	4.1	
	*1-173	do	254	24.7	4.2	7	5	200	24.4	3.9	
	1363	Sire	248	26.3	5.0	50	20	182	25.4	3.6	
	*1-88	Dam	258	24.7	3.7	11	5	187	24.1	3.8	
	*1-151	do	235	24.2	4.1	13	7	192	25.0	4.5	
	3 200	do	246	26.3	4.5	6	4	203	27.1	4.2	
	3 1-63	do	228	26.1	4.4	12	5	164	25.0	4.2	
	3 1-111	do	260	26.4	3.6	17	9	214	24.5	4.1	
	3 1-133	do	225	24.7	4.1	19	7	159	26.2	4.0	
	3 1-265	do	229	27.0	5.2	8	4	196	25.7	4.8	
	3 1-300	do	225	24.6	3.9	10	4	186	25.5	3.9	
	1-565	do	264	28.0	4.1	11	4	178	24.4	3.7	
	1-131	do	259	25.2	4.2	12	5	183	24.8	4.2	
	259	do	241	27.7	5.1	7	5	200	26.3	4.6	
	1-144	do	281	25.7	3.5	11	4	171	24.6	3.9	
	1-229	do	233	26.2	4.0	15	6	172	24.8	3.9	
	1-240	do	251	27.6	4.2	10	5	201	25.1	3.9	
	1-209	do	264	25.7	3.9	17	6	176	24.5	3.9	
	407	do	246	27.1	4.8	11	5	179	27.3	5.0	
	1-104	do	229	25.5	4.7	14	5	174	24.5	4.2	
	1-203	do	237	26.4	4.2	12	6	167	25.3	4.0	
	1-59	do	243	26.5	4.8	11	5	180	25.5	4.6	
	1-188	do	266	24.0	4.5	18	8	193	24.0	4.2	
	421	do	283	27.6	4.5	10	4	130	24.6	3.7	
Bishop's Poultry Farm and Hatchery New Washington, Ohio.	J-2328	Sire	283	25.0	-----	57	28	206	25.1	4.5	
	*J-208	Dam	260	25.9	4.8	15	10	236	25.2	4.7	
	*J-236	do	279	25.7	4.6	8	6	238	24.5	4.5	
	K-3464	Sire	267	24.8	4.6	39	20	174	25.9	4.4	

See footnotes at end of table.

619426-45-2

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Body weight	No.	No.	No.	Average egg production ²	Average egg weight per dozen
Bishop's Poultry Farm and Hatchery.			No.	Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.
	*K-31	Dam	242	25.3	4.9	6	4	215	24.8	4.3
	K-3493	Sire	273	25.9	4.3	48	26	180	26.4	4.8
	*J-83	Dam	209	24.7	4.0	5	5	240	26.5	5.0
	*J-222	do	240	25.4	5.3	5	4	227	25.7	5.0
	*J-257	do	207	26.1	3.9	5	5	258	27.0	4.7
	K-105	do	267	26.6	5.0	8	5	210	25.4	4.1
	K-75	do	252	24.3	4.8	11	6	216	24.3	4.3
	K-196	do	263	25.1	5.6	8	4	161	24.9	4.8
Bower's Poultry Farm	J-253	do	262	25.5	4.6	11	4	194	25.0	4.3
Route 5, Circleville, Ohio.	J-284	do	292	24.3	5.1	6	4	202	24.7	4.8
Brownell, Ambrose	1-582	Sire	297	25.3	4.2	66	34	199	25.3	4.4
Milwaukie, Oreg.	*8-477	Dam	265	25.8	4.6	7	5	220	24.9	4.3
	*9-114	do	266	26.3	4.3	7	5	207	27.0	4.7
	*9-987	do	267	27.4	4.5	8	4	212	24.7	4.4
	*302	do	266	25.0	4.6	8	5	190	25.6	4.5
	*724	do	265	24.8	5.1	6	4	234	25.3	4.6
	1-584	Sire	302	24.5	4.1	87	45	210	24.7	4.2
	*9-884	Dam	268	25.7	4.6	6	4	220	25.1	4.1
	*105	do	269	25.3	4.4	12	6	196	24.5	4.1
	*329	do	269	24.1	4.4	9	4	206	24.4	4.1
	*361	do	267	27.6	4.9	11	8	211	25.0	4.5
	*824	do	268	26.0	4.7	8	8	262	25.1	4.3
	1-742	Sire	292	26.5	5.1	52	26	198	25.1	4.3
	*79	Dam	275	25.5	4.5	7	4	204	25.8	4.3
	*1126	do	275	25.5	4.9	7	4	218	24.5	4.4
	936	do	270	25.0	4.8	11	4	170	24.4	4.3
	9-1112	do	298	25.0	3.7	8	4	198	24.9	3.8
	498	do	292	24.1	4.4	8	4	184	25.2	4.2
	9-917	do	287	25.8	5.4	8	4	185	25.4	4.6
	12	do	282	25.4	4.7	5	4	225	26.0	4.5
	812	do	285	24.0	4.1	9	5	203	25.1	4.0
Caldwell Poultry Farm	K-2730	Sire	249	25.3	5.7	47	24	178	25.4	4.5
Batavia, Ohio.	*L-16	Dam	271	25.9	4.8	9	6	214	25.5	4.5
	*L-148	do	237	25.5	5.4	9	5	187	24.5	4.4
Canyon Hatchery	E-301	do	262	25.6	3.8	6	4	226	24.9	3.7
Caldwell, Idaho.										
Champion Poultry Farm	3237	Sire	291	26.6	4.6	71	31	187	25.5	4.2
Champion, N. C.	*A-67	Dam	260	26.7	4.3	10	5	199	25.7	4.5
	*A-748	do	261	25.1	3.8	9	7	227	26.5	4.2
	3248	Sire	256	25.2	4.8	66	38	195	25.4	4.0
	*A-41	Dam	259	27.0	3.8	8	5	204	25.2	3.8
	*A-71	do	256	27.0	4.3	7	4	198	25.4	4.2
	*A-2083	do	253	27.6	4.1	8	4	222	25.6	4.0
	3250	Sire	301	24.8	4.2	98	47	187	26.2	4.6
	*A-180	Dam	269	27.8	4.9	9	5	216	26.1	4.5
	*A-417	do	236	25.3	3.7	12	8	196	26.6	4.6
	*A-419	do	267	24.5	3.5	11	5	175	25.5	4.6
	*A-475	do	267	24.2	3.5	9	4	193	25.8	4.1
	*A-503	do	264	25.5	3.9	11	6	206	26.5	4.6
	*A-622	do	269	24.3	4.7	15	6	182	26.0	5.0
	*A-666	do	269	25.3	4.1	12	5	168	25.8	4.4
	3252	Sire	255	28.0	4.4	90	48	192	26.7	4.4
	*A-27	Dam	241	25.6	4.1	5	4	226	25.8	4.3
	*A-154	do	243	25.9	4.8	10	6	194	26.3	4.3
	*A-200	do	243	26.5	5.0	11	8	197	27.9	4.7
	*A-334	do	242	26.1	4.9	9	5	186	26.8	4.5
	*A-823	do	235	26.1	3.9	9	8	219	27.7	4.6
	M-3239	Sire	287	28.2	4.9	43	22	191	25.8	4.3
	*A-64	Dam	234	24.0	4.4	10	7	214	26.4	4.4
	*A-164	do	235	26.9	4.6	9	4	192	26.9	4.7
	M-3249	Sire	255	28.0	4.4	52	29	199	26.6	4.0

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.	Average egg production	Average body weight
			No.	Oz.	Lbs.	No.	Oz.	Lbs.			
Champion Poultry Farm											
	*A-24	Dam	231	28.5	5.0	7	5	206	28.0	4.2	
	*A-599	do	237	25.6	3.8	9	7	207	26.7	4.0	
	³ A-668	do	260	24.7	4.6	13	4	157	25.6	5.1	
	A-129	do	271	25.9	4.0	6	4	218	26.7	4.3	
	A-223	do	273	24.7	4.8	7	6	258	25.8	4.4	
	A-663	do	274	24.8	4.1	12	5	166	26.1	4.5	
	A-434	do	240	24.4	4.1	4	4	235	27.1	4.5	
	A-44	do	251	29.1	5.4	10	8	218	26.2	4.0	
Cochran, Tom	G-12870	Sire	341	24.8	5.5	84	34	169	25.6	4.5	
Camden, Mo.	*G-6016	Dam	220	24.3	3.8	8	5	176	24.5	4.2	
	*G-6022	do	252	25.9	4.5	9	4	173	25.3	4.4	
	*G-6037	do	250	25.3	3.9	7	5	194	25.6	4.2	
	*G-6056	do	290	25.4	4.0	9	4	177	25.8	4.7	
	G-12884	Sire	300	26.5	4.7	74	31	169	25.7	4.3	
	*G-6004	Dam	257	26.3	4.4	8	4	184	25.9	4.5	
	*G-6050	do	221	27.2	4.1	6	4	191	24.9	4.1	
	*G-6057	do	226	24.6	3.5	6	4	185	25.0	4.0	
	G-12903	Sire	332	24.6	4.4	80	37	184	25.7	4.5	
	*F-726	Dam	251	24.6	4.6	8	4	167	26.2	4.6	
	*F-730	do	237	25.6	4.3	4	4	272	25.6	4.4	
	*F-732	do	234	24.3	4.5	8	7	246	25.5	4.6	
	*F-762	do	255	25.6	3.6	8	5	230	26.5	4.6	
	*F-785	do	225	27.3	4.6	7	5	213	25.5	4.6	
	*F-818	do	210	26.7	4.8	7	5	206	26.3	4.2	
	G-12947	Sire	341	25.4	4.8	84	35	173	25.6	4.4	
	*F-710	Dam	221	26.1	4.1	8	4	182	25.9	4.3	
	*F-776	do	262	24.5	4.5	6	4	217	25.4	4.4	
	*F-832	do	208	25.5	4.4	14	7	173	25.1	4.4	
	G-12949	Sire	309	25.6	5.1	62	31	193	26.3	4.6	
	*G-6018	Dam	245	25.5	3.9	4	4	282	26.8	4.8	
	*G-6023	do	218	25.9	4.3	5	4	206	26.6	4.7	
	G-12956	Sire	337	25.5	4.5	64	26	182	26.0	4.3	
	*F-774	Dam	209	25.3	4.0	8	4	217	26.2	4.2	
	*F-814	do	269	24.7	4.1	7	4	210	26.4	4.1	
	*F-3242	do	205	25.0	4.2	9	5	191	25.4	4.3	
	G-12960	Sire	338	24.9	4.6	103	42	170	26.0	4.5	
	*F-703	Dam	206	26.7	4.5	6	5	209	25.8	4.5	
	*F-733	do	246	25.0	3.6	10	4	155	26.0	4.2	
	*F-763	do	252	25.1	3.9	7	4	176	27.4	4.8	
	*F-790	do	215	26.3	4.3	10	4	164	27.1	4.7	
	*F-830	do	225	24.9	4.0	10	4	186	26.1	4.6	
	³ G-6058	do	271	24.3	3.5	8	4	198	25.0	4.3	
	³ F-849	do	299	24.4	4.8	7	4	192	25.5	4.5	
	F-744	do	275	24.9	4.2	5	4	213	26.5	4.5	
Coles, W. B.	9138	Sire	272	26.6	4.9	65	35	191	24.9	4.3	
Airpoint, Va.	*4137	Dam	302	24.7	4.7	14	8	190	25.7	4.3	
	*4216	do	300	27.0	4.7	9	7	219	25.4	4.4	
	³ 4002	do	291	24.9	4.8	9	4	139	25.9	4.3	
	3900	do	282	25.4	3.6	10	4	175	24.2	4.1	
Coombs, J. O. and Son	M-3846	do	252	24.9	4.1	18	6	141	25.1	4.0	
Sedgwick, Kans.	M-3897	do	264	25.8	4.2	11	4	157	24.7	4.3	
	M-4252	do	254	24.0	5.4	16	6	150	24.9	4.1	
	L-4373	do	252	25.8	4.2	10	4	153	25.9	4.0	
	L-4410	do	256	25.3	3.8	7	4	220	25.3	4.2	
	M-4334	do	263	26.1	5.0	12	4	127	24.4	4.0	
	M-3609	do	260	25.9	4.6	11	4	156	26.4	4.4	
	L-4580	do	257	24.2	4.1	10	4	151	25.0	4.1	
	L-4366	do	313	25.0	3.6	16	7	129	26.1	4.3	
	M-4807	do	300	24.1	4.3	10	6	191	25.7	4.5	
Creighton Bros.	1245	Sire	271	25.6	4.1	78	27	140	25.2	4.6	
Warsaw, Ind.	*B-62-4	Dam	211	24.2	4.2	7	4	152	25.2	4.6	
	2152	Sire	346	25.7	4.6	71	28	160	25.8	4.7	
	*1337	Dam	298	25.9	5.3	12	9	200	26.2	4.7	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.	
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production ²	Average egg weight per dozen	Average body weight
Creighton Bros.			No.	Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.
	*1397	Dam	281	26.2	4.6	12	6	166	25.9	4.6
	2286	Sire	265	26.9	5.5	62	25	150	26.2	4.9
	*1280	Dam	272	24.0	4.3	9	5	165	25.9	4.8
	*1336	do	255	26.6	5.1	11	6	159	26.7	5.2
	2302	Sire	300	25.6	5.5	112	40	156	26.1	4.1
	*424	Dam	313	26.7	5.3	9	4	177	25.5	5.1
	*648	do	294	27.0	5.2	13	6	152	26.6	5.2
	*1342	do	297	26.4	4.8	7	4	187	26.5	5.0
	*1734	do	264	24.8	4.6	8	5	200	25.8	4.6
	*1735	do	271	29.5	5.6	11	4	169	27.7	5.2
	*2565	do	258	27.2	5.4	8	4	159	26.7	5.7
	2793	Sire	301	27.2	4.3	66	29	167	26.1	4.8
	*1887	Dam	326	24.0	4.7	14	5	216	25.0	4.7
	*1904	do	299	25.7	4.9	5	4	238	25.6	4.6
	*1920	do	277	25.5	4.3	6	4	172	25.9	4.3
	2921	Sire	257	26.3	4.9	121	51	148	26.3	4.7
	*274	Dam	303	25.1	5.1	10	6	171	26.0	4.6
	*1363	do	299	25.4	4.5	12	8	170	27.1	4.6
	*1826	do	291	25.2	5.1	15	9	172	26.9	4.8
	*2033	do	268	27.7	4.4	12	5	119	26.5	5.4
	3029	Sire	286	24.2	4.8	48	20	174	24.6	4.9
	*3607	Dam	310	25.0	4.6	4	4	220	25.1	4.6
	*3617	do	278	27.4	3.9	4	4	245	26.3	4.5
	*3747	do	275	27.0	4.7	4	4	243	24.7	5.0
	3038	Sire	267	25.5	4.3	101	44	160	25.8	4.9
	*57	Dam	279	27.1	4.5	6	5	231	27.6	5.1
	*357	do	269	26.2	5.3	13	10	228	26.5	4.8
	*1643	do	252	25.7	4.7	11	5	149	25.5	5.0
	*1836	do	303	25.8	4.3	12	5	174	25.4	4.7
	3146	Sire	295	25.6	5.0	107	41	148	26.0	4.8
	*1476	Dam	286	25.3	4.8	9	5	197	25.6	5.0
	*1489	do	266	26.3	5.1	9	4	156	24.9	4.7
	*1515	do	284	26.6	4.4	8	4	182	26.4	4.8
	*1524	do	252	25.7	3.9	13	6	175	26.0	4.6
	*1550	do	268	26.2	5.0	10	4	169	26.2	4.9
	*1608	do	284	25.7	4.5	13	6	153	26.3	4.8
	3153	Sire	283	25.2	4.4	59	22	154	25.6	4.8
	*565	Dam	245	25.5	4.0	15	8	163	25.8	4.6
	3393	Sire	277	25.2	4.2	58	26	163	24.9	4.4
	*842	Dam	275	25.1	4.2	5	4	188	24.5	3.8
	*1919	do	307	25.2	6.1	9	5	185	24.9	4.3
	*3374	do	265	25.6	5.3	10	4	172	24.9	4.6
	3877	Sire	283	24.2	4.1	67	24	157	25.4	4.3
	*146	Dam	303	24.8	4.6	7	4	196	25.0	4.1
	*198	do	266	24.6	4.1	7	4	172	25.8	4.3
	*231	do	289	24.4	4.6	11	6	197	24.4	4.2
	5359	Sire	262	26.4	5.4	72	25	156	24.7	4.6
	*2712	Dam	290	24.0	4.2	10	4	166	25.0	4.4
	3 2863	do	262	25.8	4.4	12	5	153	25.1	4.8
	13287	do	220	24.2	5.2	5	4	199	25.8	5.3
	3096	do	231	24.7	4.9	12	5	168	24.7	4.5
	2827	do	286	25.8	4.0	9	4	159	25.4	4.3
	765	do	300	24.9	4.5	12	8	184	26.2	4.7
	1634	do	269	26.1	4.5	12	4	143	25.9	4.7
	69	do	213	24.6	4.6	7	5	196	25.8	5.1
	4091	do	247	28.6	4.6	7	5	214	26.3	4.3
	2153	do	251	26.3	5.5	9	4	169	25.1	4.3
	2698	do	272	24.6	4.3	8	4	149	24.9	4.4
	2557	do	239	26.2	5.0	8	4	151	26.1	4.4
	3832	do	255	27.2	5.2	7	6	228	25.8	4.7
	3925	do	295	25.6	4.7	7	4	195	26.4	4.7
	3100	do	223	25.4	4.6	7	5	222	25.6	4.8
	3306	do	207	26.9	4.6	4	4	220	26.8	4.4
	522	do	309	24.5	4.6	10	4	155	25.6	4.4
	1712	do	261	24.8	4.6	9	5	195	24.6	4.1
	2898	do	266	24.2	4.2	8	5	196	25.1	4.5

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No.1	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production			Entered		Qualified for U. S. R. O. P.		
			No.	Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.
Creighton Bros.	29	Dam	245	26.0	4.9	10	5	167	24.9	4.3
	2283	do	220	27.7	5.0	15	8	167	25.9	4.8
	3239	do	296	24.3	4.7	9	4	186	24.6	4.7
	4276	do	275	25.8	4.5	9	6	193	27.3	4.6
	2208	do	232	26.3	4.5	11	5	169	27.0	4.7
	13032	do	233	24.8	4.8	7	4	192	25.5	4.7
	856	do	232	24.6	5.6	7	5	181	24.9	4.5
	12563	do	207	26.4	4.0	6	4	208	25.3	4.3
	3026	do	239	26.2	4.0	13	5	145	25.3	4.3
Crescent Farms Bradenton, Fla.	4	Sire	260	25.9	4.8	136	49	155	27.1	4.4
	*73	Dam	286	24.4	4.4	22	10	173	26.4	4.5
	*75	do	250	24.8	4.4	24	12	171	26.5	4.3
	*77	do	280	25.6	4.5	14	5	178	28.1	4.5
	*82	do	305	25.6	4.0	17	6	159	26.5	4.0
	8	Sire	291	27.0	4.7	111	40	163	26.2	4.4
	*60	Dam	254	25.9	4.8	13	6	181	25.7	4.4
	*67	do	283	26.1	4.1	7	4	177	25.4	4.7
	*68	do	277	24.7	4.8	16	6	167	26.4	4.4
	*69	do	282	25.3	4.5	16	6	166	26.0	4.3
	*70	do	266	25.9	5.0	12	5	159	26.8	4.3
	121	do	298	24.6	3.7	15	5	178	24.9	3.9
	126	do	270	25.5	3.8	20	10	194	25.0	4.1
	128	do	296	25.1	4.9	12	6	181	25.7	4.3
	129	do	282	24.0	4.2	13	5	168	25.7	4.5
	858	do	260	24.5	4.0	7	5	187	26.3	4.5
	165	do	320	25.5	5.1	14	6	154	26.1	4.4
	169	do	265	25.0	3.9	20	8	168	26.0	4.3
	170	do	273	24.7	4.0	13	5	127	25.2	4.0
	171	do	261	25.2	3.9	13	5	159	25.9	3.7
	173	do	220	25.5	4.4	15	6	150	24.9	3.8
	32	do	244	25.3	3.5	9	4	172	26.8	4.6
	147	do	261	27.3	4.6	16	9	185	26.4	4.5
	149	do	282	27.5	4.5	8	4	195	27.2	4.1
	151	do	259	28.4	4.6	8	4	162	27.9	4.5
	154	do	275	25.8	4.8	19	7	148	25.3	4.1
	98	do	266	25.6	3.9	9	4	180	25.5	4.2
	112	do	294	25.2	3.9	11	6	164	25.9	4.6
	177	do	218	24.8	3.6	11	6	156	26.2	3.8
	181	do	294	28.3	4.5	13	5	147	27.0	4.1
	97	do	257	25.0	4.1	11	5	207	25.6	4.5
	105	do	266	26.7	4.0	12	4	173	25.3	4.2
Davis, Mrs. John A. Harrisonville, Mo.	F-55	do	216	24.9	3.8	5	5	248	25.7	4.0
Deavenport, J. A. Boulder, Colo.	4698	Sire				70	25	171	24.7	4.0
	*2723	Dam	214	26.2	3.8	10	4	166	25.1	4.1
	*3076	do	213	24.3	3.9	9	4	167	24.7	3.8
	4802	Sire				174	65	174	25.1	4.2
	*3383	Dam	254	24.2	4.6	11	4	168	25.5	4.3
	*3389	do	225	27.3	4.6	8	5	192	26.4	4.4
	*3467	do	225	26.3	4.2	18	11	198	25.9	4.1
	*3490	do	256	24.8	4.2	18	7	182	25.0	3.9
	*3530	do	235	26.8	4.6	21	11	173	25.8	4.3
	*3552	do	233	23.5	4.0	17	6	190	24.5	4.3
	4807	Sire				128	57	189	25.0	4.0
	*836	Dam	240	25.5	4.6	10	6	208	24.8	4.1
	*2654	do	217	24.2	3.6	7	4	174	24.6	3.9
	*3110	do	245	29.0	4.3	10	7	225	27.0	4.4
	*3135	do	234	25.5	3.7	11	4	179	24.5	3.6
	*3138	do	260	25.7	4.0	13	7	238	25.5	4.0
	*3144	do	235	25.1	3.5	16	9	173	24.6	3.9
	*3199	do	255	26.2	4.5	14	6	184	25.3	4.1
	4821	Sire				58	20	146	25.0	4.4
	*1251	Dam	263	26.8	4.2	9	5	191	25.6	4.2
	*4177	do	232	25.3	3.9	9	4	133	25.1	4.5

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam				Daughters			
			Egg production		Body weight		Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen
Deavenport, J. A.	2028	Dam	No.	Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.
	4111	do	234	27.9	5.0	15	5	176	26.1	4.3
	4171	do	223	26.6	4.7	11	4	159	25.6	4.0
	3470	do	275	26.3	4.9	10	4	139	25.3	4.4
	3877	do	250	25.8	4.8	13	5	178	25.8	4.3
	2201	do	296	25.6	5.0	10	4	118	25.9	4.7
	3126	do	262	26.8	4.1	8	4	155	26.5	4.0
	3246	do	267	24.6	4.0	7	4	153	25.9	4.6
	3250	do	258	24.2	4.0	9	1	141	24.5	4.5
			253	25.0	3.6	17	8	184	25.4	4.1
Dembro Poultry Farm Sewell, N. J.	121	Sire	255	26.1	4.0	110	37	-----	26.0	4.5
	*52	Dam	240	26.3	4.1	9	4	166	26.5	4.4
	*53	do	248	24.4	4.0	12	7	185	26.5	4.4
	469	Sire	258	29.5	5.2	66	24	140	26.3	4.5
	*3	Dam	236	24.9	4.9	10	4	130	26.4	4.6
	*667	do	215	27.5	3.6	10	4	132	26.8	4.2
	*886	do	245	26.3	4.6	8	5	179	25.9	4.8
	14	do	236	25.7	3.9	9	4	153	26.7	4.6
Dennis, F. A. Mansfield, Mo.	F-8503	Sire	307	24.0	4.3	62	23	155	24.9	4.4
	G-12110	Dam	268	25.1	4.7	9	4	182	26.5	4.4
	G-12114	do	317	24.8	4.8	41	4	157	26.0	4.3
Densmore Poultry Farm Roanoke, Va.	6470	do	237	27.4	4.8	12	4	152	25.9	4.6
	2231	do	200	25.1	4.3	12	5	170	24.9	4.3
	3237	do	258	25.3	4.2	5	4	222	25.2	4.1
	3232	do	271	28.9	5.0	8	4	168	25.6	4.5
	3837	do	225	25.3	4.5	7	4	203	24.2	4.2
Down's Poultry Farm Romeo, Mich.	M-1561	Sire	301	25.8	5.6	58	23	153	26.0	4.7
	*O-7976	Dam	252	24.3	5.0	13	5	124	26.0	4.7
	*O-8000	do	275	27.7	5.3	11	5	148	28.0	5.4
	*O-8004	do	-----	-----	4.6	9	5	176	25.7	4.7
	O-7970	do	261	24.4	5.5	9	4	181	24.7	4.0
	N-6706	do	250	24.1	5.2	14	6	195	25.5	4.6
	N-6690	do	293	24.4	4.5	15	6	200	24.3	4.4
	O-7960	do	264	26.1	5.0	13	8	198	24.5	4.4
	O-8008	do	255	26.5	5.1	9	4	242	24.2	4.2
Dublin Poultry Farm and Hatchery Dublin, Tex.	2141	Sire	294	27.3	5.9	131	46	150	25.2	4.6
	*221	Dam	254	24.1	4.7	6	5	238	26.0	4.9
	*222	do	271	25.0	4.5	13	6	170	24.8	4.9
	*229	do	257	24.8	4.7	21	8	165	24.5	4.8
	*292	do	251	24.9	4.2	7	5	224	24.7	4.7
	269	do	277	27.0	4.3	9	4	134	24.8	4.1
	231	do	265	26.5	4.2	17	6	178	26.2	4.5
	242	do	260	24.8	-----	8	4	179	25.3	4.3
Egg and Apple Farm Trumansburg, N. Y.	M-19404	Sire	238	27.6	4.8	116	58	190	27.8	4.3
	*K-8113	Dam	284	26.4	4.2	9	4	173	25.9	4.5
	*M-437	do	230	25.2	4.5	11	4	170	25.3	4.1
	*M-503	do	249	25.2	4.7	12	7	193	25.3	4.3
	*M-831	do	281	25.2	4.9	7	5	190	26.4	4.6
	*M-878	do	238	26.4	4.5	12	5	183	26.6	4.1
	*M-984	do	220	24.0	4.7	8	6	219	24.9	4.3
	*M-1269	do	240	25.2	4.6	16	7	199	25.0	4.2
	*M-1559	do	283	24.0	4.8	13	8	201	25.2	4.4
	N-12597	Sire	255	27.6	4.9	87	43	194	25.4	4.5
	*K-8691	Dam	233	25.2	4.7	9	5	221	25.5	4.2
	*L-3058	do	223	27.6	5.1	11	7	199	25.9	4.7
	*L-7103	do	227	24.0	3.8	8	5	182	26.6	4.8
	*M-617	do	234	24.0	4.4	12	7	215	25.2	4.4
	*M-927	do	268	25.2	4.0	8	5	209	25.1	4.5
	*M-939	do	228	25.2	4.6	10	5	187	26.0	4.7
	*M-1100	do	253	24.0	4.7	11	4	185	24.4	4.8
	N-12602	Sire	264	25.2	4.3	80	39	179	25.4	4.6

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
Egg and Apple Farm-----			No.	Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.
	*K-8202	Dam-----	266	25.2	4.3	12	6	159	26.0	4.6
	*L-3022	do-----	223	25.2	4.4	9	4	192	25.3	4.5
	*L-3325	do-----	206	26.4	3.9	12	5	180	24.2	4.1
	*M-462	do-----	227	25.2	4.6	10	5	206	25.4	5.1
	*M-679	do-----	225	25.2	5.1	12	4	133	25.2	4.6
	*M742	do-----	245	24.0	4.6	5	4	224	25.6	4.6
	*M-918	do-----	245	26.4	4.7	9	6	196	26.0	4.5
	N-12607	Sire-----	229	26.4	4.8	57	25	171	25.3	4.5
	*M-468	Dam-----	203	24.0	4.9	5	4	219	25.2	4.8
	*M-686	do-----	265	25.2	4.3	13	8	186	24.9	4.2
	*M-1101	do-----	261	25.2	4.3	9	4	162	25.0	4.0
	N-13385	Sire-----	251	26.4	4.1	99	40	176	25.3	4.7
	*L-3234	Dam-----	239	25.2	4.1	11	4	221	24.7	4.4
	*M-425	do-----	259	26.4	4.2	9	7	203	25.4	4.6
	*M-706	do-----	287	25.2	4.3	12	8	201	25.0	4.7
	*M-772	do-----	207	26.4	4.5	10	6	206	25.6	4.6
	*M-1546	do-----	232	25.2	4.9	12	5	153	25.0	5.0
	*W-11-12	do-----	207	25.5	5.6	11	4	154	25.3	4.7
	N-13418	Sire-----	251	26.4	4.1	50	20	171	25.6	4.7
	*L-7079	Dam-----	230	25.2	4.1	10	5	173	26.5	4.7
	*M-1138	do-----	280	24.0	4.0	10	5	199	25.6	4.5
	N-13474	Sire-----	261	25.2	4.4	95	51	199	25.6	4.9
	*K-8631	Dam-----	267	27.6	4.8	15	7	201	25.8	4.4
	*M-520	do-----	277	26.4	4.6	11	6	187	25.1	4.8
	*M-616	do-----	253	25.2	4.6	10	5	216	25.2	4.7
	*M-718	do-----	291	26.4	4.8	9	5	214	25.0	4.9
	*M-938	do-----	264	26.4	4.9	10	9	234	26.3	5.1
	*M-1136	do-----	263	25.2	4.7	9	4	174	25.8	5.3
	*M-1179	do-----	252	27.6	4.9	10	4	179	26.3	5.1
	*M-1238	do-----	335	24.0	4.2	6	4	198	25.2	5.0
	N-13478	Sire-----	238	25.2	3.9	89	37	166	25.1	4.5
	*J-6650	Dam-----	270	25.2	4.1	16	6	137	25.2	4.8
	*M-577	do-----	274	24.0	4.9	9	4	211	24.2	4.4
	*M-702	do-----	208	26.4	4.7	11	5	175	25.4	4.7
	*M-1183	do-----	276	24.0	4.8	8	4	199	24.3	4.3
	*W-12-18	do-----	241	24.9	4.6	15	7	160	25.8	4.5
	N-13495	Sire-----	233	25.2	4.7	61	28	191	25.3	4.7
	*K-8486	Dam-----	232	26.4	4.3	8	4	191	25.7	4.6
	*M-593	do-----	255	25.2	4.0	8	6	230	25.2	4.4
	*M-733	do-----	264	25.2	4.1	12	5	179	25.1	4.7
	*M-833	do-----	224	25.2	5.0	12	4	178	24.8	5.0
	*M-1570	do-----	241	25.2	4.1	12	8	203	25.9	5.0
	3 L-7049	do-----	219	27.6	4.1	12	5	171	26.1	4.9
	3 M-507	do-----	204	26.4	4.4	11	5	174	25.8	4.9
	3 M-1124	do-----	247	25.2	5.1	9	7	226	24.7	4.8
	M-868	do-----	236	25.2	4.7	10	7	192	25.0	4.3
	M-929	do-----	272	26.4	4.8	10	4	200	24.4	4.5
	M-1048	do-----	261	25.2	4.9	15	6	179	25.0	5.0
Gasson's Poultry Farms----- Versailles, Ohio.	K-517	Sire-----	297	26.3	5.0	78	53	222	26.4	4.6
	*J-188	Dam-----	263	26.6	5.3	11	7	198	26.4	4.9
	*J-910	do-----	271	26.0	4.9	5	4	234	26.7	4.7
	*J-1268	do-----	290	25.8	4.6	8	6	259	25.5	4.6
	*J-1383	do-----	269	25.4	4.1	7	7	254	26.3	4.4
	*K-77	do-----	271	26.6	4.4	8	5	220	27.1	4.8
	*K-1320	do-----	274	25.0	4.3	8	8	252	27.0	4.5
	K-518	Sire-----	296	25.4	4.9	62	38	202	25.9	4.6
	*K-608	Dam-----	265	25.0	4.6	6	4	207	26.7	4.6
	*K-888	do-----	298	26.2	4.2	9	5	182	26.9	4.6
	K-560	Sire-----	297	26.3	5.0	57	32	199	25.5	4.7
	*E-1018	Dam-----	268	25.1	4.6	6	4	202	25.7	4.7
	*G-565	do-----	274	24.4	5.2	6	4	222	25.4	4.8
	*J-483	do-----	282	25.8	4.4	4	4	255	26.6	4.5
	K-608	Sire-----	269	27.8	5.3	105	69	214	26.2	4.5
	*G-231	Dam-----	274	25.2	4.7	5	4	221	26.2	4.6
	*J-195	do-----	246	25.1	4.8	6	4	197	25.9	4.6

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters								
			Egg production			Entered			Qualified for U. S. R. O. P.			Average egg production		
No. Oz. Lbs.			Egg weight per dozen			No. Oz.			No. Oz.			Average egg weight per dozen		
Gasson's Poultry Farms-----														
	*J-1083	Dam	292	27.1	5.0	9	190	27.3	4.6					
	*J-1204	do	272	25.6	5.1	12	232	26.0	4.7					
	*K-298	do	247	26.9	5.1	8	269	27.5	4.7					
	*K-541	do	268	27.4	4.4	8	244	26.3	4.1					
	*K-973	do	260	26.8	5.0	4	256	26.8	4.7					
	*K-1452	do	305	25.6	4.9	8	204	26.6	4.3					
	K-614	Sire	286	25.9	-----	70	240	25.5	4.5					
	*K-258	Dam	278	24.9	5.7	8	256	25.6	4.9					
	*K-388	do	292	25.3	4.7	7	251	25.6	4.4					
	*K-556	do	301	24.8	4.8	6	253	25.9	4.7					
	*K-1298	do	273	24.4	4.3	8	228	25.4	4.4					
	*K-1705	do	311	24.2	4.2	7	249	25.6	4.5					
	K-671	Sire	281	26.2	4.4	75	28	204	24.6	4.5				
	*H-1277	Dam	277	25.2	5.1	7	248	24.4	4.6					
	K-684	Sire	301	27.4	5.0	85	51	204	25.6	4.5				
	*J-124	Dam	331	24.5	4.9	7	276	24.7	4.5					
	*J-568	do	279	26.1	4.5	10	8	216	26.0	4.4				
	*K-620	do	312	24.6	4.2	13	8	185	25.8	4.4				
	*K-979	do	318	25.5	4.7	11	9	238	26.6	4.4				
	*K-1679	do	283	28.3	5.0	6	5	251	26.8	4.7				
	K-826	Sire	292	27.1	5.0	110	59	210	24.9	4.5				
	*G-838	Dam	271	24.3	5.1	9	5	226	24.4	4.4				
	*H-351	do	247	25.8	4.4	9	5	208	25.2	4.4				
	*J-1001	do	260	24.1	4.7	7	4	215	24.7	4.5				
	*K-126	do	283	25.4	4.4	11	4	187	25.2	4.6				
	*K-487	do	300	24.1	4.4	10	4	234	23.7	4.4				
	*K-828	do	280	25.7	5.3	6	4	204	25.5	4.3				
	*K-994	do	232	26.9	5.4	10	4	161	25.5	4.8				
	*K-1142	do	318	24.5	4.0	14	7	213	24.4	4.3				
	*K-1150	do	246	26.3	5.3	8	6	218	25.6	4.8				
	*K-1736	do	283	26.0	5.2	8	8	255	25.6	4.3				
	K-929	Sire	301	26.3	5.0	119	56	190	25.3	4.4				
	*H-1322	Dam	313	24.2	4.4	7	5	202	26.3	4.4				
	*J-431	do	278	25.7	4.2	6	5	218	25.0	4.5				
	*J-610	do	249	27.6	4.9	7	4	216	26.6	4.5				
	*J-634	do	264	24.5	5.3	9	7	242	25.6	4.7				
	*K-729	do	272	24.4	4.9	16	13	235	25.5	4.7				
	K-1028	Sire	285	25.4	4.5	109	56	203	24.9	4.4				
	*J-385	Dam	272	24.2	4.6	9	7	232	25.0	4.4				
	*J-1308	do	264	27.0	4.7	6	4	206	24.8	4.2				
	*K-46	do	281	25.5	4.4	6	5	250	25.6	4.2				
	*K-262	do	261	25.2	4.8	5	4	219	25.8	4.5				
	*K-1058	do	264	25.3	4.7	6	4	255	25.0	4.6				
	K-1080	Sire	281	25.7	5.4	129	61	205	24.7	4.7				
	*J-1148	Dam	290	24.2	5.1	11	6	212	24.8	5.1				
	*K-278	do	262	25.4	4.4	10	7	204	25.0	4.6				
	*K-975	do	293	24.6	4.7	8	5	231	24.1	4.7				
	*K-1077	do	290	26.4	4.9	9	5	213	25.5	5.2				
	*K-1079	do	308	24.9	4.7	13	8	273	24.6	4.9				
	*K-1242	do	309	25.5	4.5	8	5	263	24.2	4.7				
	*K-1269	do	293	24.7	5.2	11	5	170	25.9	4.8				
	K-1197	Sire	297	24.8	5.1	57	29	201	26.0	4.6				
	*H-422	Dam	279	24.3	4.8	4	4	266	26.9	5.0				
	*K-634	do	305	25.8	4.7	7	4	230	25.6	4.6				
	K-1403	Sire	288	26.0	5.0	87	63	239	25.5	4.5				
	*K-234	Dam	240	27.1	5.1	9	7	230	26.0	4.6				
	*K-500	do	269	26.1	4.3	4	4	284	26.5	4.6				
	*K-974	do	251	25.6	5.5	13	8	216	24.7	4.4				
	*K-1068	do	244	29.1	5.4	4	4	278	26.5	4.9				
	*K-1082	do	245	25.8	4.4	4	4	245	25.3	4.2				
	*K-1476	do	240	26.4	4.8	9	7	262	25.0	4.7				
	*K-1781	do	280	25.2	5.1	7	4	294	24.3	4.5				
	K-1504	Sire	269	27.8	5.3	74	39	204	25.7	4.7				
	*J-36	Dam	246	24.4	5.1	7	5	195	25.7	4.6				
	*J-1195	do	301	27.4	5.0	8	6	220	25.8	4.7				
	*J-1572	do	294	25.4	4.7	9	5	251	25.3	4.6				

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No.	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered		Qualified for U. S. R. O. P.		Average egg production	Average egg weight per dozen
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.		
Gasson's Poultry Farms	*K-907	Dam	301	24.3	5.5	6	4	184	25.9	4.8	
	*K-1245	do	280	25.0	4.6	5	4	254	26.0	5.0	
	K-1524	Sire	291	25.7	4.6	43	22	178	25.7	4.8	
	*H-206	Dam	254	25.4	4.9	5	4	210	25.9	5.1	
	K-1643	Sire	289	28.0	4.6	92	38	197	25.0	4.6	
	*K-1045	Dam	303	25.5	4.3	8	5	231	25.7	4.8	
	*K-1137	do	297	27.7	4.6	9	4	176	25.9	4.8	
	*K-1678	do	294	25.9	4.4	12	6	213	25.3	4.3	
	K-1650	Sire	294	25.4	4.7	87	40	201	24.9	4.7	
	*K-607	Dam	273	25.2	4.6	8	7	256	25.3	4.8	
	*K-829	do	279	25.1	4.8	8	4	164	24.7	4.8	
	*K-960	do	302	24.4	4.4	13	9	257	24.9	4.6	
	*K-1780	do	270	24.6	5.2	9	4	196	25.1	4.8	
	K-1692	Sire	294	25.4	4.7	109	53	195	25.2	4.7	
	*J-157	Dam	289	28.0	4.6	7	5	227	25.9	4.7	
	*J-481	do	302	24.1	4.4	6	4	180	25.4	4.7	
	*J-1275	do	281	25.7	5.4	6	5	235	26.8	5.3	
	*K-390	do	302	25.2	4.6	11	8	227	25.1	4.7	
	*K-452	do	315	24.9	4.9	10	4	187	25.3	4.6	
	*K-1224	do	270	27.0	5.1	10	4	165	25.0	5.1	
	*K-1680	do	327	24.0	4.5	9	6	252	24.6	4.6	
	K-1755	Sire	281	25.7	5.4	127	81	206	26.3	4.8	
	*J-101	Dam	285	25.7	5.0	10	6	170	27.2	4.6	
	*J-544	do	255	26.5	4.4	9	8	233	27.5	4.9	
	*J-1102	do	284	27.0	5.5	8	8	255	26.5	5.0	
	*K-110	do	230	25.1	5.7	8	5	206	25.5	5.3	
	*K-151	do	246	26.1	5.3	7	4	190	26.0	5.0	
	*K-481	do	239	24.4	5.4	15	11	231	25.7	4.9	
	*K-738	do	261	24.3	4.7	14	9	221	26.1	4.8	
	*K-1262	do	263	28.6	4.4	7	5	198	26.9	4.8	
	*K-1336	do	314	25.7	4.9	7	5	207	26.3	4.7	
	*K-1617	do	274	25.8	5.0	9	6	209	26.5	4.8	
	*K-1719	do	273	26.1	5.6	7	5	213	26.5	4.8	
	K-243	do	290	24.3	4.9	8	4	182	25.5	4.9	
Ghostley, George F. Anoka, Minn.	702	Sire	301	24.3	4.0	47	33	234	25.9	4.7	
	*A-5202	Dam	277	26.2	4.2	6	4	218	25.6	4.3	
	*A-6596	do	300	25.6	4.4	15	12	238	26.6	4.6	
	*A-6837	do	309	26.5	5.2	4	4	273	25.4	5.4	
	978	Sire	307	24.5	4.4	38	25	252	24.4	4.7	
	*B-7605	Dam	279	24.0	4.6	7	5	256	23.9	4.6	
	*B-8506	do	310	25.4	5.1	7	4	269	24.3	4.8	
	*B-9753	do	307	24.7	5.1	8	6	251	24.4	5.0	
	1-508	Sire	309	25.0	4.5	55	37	244	25.7	4.9	
	*B-7921	Dam	313	24.6	4.4	6	5	255	25.2	4.5	
	*B-9257	do	310	25.5	4.2	6	4	253	25.1	4.6	
	*H-6373	do	278	24.7	5.1	10	4	226	26.5	5.2	
	12659	Sire	284	26.4	4.4	52	37	223	25.7	4.8	
	*B-9042	Dam	276	27.6	4.6	5	4	221	26.9	4.7	
	*B-9334	do	287	25.0	4.5	8	6	269	25.0	4.8	
	*B-9819	do	283	25.5	5.2	4	4	240	27.7	5.0	
	12900	Sire	281	25.9	4.6	28	20	230	25.4	4.9	
	*B-7668	Dam	304	25.2	5.2	9	5	215	24.9	4.9	
	*B-8965	do	280	26.3	4.4	4	4	255	26.3	5.0	
	43566	Sire	309	25.0	4.8	50	39	237	25.6	8.4	
	*B-8677	Dam	256	25.3	5.1	7	6	242	26.1	4.6	
	*B-9422	do	269	24.8	5.1	9	7	247	25.3	4.6	
	43573	Sire	325	26.1	5.1	72	45	272	24.8	4.9	
	*B-7785	Dam	303	26.7	5.1	7	4	243	25.4	5.1	
	*B-8350	do	289	25.8	5.5	6	4	278	24.9	5.1	
	*B-9065	do	285	26.0	5.2	4	4	263	25.7	5.0	
	*B-9513	do	296	28.0	5.2	6	4	290	24.4	4.8	
	*B-9718	do	302	26.0	5.5	14	13	271	25.3	5.0	
	43603	Sire	298	25.0	4.4	63	42	244	25.0	4.7	
	*B-7973	Dam	280	25.8	4.6	9	9	263	25.5	4.8	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			U. S. R. O. P. leg-band No. 1			Sire or dam			Egg production		
			No.	Oz.	Lbs.	No.	No.	Entered	No.	Oz.	Lbs.
Ghostley, George F.											
	*B-8353	Dam	308	24.6	5.3	5	4	283	25.6	4.8	
	*B-9104	do	304	24.4	4.5	7	4	209	24.4	4.6	
	43610	Sire	283	25.2	4.2	53	29	214	25.2	4.6	
	*B-7743	Dam	277	24.6	4.4	6	4	230	24.6	4.9	
	*B-8558	do	308	26.6	4.5	14	10	218	25.2	4.2	
	*B-43622	Sire	316	25.1	5.5	64	35	216	25.2	5.5	
	*B-7449	Dam	308	25.1	4.1	4	4	255	24.8	5.3	
	*B-43632	Sire	279	24.9	4.2	46	27	214	25.6	5.0	
	*B-9731	Dam	303	24.0	4.4	6	5	243	25.8	4.9	
	43641	Sire	309	25.0	4.5	34	23	238	26.0	5.0	
	*A-4996	Dam	258	26.4	4.1	5	5	278	25.4	5.0	
	*A-6808	do	256	25.0	4.5	8	5	266	26.3	4.7	
	43660	Sire	300	25.7	4.3	68	33	259	24.3	4.8	
	*B-9661	Dam	285	26.4	5.2	6	5	282	24.2	5.2	
	43714	Sire	309	25.0	4.5	36	21	216	26.3	4.9	
	43779	do	300	27.9	6.4	56	38	234	25.0	5.1	
	*B-8448	Dam	276	26.1	4.5	5	4	239	25.0	5.0	
	*B-9783	do	288	25.3	4.4	4	4	236	27.0	5.2	
	43808	Sire	316	25.1	5.5	86	29	220	23.8	5.1	
	*B-8875	Dam	326	25.2	6.3	7	4	243	24.0	6.1	
	43830	Sire	309	25.0	4.5	45	35	233	25.8	4.9	
	*H-5047	Dam	282	25.4	3.8	6	4	224	26.2	4.3	
	*H-5850	do	305	24.0	4.6	7	4	191	25.1	4.9	
	*H-5948	do	322	24.0	4.7	10	8	243	24.9	4.7	
	*K-507	do	277	24.2	5.5	6	4	221	25.7	5.6	
	*K-3505	do	282	24.9	4.6	4	4	244	26.1	5.2	
	43831	Sire	309	25.0	4.5	73	54	253	25.4	5.1	
	*A-4320	Dam	303	26.3	5.1	5	5	265	26.0	5.0	
	*A-4925	do	285	25.0	4.4	6	5	282	24.8	5.1	
	*A-4978	do	277	27.2	4.5	7	7	261	27.2	5.1	
	*A-5640	do	277	24.6	5.2	5	4	267	25.3	5.7	
	*A-5962	do	311	25.0	5.2	8	7	270	25.8	5.3	
	*A-6768	do	291	24.3	4.7	7	5	211	25.5	5.2	
	43856	Sire	298	25.0	4.4	47	24	251	24.3	4.5	
	43915	do	300	25.6	4.4	54	37	240	24.8	4.7	
	*A-4440	Dam	309	27.2	5.2	12	6	214	25.6	5.1	
	*A-6721	do	287	25.6	4.0	6	5	257	25.1	4.5	
	46103	Sire	298	25.0	4.4	31	21	226	25.3	4.6	
	*A-6061	Dam	307	24.3	4.0	7	5	229	25.1	4.0	
	46144	Sire	309	25.0	4.5	40	32	238	25.8	5.1	
	*A-5300	Dam	309	26.7	4.6	10	6	216	25.7	4.6	
	*A-6542	do	285	25.8	4.5	6	6	263	25.9	5.1	
	*A-6633	do	284	28.5	4.5	5	4	264	25.6	4.8	
	46168	Sire	279	24.9	4.4	62	38	245	25.4	4.6	
	*A-4506	Dam	296	26.6	5.5	4	4	255	25.9	5.3	
	*A-4723	do	286	26.2	4.3	5	4	269	25.5	4.7	
	*A-4933	do	295	25.3	5.1	6	4	248	25.0	4.8	
	*A-6488	do	281	25.2	5.2	4	4	277	25.1	4.7	
	46198	Sire	281	26.2	5.1	36	20	227	24.7	4.4	
	*A-4830	Dam	297	26.2	4.0	6	4	258	24.9	4.5	
	*A-6325	do	275	24.6	5.0	7	5	196	25.5	4.3	
	46251	Sire	309	25.0	4.5	46	29	243	24.7	4.3	
	*A-5304	Dam	293	26.4	4.4	5	5	261	25.3	4.2	
	*A-6801	do	288	24.9	4.2	7	7	235	25.8	4.3	
	46415	Sire	309	25.0	4.5	31	25	238	26.7	5.0	
	*A-5775	Dam	300	24.1	3.6	5	4	256	26.8	4.9	
	*A-6501	do	287	26.6	5.0	11	9	243	26.8	5.3	
	46513	Sire	309	25.0	4.5	63	48	244	25.5	4.6	
	*B-7234	Dam	291	24.9	5.2	5	5	256	25.8	4.5	
	*B-8738	do	297	25.4	4.2	4	4	236	26.1	4.7	
	*B-9436	do	317	24.0	4.5	8	7	277	25.9	4.8	
	46574	Sire	309	26.0	6.2	45	28	236	25.1	4.5	
	*A-4229	Dam	294	26.5	4.6	6	5	264	25.1	4.7	
	*A-4874	do	279	28.3	5.2	4	4	299	25.4	4.7	
	*A-6061	do	304	24.9	5.1	5	4	235	24.4	4.9	
	46589	Sire	298	25.0	4.4	78	48	227	25.5	4.6	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production	Egg weight per dozen	Body weight	Entered	No.	Oz.	Lbs.	Qualified for U. S. R. O. P.	Average egg production
Ghostley, George F.			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.		
	*B-7790	Dam	300	24.2	5.2	7	5	249	24.7	5.1	
	*B-9019	do	297	27.6	4.6	7	6	232	26.3	4.9	
	*B-9050	do	302	24.6	5.1	5	4	232	25.2	4.7	
	*B-9223	do	291	25.7	5.1	7	5	238	25.2	4.5	
	*B-9942	do	280	26.2	4.1	6	5	241	25.6	4.5	
	46615	Sire	298	25.0	4.4	62	30	235	24.7	4.4	
	*B-7052	Dam	288	25.0	4.6	6	5	272	25.1	4.3	
	*B-9711	do	306	24.7	5.1	13	7	247	24.8	4.8	
	46638	Sire	294	24.8	4.2	98	59	236	24.6	4.7	
	*A-4100	Dam	278	28.2	6.0	7	6	248	25.6	4.6	
	*A-4525	do	286	24.7	5.2	8	4	195	26.2	4.9	
	A-5243	do	319	25.3	5.4	5	4	255	25.3	5.2	
	*A-5828	do	297	26.2	5.1	4	4	292	26.6	4.9	
	*A-5947	do	279	25.7	4.4	4	4	279	25.4	4.5	
	*A-6445	do	283	25.9	5.0	5	4	213	26.3	4.3	
	*A-6739	do	325	26.1	5.2	12	8	263	24.3	4.6	
	*A-6853	do	281	24.5	4.6	10	4	224	24.7	4.7	
	46699	Sire	283	25.2	4.9	43	24	217	25.2	4.8	
	*B-7419	Dam	284	26.3	4.2	9	5	236	24.7	4.6	
	*B-8762	do	273	25.5	5.0	5	4	233	25.7	5.4	
	46757	Sire	294	24.8	4.2	52	41	239	25.3	4.8	
	*B-7178	Dam	261	25.0	4.4	5	5	256	25.7	5.1	
	*B-7465	do	275	27.4	5.2	7	5	232	25.2	4.9	
	*B-8550	do	254	26.1	5.1	4	4	270	24.7	4.8	
	*A-6066	do	274	26.1	4.2	5	5	261	25.4	4.8	
	A-4655	do	297	24.7	4.4	5	4	277	24.6	4.4	
	A-6859	do	299	26.5	4.6	6	4	197	25.6	5.1	
	K-733	do	304	24.6	5.1	4	4	266	25.9	5.4	
	K-3403	do	288	25.0	4.3	5	4	254	25.0	4.9	
	B-9963	do	280	28.9	5.2	4	4	240	26.1	5.2	
	B-9115	do	293	25.6	5.1	7	6	254	24.6	5.2	
	B-9888	do	284	28.1	5.6	16	9	244	24.4	5.2	
	A-6537	do	281	25.7	4.7	6	4	263	23.9	4.9	
	A-6045	do	325	24.8	5.6	6	6	241	25.8	4.7	
	B-8050	do	282	25.4	5.2	6	4	225	24.9	4.5	
	B-8383	do	276	25.4	5.5	8	4	249	24.1	5.1	
	B-8888	do	275	28.1	4.3	8	8	246	27.3	4.8	
	A-6338	do	290	26.6	5.4	4	4	270	25.2	4.9	
	B-9514	do	287	26.3	5.4	10	8	241	24.6	4.6	
	B-9635	do	276	24.7	4.1	8	6	271	25.4	4.9	
	K-76	do	268	24.9	5.3	4	4	266	25.2	4.9	
	A-4761	do	276	24.1	4.6	4	4	259	24.7	4.9	
	B-9540	do	294	25.5	4.5	9	7	232	24.9	4.6	
	B-7541	do	253	25.7	5.1	5	4	256	24.8	4.9	
	B-8475	do	280	24.5	5.1	7	4	243	25.0	5.3	
	A-7167	do	278	25.2	3.8	5	4	231	25.8	4.7	
	H-8876	do	311	26.3	3.9	9	7	241	25.2	4.2	
	B-8748	do	310	25.4	4.5	7	5	248	25.1	4.8	
	B-7879	do	281	24.7	4.2	5	5	263	27.1	5.3	
Goetgeluck, Oscar St. Marys, W. Va.	G-779	Sire	282	25.6	4.1	58	38	208	25.6	4.0	
	*E-1128	Dam	260	25.4	4.6	7	6	226	25.4	4.2	
	*E-1144	do	251	24.8	4.3	9	6	220	25.1	3.8	
	*G-1011	do	214	25.0	3.8	5	5	244	24.9	3.9	
	*G-1042	do	259	24.5	3.9	4	4	258	25.9	4.1	
	E-1121	do	220	25.9	4.5	8	5	201	24.9	4.6	
Golden Rule Poultry Farm Bryan, Tex.	1375	Sire	286	24.1	4.2	39	21	209	24.4	4.1	
	*1251	Dam	243	26.5	5.0	6	4	219	24.7	4.2	
	*1270	do	257	24.8	4.8	8	6	211	24.5	4.2	
	*1279	do	256	26.5	5.7	6	4	203	24.7	4.1	
	1446	Sire	286	24.1	4.2	78	42	207	24.8	4.1	
	*1264	Dam	254	25.0	5.3	15	11	221	24.7	4.3	
	*1265	do	259	25.0	4.7	10	4	212	24.0	4.3	
	*1266	do	282	24.0	4.8	11	6	221	24.4	4.0	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen
Hamilton Poultry Farms, Inc., Hamilton, Mich.	O-381	Sire	No. 245	Oz. 25.0	Lbs. 4.6	113	No. 53	Oz. 184	Lbs. 25.4
	*O-7802	Dam	225	28.2	4.7	12	8	191	26.2
	*O-7843	do	260	25.9	4.9	9	6	224	26.8
	*O-7915	do	252	25.0	4.8	9	8	237	25.7
	*O-7930	do	245	24.9	4.2	9	6	205	24.4
	O-7823	do	220	25.0	5.5	10	5	205	24.2
	O-7880	do	206	24.8	5.8	7	4	200	24.5
	O-7829	do	209	24.0	4.6	9	6	210	24.8
	O-7832	do	217	26.0	6.0	11	5	178	24.7
	O-7893	do	247	27.0	5.0	20	10	184	25.0
	L-8364	do	210	27.0	4.0	10	4	174	26.4
Hannah, W. S., and Sons—Grand Rapids, Mich.	N-648	Sire	241	26.0	3.5	69	23	189	23.2
	*N-6851	Dam	269	24.9	4.0	8	4	234	24.3
	O-504	Sire	255	24.3	4.6	42	20	184	23.8
	*O-8266	Dam	255	24.7	4.6	9	6	252	24.3
	O-511	Sire	255	26.3	4.5	85 ^a	31	187	24.6
	*O-8312	Dam	225	26.0	4.7	9	4	198	24.4
	*O-8318	do	232	26.6	4.2	6	5	247	26.2
	*O-8432	do	263	25.0	4.8	13	9	196	26.1
	O-546	Sire	269	24.5	4.2	127	57	179	24.9
	*O-8232	Dam	250	24.8	3.5	10	7	213	25.5
	*O-8287	do	246	25.0	4.0	8	5	204	24.3
	*O-8264	do	247	26.8	5.1	20	8	181	24.5
	*O-8289	do	248	24.2	4.6	10	6	172	25.2
	*O-8291	do	240	24.7	3.7	6	6	248	25.3
	*O-8324	do	245	24.6	4.6	20	8	180	24.7
	*O-8462	do	264	25.1	3.6	14	8	222	24.9
	3 N-7281	do	217	24.5	4.0	11	4	193	24.7
	3 O-8227	do	261	25.0	3.8	12	6	243	23.9
	3 O-8256	do	254	24.8	3.5	10	4	190	23.2
	3 O-8384	do	250	25.0	4.6	10	4	179	25.2
	L-4788	do	213	24.6	3.7	6	5	222	25.2
	N-6968	do	230	24.1	3.5	6	4	230	24.4
	N-6979	do	240	24.2	4.2	8	5	210	24.9
	M-5084	do	265	25.9	4.2	5	4	257	24.2
	O-8472	do	308	24.4	3.9	5	5	222	25.6
	O-8473	do	216	24.8	4.3	16	9	228	24.8
	O-8414	do	258	24.0	4.0	12	7	245	24.1
	O-8455	do	250	24.2	3.8	11	4	214	23.8
	O-8266	do	255	24.7	4.6	10	5	195	25.0
	O-8328	do	257	26.1	4.2	6	4	163	25.2
Hansen's Leghorn City—Puyallup, Wash.	1992	Sire	309	26.7	4.3	35	23	222	26.6
	*M-5946	Dam	286	25.6	5.2	10	9	241	27.1
	*M-6180	do	256	25.9	4.5	6	4	226	26.6
	2274	Sire	303	29.0	4.7	47	32	222	27.8
	*L-5555	Dam	296	26.8	4.1	7	5	253	29.1
	*M-5923	do	276	24.7	5.1	11	7	196	26.9
	*M-6129	do	298	25.3	4.1	6	4	251	27.4
	2292	Sire	301	27.3	4.6	33	22	199	27.8
	*L-5503	Dam	288	27.3	4.6	8	7	212	29.3
	*M-6156	do	278	25.0	4.4	6	4	202	26.8
	2297	Sire	300	25.8	4.1	35	26	219	28.1
	*L-5508	Dam	262	26.0	4.5	8	7	237	28.5
	*M-6026	do	290	26.2	4.3	7	6	232	27.0
	2355	Sire	301	27.3	4.6	42	29	228	25.8
	*M-5924	Dam	281	25.4	5.0	15	10	236	25.9
	*M-6225	do	294	24.4	4.8	10	8	219	26.0
	2495	Sire	279	27.7	4.6	34	24	227	26.1
	*L-5895	Dam	268	26.0	4.3	9	7	224	26.4
	*M-6017	do	295	27.9	4.1	7	4	214	26.6
	*M-6085	do	301	26.0	4.5	5	4	247	26.4
	M-5912	do	254	25.7	5.0	5	4	222	26.0
	M-5938	do	305	25.9	4.2	7	7	266	26.5

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No.	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Body weight	Entered	No.	Oz.	Lbs.	Average body weight
Hansen's Leghorn City-----	M-6252	Dam	No. 309	Oz. 25.8	Lbs. 4.2	4	No. 4	Oz. 253	Lbs. 4.5	
	M-5963	do	280	27.6	4.7	7	6	256	4.4	
	M-6226	do	254	25.9	4.0	7	5	239	4.1	
Hanson, J. A.----- Corvallis, Oreg.	8-1087	Sire	323	28.3	4.9	86	No. 62	247	25.5	5.0
	*8-658	Dam	315	25.7	4.6	11	9	250	26.2	5.0
	*8-1727	do	303	25.9	4.4	5	4	281	24.8	5.1
Hansen, J. A.----- Corvallis, Oreg.	*9-497	do	306	26.9	5.1	7	5	235	25.9	5.1
	*9-510	do	308	25.0	4.3	13	8	227	25.4	4.9
	*562	do	301	26.1	4.9	11	5	179	26.3	5.3
Hansen, J. A.----- Corvallis, Oreg.	*683	do	318	24.8	5.0	23	16	276	24.7	5.1
	*767	do	309	25.9	4.5	13	12	264	26.0	5.0
	9-1037	Sire	354	25.4	5.6	42	28	219	25.9	5.1
Hansen, J. A.----- Corvallis, Oreg.	*9-348	Dam	323	25.3	5.0	5	4	255	25.7	5.5
	*134	do	301	26.0	4.3	5	4	237	26.4	5.2
	9-1134	Sire	317	24.7	5.4	35	24	224	25.2	5.1
Hansen, J. A.----- Corvallis, Oreg.	*9-48	Dam	302	26.1	5.5	5	5	268	26.7	5.5
	*140	do	301	25.3	4.6	6	5	240	24.4	5.1
	339	Sire	340	24.0	4.2	44	31	240	26.1	4.8
Hansen, J. A.----- Corvallis, Oreg.	*9-1413	Dam	323	25.8	4.6	8	8	285	26.6	5.0
	*974	do	331	25.7	4.8	5	4	272	25.6	4.6
	*1402	do	321	28.0	5.1	11	5	200	26.1	4.7
Hansen, J. A.----- Corvallis, Oreg.	351	Sire	354	26.0	5.1	133	94	229	26.4	4.9
	*9-978	Dam	302	24.5	4.9	5	4	230	26.0	5.2
	*9-1012	do	309	25.1	5.2	10	8	238	26.0	5.1
Hansen, J. A.----- Corvallis, Oreg.	*9-1017	do	309	25.5	5.0	12	9	236	26.8	5.2
	*9-1043	do	332	26.4	4.9	13	6	213	26.4	4.8
	*9-1320	do	343	21.0	4.8	15	14	256	25.6	5.2
Hansen, J. A.----- Corvallis, Oreg.	*9-1401	do	314	25.2	4.2	6	4	221	26.5	4.8
	*9-1415	do	325	26.0	4.3	11	8	248	26.8	4.7
	*883	do	334	24.9	4.3	7	7	270	26.6	4.8
Hansen, J. A.----- Corvallis, Oreg.	*966	do	312	26.5	4.5	8	5	199	26.3	4.7
	*988	do	314	26.1	4.1	15	14	256	27.0	4.7
	*1130	do	307	24.8	4.7	10	4	191	27.7	5.2
Hansen, J. A.----- Corvallis, Oreg.	545	Sire	354	25.4	5.6	37	22	216	25.5	5.0
	*447	Dam	321	26.7	5.0	5	5	280	26.5	5.2
	649	Sire	354	25.4	5.6	57	42	211	26.6	5.1
Hansen, J. A.----- Corvallis, Oreg.	*9-4	Dam	319	25.2	4.3	8	4	187	27.5	5.1
	*7	do	324	25.0	4.3	12	10	231	25.5	4.9
	*8	do	319	25.8	5.3	11	8	205	26.5	5.4
Hansen, J. A.----- Corvallis, Oreg.	*11	do	308	25.6	5.1	12	10	210	27.2	5.2
	*12	do	313	25.4	4.7	12	9	217	26.5	5.0
	620	Sire	354	25.4	5.6	59	32	197	26.4	5.6
Hansen, J. A.----- Corvallis, Oreg.	*9-1251	Dam	317	27.6	4.3	10	6	206	26.7	4.5
	*213	do	333	26.0	5.2	12	7	200	26.0	4.7
	*606	do	313	26.4	5.1	5	4	225	26.5	4.7
Hansen, J. A.----- Corvallis, Oreg.	*934	do	301	28.4	5.0	5	4	234	27.2	4.9
	722	Sire	304	28.3	4.6	73	51	232	26.5	4.8
	*8-597	Dam	302	26.9	5.1	6	5	256	26.4	4.9
Hansen, J. A.----- Corvallis, Oreg.	*9-426	do	300	25.5	4.8	6	4	251	27.3	4.7
	*9-438	do	345	24.6	4.7	6	4	216	26.3	5.1
	*9-458	do	313	24.4	4.7	6	5	241	26.4	4.9
Hansen, J. A.----- Corvallis, Oreg.	*9-594	do	308	25.4	4.6	5	4	224	26.4	4.8
	*476	do	319	25.6	5.2	7	5	253	25.7	4.9
	*638	do	324	26.5	5.3	8	5	209	25.7	4.9
Hansen, J. A.----- Corvallis, Oreg.	*774	do	330	26.5	5.0	8	6	246	28.2	5.1
	*946	do	311	26.1	5.2	6	4	203	26.1	4.2
	*1720	do	307	26.9	4.9	7	5	247	25.8	4.7
Hansen, J. A.----- Corvallis, Oreg.	753	Sire	313	26.6	5.0	76	59	250	26.1	5.0
	*9-934	Dam	310	24.9	4.6	11	7	245	24.9	4.9
	*1209	do	313	26.3	5.0	6	5	253	26.3	4.9
Hansen, J. A.----- Corvallis, Oreg.	*1282	do	309	25.9	5.3	7	5	243	26.6	5.2
	*1291	do	330	24.7	5.3	7	6	264	25.6	5.0
	*1333	do	314	27.4	4.9	10	9	264	26.7	4.9
Hansen, J. A.----- Corvallis, Oreg.	*1435	do	312	27.2	6.0	5	4	209	28.1	5.3
	*1445	do	315	25.8	5.0	10	9	300	25.7	4.9

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No.	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight	
Hanson, J. A.	756	Sire	No. Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.		
	*9-1336	Dam	301 24.8	4.3	71	54	239	26.9	5.0		
	*9-1351	do	301 28.1	5.1	7	5	215	27.3	5.2		
	*9-1354	do	301 24.7	4.8	10	7	227	26.6	5.0		
	*1230	do	325 25.4	5.0	5	5	286	26.7	5.1		
	326	25.3	5.5	11	11	277	26.7	5.2			
	*1453	do	313 26.6	5.4	4	4	238	27.5	5.2		
	*1460	do	306 25.7	5.3	8	5	244	26.3	4.9		
	*1488	do	323 25.0	4.7	6	5	257	25.7	4.7		
	858	Sire	354 26.0	5.1	70	47	224	27.0	5.0		
	*296	Dam	330 25.7	5.2	11	11	266	27.8	5.4		
	*425	do	348 24.2	5.0	13	5	184	26.3	5.0		
	*550	do	336 24.6	4.9	9	8	262	27.6	5.3		
	*803	do	313 26.1	4.6	8	5	179	27.6	5.0		
	*805	do	340 25.1	4.0	9	5	209	26.5	4.5		
	*847	do	325 24.7	4.2	10	8	250	26.3	5.0		
	888	Sire	354 26.0	5.1	42	29	227	26.6	4.8		
	*1331	Dam	317 25.7	4.4	6	4	236	26.8	4.7		
	*1495	do	302 26.6	4.9	6	4	226	28.1	5.2		
	900	Sire	354 26.0	5.1	73	52	248	25.7	4.6		
	*9-529	Dam	304 24.7	5.9	4	4	283	26.8	4.9		
	*9-987	do	311 24.1	4.7	10	6	263	25.2	4.7		
	*9-1209	do	304 25.6	4.3	13	9	220	25.7	4.8		
	*9-1236	do	321 26.2	4.6	11	8	271	26.4	4.5		
	*1204	do	300 24.4	4.9	7	7	262	26.2	4.4		
	*1283	do	338 24.6	4.9	13	11	276	25.2	4.7		
	955	Sire	354 26.0	5.1	51	40	248	26.5	4.9		
	*9-1523	Dam	337 25.2	5.4	6	5	242	27.4	4.8		
	*9-1608	do	307 25.9	4.5	4	4	276	26.4	5.0		
	*1118	do	301 25.6	5.1	7	5	251	26.3	4.8		
	*1138	do	307 24.0	5.0	4	4	284	26.3	4.9		
	*1173	do	318 27.5	4.6	9	7	263	28.0	5.1		
	*1914	do	321 24.7	4.9	5	5	288	27.2	5.3		
	2260	Sire	354 26.0	5.1	73	49	222	26.5	5.2		
	*9-70	Dam	355 25.8	5.5	15	13	269	26.4	5.1		
	*9-257	do	305 27.2	5.4	5	4	238	27.3	5.8		
	*236	do	336 25.3	5.0	7	7	257	26.9	5.0		
	*250	do	326 26.5	5.5	13	8	202	26.6	4.8		
	*1611	do	304 26.5	5.2	13	8	201	26.8	5.2		
	2263	Sire	354 26.0	5.1	44	27	229	25.9	4.8		
	*1297	Dam	313 25.4	4.3	6	5	267	26.0	4.7		
	*1408	do	343 24.4	4.7	8	4	242	25.1	5.2		
	*1456	do	312 24.6	5.4	6	4	226	25.4	5.2		
	2259	Sire	354 26.0	5.1	80	63	245	26.3	4.8		
	*8-1583	Dam	326 25.2	4.8	4	4	251	26.4	4.5		
	1-1453	Sire	303 25.9	4.4	75	58	243	25.7	4.8		
	*191	Dam	314 24.6	4.3	4	4	267	26.3	4.4		
	*252	do	326 26.2	4.9	4	4	297	25.8	4.9		
	*418	do	346 25.1	5.0	9	5	182	25.7	4.8		
	*430	do	300 24.1	4.5	5	5	262	26.0	4.8		
	*440	do	337 24.1	5.9	6	5	267	24.6	5.1		
	*648	do	312 27.5	5.3	9	7	237	26.7	5.0		
	*693	do	332 24.6	4.8	6	5	279	24.9	4.5		
	*699	do	306 25.2	4.7	5	4	231	25.1	4.4		
	*872	do	339 25.3	4.6	6	5	260	25.2	4.7		
	1-1514	Sire	315 25.7	4.6	37	25	218	27.0	5.0		
	*623	Dam	345 25.4	5.4	5	5	270	26.6	5.1		
	*681	do	324 24.5	4.9	7	5	229	25.9	4.7		
	1-1615	Sire	349 25.5	4.7	70	39	209	26.0	5.0		
	1-1767	do	355 25.8	5.5	30	20	221	25.7	4.9		
	1-1781	do	307 24.6	4.5	37	24	208	26.8	5.0		
	*880	Dam	300 26.3	6.1	6	4	207	27.2	5.2		
	*915	do	303 27.6	6.2	4	4	266	27.6	5.5		
	1-1806	Sire	349 25.5	4.7	60	39	215	26.4	4.8		
	*9-1658	Dam	307 25.8	4.5	7	6	227	27.5	4.7		
	*1094	do	300 25.8	4.5	5	4	249	27.7	4.9		
	*1376	do	329 27.3	5.2	10	8	243	27.0	4.9		

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters						
			Egg production			Entered			Average egg production			Average egg weight per dozen
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.	Oz.	Lbs.	
Hanson, J. A.	1-1811	Sire	305	26.3	5.5	28	22	249	25.9	5.0	5.0	
	*678	Dam	330	24.0	5.0	4	4	277	25.7	4.8		
	*700	do	326	25.9	5.0	4	4	286	26.1	5.1		
	1-1828	Sire	355	25.8	5.5	36	26	228	26.5	5.1		
	*192	Dam	307	25.7	4.8	4	4	273	25.6	5.1		
	*282	do	326	25.7	5.2	5	4	306	27.7	5.6		
	*547	do	306	26.2	5.0	4	4	216	26.5	5.1		
	1-1856	Sire	349	25.5	4.7	24	20	236	27.3	5.3		
	*781	Dam	313	27.1	5.4	4	4	245	28.1	5.6		
	1-1900	Sire	355	25.8	5.5	61	41	237	26.3	5.6		
	*23	Dam	304	27.7	4.8	8	6	247	27.5	5.0		
	*80	do	312	24.6	5.1	4	4	289	26.8	5.4		
	*174	do	337	25.2	5.0	7	5	205	26.1	5.3		
	*182	do	333	28.8	4.4	7	6	307	26.6	4.5		
	1-1945	Sire	349	25.5	4.7	36	26	245	24.8	5.1		
	*896	Dam	330	26.3	5.2	6	5	250	24.9	5.0		
	*945	do	332	28.1	5.0	7	5	264	25.9	5.2		
	1-2154	Sire	313	26.6	5.0	75	51	247	25.5	4.9		
	*1862	Dam	304	28.0	4.2	7	6	261	26.1	4.9		
	*1891	do	313	24.8	4.5	7	5	269	25.4	4.7		
	1-2173	Sire	349	25.5	4.7	29	24	240	26.1	5.2		
	*9-220	Dam	305	26.0	5.0	5	4	205	26.2	5.2		
	*1178	do	313	27.2	5.6	5	5	234	25.7	5.4		
	1-2191	Sire	355	25.8	5.5	33	22	244	26.2	5.1		
	*6-559	Dam	302	26.7	4.3	5	4	215	26.4	5.5		
	*7-900	do	300	26.1	5.2	6	5	268	25.2	4.8		
	*9-2	do	323	24.5	5.0	15	8	229	25.3	5.0		
	*9-8	do	323	25.5	5.2	10	6	202	27.0	4.8		
	*9-13	do	320	25.5	4.8	5	5	223	26.7	4.7		
	*9-816	do	304	24.4	4.0	6	5	240	26.3	4.4		
	*3-2	do	319	25.6	5.1	12	7	248	25.3	5.0		
	*3-5	do	317	24.8	4.5	10	9	266	25.7	4.6		
	*5-4	do	320	27.3	5.8	7	5	239	25.9	4.9		
	*3-6	do	296	25.6	5.1	11	6	201	27.0	5.2		
	*3-9	do	331	25.6	5.5	13	7	196	26.3	4.9		
	*3-10	do	323	26.0	5.6	12	9	248	26.1	5.1		
	*2-265	do	305	27.1	5.6	8	6	227	25.7	5.3		
	*5-52	do	323	25.4	4.0	6	4	271	26.5	5.2		
	*5-59	do	300	25.6	5.5	9	8	250	25.5	5.2		
	*6-600	do	301	26.1	4.7	5	4	270	27.7	5.1		
	*6-671	do	301	24.5	5.7	4	4	286	25.9	5.4		
	*8-861	do	307	24.6	4.2	6	4	257	25.8	5.0		
	*8-982	do	331	24.7	4.9	4	4	233	26.2	4.9		
	*8-986	do	306	27.2	5.1	7	5	236	25.7	4.7		
	*8-989	do	318	25.7	5.1	7	5	263	25.2	5.1		
	*8-994	do	303	25.9	5.3	6	6	293	25.9	5.1		
	*3-1000	do	305	28.7	5.5	5	4	212	27.4	5.4		
	*3-1150	do	309	25.2	5.2	15	12	231	27.1	4.9		
	*3-1228	do	307	25.0	4.1	6	6	293	25.4	4.7		
	*3-1256	do	335	25.8	4.8	9	7	251	26.1	4.7		
	*3-1300	do	335	25.0	4.7	7	6	299	26.1	5.1		
	*3-1340	do	341	25.7	4.7	14	10	251	25.8	4.8		
	*3-1487	do	334	26.0	5.2	7	7	263	26.7	4.7		
	*8-410	do	323	24.2	4.8	8	5	240	25.1	5.1		
	9-733	do	305	26.3	5.5	6	5	240	27.0	5.4		
	289	do	340	25.5	5.7	8	7	288	25.5	5.0		
	388	do	300	26.5	4.4	5	4	212	26.9	4.6		
	9-1151	do	302	26.8	4.9	6	5	238	28.1	5.4		
Hile's Poultry Farm Mount Vernon, Ohio.	J-197	do	282	25.9	4.5	5	4	244	25.4	4.8		
	K-189	do	283	25.5	4.4	8	4	225	23.7	4.2		
Holmes County Hatchery Millersburg, Ohio.	J-3689	Sire	321	24.8	5.2	45	24	184	26.3	5.0		
	*J-14	Dam	207	24.1	3.8	6	5	246	25.9	4.6		
	*J-38	do	241	24.9	4.6	7	6	215	26.9	5.4		
	*J-93	do	228	24.8	4.4	7	4	171	25.6	4.9		

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam				Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
Horseshoe Poultry Ranch--- Wheatland, Wyo.			No. Oz.	Lbs.	No.	No.	No. Oz.	Lbs.		
	M-828	Sire	354	26.0	5.1	69	43	214	25.7	4.2
	*9-2321	Dam	246	24.3	3.7	9	6	240	26.4	4.2
	*9-2858	do	243	24.6	4.3	5	4	221	25.3	4.2
	*9-24-6	do	307	24.6	4.0	8	5	222	24.8	4.0
	*9-24-13	do	316	25.3	4.6	6	5	213	25.7	4.2
	*16-1	do	280	25.2	4.0	11	8	200	26.7	4.0
	*16-8	do	306	25.0	3.7	7	4	224	25.5	4.0
	3397	Sire	312	25.7	4.6	53	25	191	24.8	4.2
	*9-2728	Dam	248	24.7	3.9	11	6	202	25.0	4.2
	*3029	do	247	24.0	4.2	12	8	240	24.8	4.4
	3444	Sire	278	26.4	4.8	52	22	250	24.2	4.1
	*8-2583	Dam	254	23.8	4.4	6	4	224	25.6	4.8
	122-16	do	231	25.0	4.4	9	4	216	24.1	4.5
	122-20	do	317	25.1	4.2	6	4	221	24.4	3.8
	1-3207	do	255	27.1	4.5	9	6	254	24.4	4.4
	1-3215	do	205	25.5	4.0	8	6	216	24.7	4.4
	1-3221	do	251	24.6	3.5	12	4	233	23.8	4.1
	1-3253	do	269	25.4	4.0	5	4	257	24.7	4.4
	1-3307	do	242	25.0	4.5	14	5	201	23.7	4.3
Kirk, U. J.--- St. Paul, Oreg.	1-1617	Sire	304	24.7	5.9	87	32	148	25.3	4.5
	*126	Dam	331	24.0	4.2	11	6	207	25.0	4.3
	*250	do	326	26.5	4.0	9	4	139	25.0	4.5
	*348	do	300	25.1	4.2	11	6	178	26.3	4.6
	64	do	291	24.5	4.5	9	4	173	26.3	4.4
	9-496	do	284	27.2	4.4	8	4	164	26.6	4.3
	329	do	278	27.0	4.4	12	6	167	26.4	4.2
	437	do	277	28.5	4.6	4	4	237	26.6	4.4
	8-296	do	289	26.9	4.4	7	5	205	26.2	4.6
	300	do	288	25.8	4.2	8	4	173	25.5	4.3
	115	do	306	26.1	4.8	5	4	205	25.0	4.7
	221	do	313	25.8	4.1	12	4	161	25.5	4.3
	244	do	304	24.7	3.9	7	5	193	25.9	4.1
Larson, Archie M.--- Weiser, Idaho.	642	Sire	236	25.8	3.7	38	21	193	26.2	4.4
	*0-466	Dam	232	26.7	4.4	9	6	208	26.3	4.6
	*S-280	do	240	24.7	3.5	6	5	225	25.6	4.1
	*0-281	do	227	24.7	4.9	14	6	173	25.3	4.1
	S-4	do	213	25.4	4.1	15	5	179	25.9	3.9
	0-607	do	240	26.7	3.8	9	4	196	27.3	4.2
	0-297	do	286	25.1	4.3	11	4	183	26.3	4.2
	0-397	do	244	27.0	4.0	9	4	179	26.9	4.2
	0-409	do	265	24.5	3.6	6	4	195	26.1	4.2
	0-110	do	256	25.7	4.4	12	5	176	25.7	4.2
	0-701	do	263	26.1	4.2	8	4	171	26.3	4.2
	0-106	do	286	25.9	4.9	6	4	206	26.5	4.1
	0-39	do	280	26.9	4.3	7	4	189	25.3	3.7
	0-138	do	248	25.4	4.2	11	5	191	25.7	3.9
	0-162	do	261	26.1	4.1	11	4	159	25.2	4.3
	0-22	do	275	25.5	3.8	7	5	211	25.9	4.2
	0-358	do	260	27.5	5.0	10	7	218	26.5	4.1
	9-150	do	268	26.9	3.9	8	5	203	26.2	4.4
Lux Leghorn Land Farm--- Hopkinton, Iowa.	9-1315	Sire	306	24.1	4.2	51	26	205	25.5	4.4
	*38	Dam	283	26.9	5.1	6	5	232	27.4	4.9
	*113	do	272	25.1	4.3	8	4	218	24.8	4.3
	*120	do	287	24.6	4.6	7	6	237	25.6	4.6
	*108	do	247	26.2	5.3	10	9	231	26.7	5.1
	*M-432	do	282	25.5	4.8	10	4	219	24.9	4.8
	*M-160	do	267	25.8	4.1	8	4	175	26.2	4.4
	*M-696	do	263	26.6	5.0	5	4	208	25.6	4.6
	C-473	do	236	24.4	4.6	6	5	206	25.1	4.4
	314	do	220	26.1	4.1	4	4	249	25.4	4.5
	M-506	do	214	27.2	3.8	6	4	220	25.7	4.1
	B-605	do	313	24.2	4.0	8	7	264	25.4	4.6

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No.	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight	
Manti-Apex Breeding Farm and Hatchery. Manti, Utah.			No. Oz. Lbs.	No. Oz. Lbs.	No. Oz. Lbs.	No. Oz. Lbs.	No. Oz. Lbs.	No. Oz. Lbs.	No. Oz. Lbs.	No. Oz. Lbs.	
	F-58	Sire 269	25.8 4.3	88	31	174	24.8 4.2				
	*G-518	Dam 232	26.3 4.3	10	7	185	26.0 4.4				
	*G-632	do 249	25.6 3.6	9	6	211	25.5 4.0				
	*G-686	do 252	24.5 4.0	11	5	174	25.0 4.1				
	*G-729	do 249	24.7 3.7	17	7	163	24.5 4.2				
	F-215	Sire 250	26.7 4.3	80	28	164	25.4 4.3				
	*G-224	Dam 258	25.5 4.5	13	6	192	25.0 4.1				
	*G-710	do 248	25.9 3.9	9	4	169	25.7 4.2				
	F-285	Sire 230	25.6 4.1	94	33	179	24.5 3.9				
	*G-29	Dam 257	27.0 4.2	10	6	219	25.9 4.1				
	*G-93	do 220	25.1 5.2	8	4	182	24.1 4.0				
	*G-493	do 279	25.8 4.4	14	8	222	24.7 3.9				
	*G-735	do 271	25.3 4.1	8	4	184	25.1 3.9				
	*G-795	do 235	26.3 4.4	11	4	178	25.6 4.1				
	F-291	Sire 270	24.3 3.7	120	52	175	25.9 4.2				
	*G-105	Dam 228	25.0 4.8	14	8	188	25.5 4.3				
	*G-176	do 217	25.0 3.8	21	10	182	25.4 4.1				
	*G-341	do 240	24.7 3.9	10	6	164	25.5 4.3				
	*G-776	do 275	24.9 4.3	8	5	201	26.3 4.6				
	F-362	Sire 285	25.6 4.1	102	50	178	26.2 4.3				
	*G-64	Dam 250	26.1 4.0	14	6	170	26.4 4.0				
	*G-98	do 220	25.7 4.1	6	4	202	26.1 4.1				
	*G-245	do 256	24.5 3.7	8	4	187	25.3 4.1				
	*G-413	do 224	27.2 4.8	13	6	160	26.7 4.5				
	*G-447	do 271	25.2 4.0	12	5	161	26.1 4.5				
	*G-496	do 232	26.8 4.7	14	7	189	26.4 4.3				
	*G-548	do 232	27.1 4.0	6	4	179	27.5 4.6				
	*G-601	do 209	28.3 4.9	12	9	217	26.5 4.2				
	F-800	Sire 281	24.6 3.9	94	37	171	25.0 4.1				
	*G-294	Dam 237	26.8 4.8	10	6	183	25.8 4.4				
	*G-330	do 250	28.5 4.1	7	4	211	26.6 4.2				
	*G-424	do 228	24.9 3.9	16	6	173	24.4 3.9				
	*G-445	do 244	24.5 3.9	8	4	158	24.8 4.2				
	*G-703	do 243	25.6 4.6	14	6	188	25.1 4.2				
	G-107	do 219	25.9 4.5	13	5	186	26.5 4.5				
	G-435	do 255	25.4 4.0	15	9	191	26.6 4.7				
Manwaring Leghorn Farm... Mentone, Ind.	37	Sire 296	26.3 5.0	66	25	160	25.5 5.0				
	*5043	Dam 276	24.8 4.2	10	6	216	26.1 4.9				
	*6626	do 292	25.4 5.0	11	5	165	25.1 4.9				
	*7389	do 295	25.3 4.3	7	4	228	24.7 4.8				
	104	Sire 275	26.4 4.0	64	28	210	24.0 4.5				
	*6621	Dam 286	24.8 4.1	13	6	224	24.5 4.7				
	*7064	do 286	25.6 4.5	7	5	257	24.6 4.4				
	209	Sire 286	24.9 5.6	48	30	218	23.7 5.1				
	*6946	Dam 301	25.6 4.7	6	4	205	25.0 4.9				
	*7002	do 292	25.4 4.4	6	4	222	25.4 4.8				
	*7009	do 307	24.4 4.9	10	8	236	25.6 5.3				
	*7038	do 290	26.9 4.7	12	7	201	25.5 5.4				
	247	Sire 270	24.6 3.9	28	20	209	25.7 4.3				
	*6723	Dam 271	26.0 4.3	10	6	189	25.4 4.0				
	*6756	do 270	27.2 4.5	9	6	219	26.5 4.6				
	*6797	do 262	25.4 4.8	9	8	223	25.2 4.4				
	1000	Sire 314	24.7 4.7	110	63	197	26.2 4.6				
	*4608	Dam 285	27.4 3.7	12	6	170	26.8 4.4				
	*4738	do 283	24.7 4.6	17	11	205	25.0 4.5				
	*4838	do 277	25.6 4.8	14	8	217	26.4 4.8				
	*5125	do 283	25.2 4.7	16	10	210	27.1 4.8				
	*5421	do 276	25.2 5.5	12	8	192	26.5 4.6				
	*5521	do 280	26.7 4.9	14	5	169	26.1 4.6				
	*5581	do 281	25.0 5.0	12	7	197	26.7 4.7				
	1203	Sire 335	24.9 4.7	64	49	225	26.5 5.0				
	*4861	Dam 295	25.5 4.3	11	8	243	26.1 5.0				
	*5023	do 273	25.2 4.7	11	9	244	26.0 5.1				

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters		
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production?
Manwaring Leghorn Farm...			No.	Oz.	Lbs.	No.	No.	Oz.
	*5143	Dam	265	26.5	4.5	13	12	27.3
	*5529	do	292	24.6	4.7	9	8	22.8
	*5565	do	298	26.9	5.2	6	6	27.3
	1336	Sire	269	28.1	4.7	118	65	22.1
	*4580	Dam	279	24.2	4.6	9	7	24.1
	*4989	do	276	24.4	5.2	8	4	17.0
	*5070	do	287	24.1	4.1	8	7	24.9
	*5347	do	281	24.5	4.4	10	7	21.4
	*5416	do	284	24.2	4.1	11	7	23.2
	*6217	do	288	26.0	4.4	9	7	23.4
	*6349	do	278	24.9	4.1	17	11	26.0
	*7376	do	289	24.1	4.6	8	5	25.9
	1394	Sire	286	24.9	5.6	50	38	23.9
	*5025	Dam	268	25.4	4.5	18	15	24.5
	*5186	do	259	27.1	4.8	16	11	22.7
	*5294	do	267	25.3	4.6	7	6	25.5
	*6372	do	270	24.6	4.6	9	6	23.8
	1498	Sire	296	26.3	5.0	70	38	19.2
	*4885	Dam	268	27.7	5.1	9	7	23.7
	*5128	do	272	25.1	4.9	10	8	23.4
	*5449	do	268	24.8	5.4	9	5	20.9
	*6454	do	271	26.3	5.0	11	8	21.9
	1606	Sire	275	26.4	4.0	42	23	20.8
	*4619	Dam	257	24.7	5.1	8	6	24.0
	*4882	do	266	25.0	4.9	12	8	21.9
	1667	Sire	296	26.3	5.0	41	20	18.3
	*4553	Dam	267	25.5	3.7	8	5	16.8
	*5428	do	272	25.9	5.2	9	4	17.8
	*6604	do	272	26.7	4.2	6	5	23.7
	1672	Sire	275	26.4	4.0	94	41	17.3
	*4866	Dam	253	24.7	4.3	8	5	19.1
	*5423	do	265	26.5	4.7	12	6	18.7
	*6295	do	263	26.5	4.0	10	5	15.6
	*6465	do	254	25.6	4.3	7	5	21.2
	*6642	do	264	27.0	4.2	9	5	18.9
	*7288	do	267	24.1	4.1	11	6	20.2
	6745	do	252	24.3	4.1	8	4	19.9
	4695	do	257	25.9	5.4	7	4	16.5
	6195	do	275	26.4	4.0	8	5	21.6
	5068	do	259	26.3	4.7	12	6	15.9
Moll Breeding Farm Wauseon, Ohio.	K-4057	Sire	311	24.8	4.5	59	25	17.2
	*K-332	Dam	261	26.5	4.3	12	7	21.3
	*K-384	do	260	26.7	5.0	9	4	18.0
	K-222	do	225	27.8	4.8	8	5	19.2
	K-43	do	215	27.1	5.5	7	6	28.1
	K-158	do	244	27.7	5.9	5	4	20.5
	J-68	do	262	25.7	4.1	6	4	18.5
	K-106	do	319	26.0	4.1	8	4	19.9
	K-145	do	314	25.4	4.7	7	4	16.0
Moore Haven Farm Laurel, Miss.	4	Sire	286	25.5	4.5	135	56	18.5
	O*-61	Dam	255	25.0	4.4	11	5	16.2
	*O-187	do	257	26.0	4.3	10	5	20.0
	*O-230	do	266	26.0	4.7	12	5	19.1
	*O-232	do	282	25.0	4.6	12	7	21.9
	*O-997	do				9	6	21.8
	*O-1177	do	277	27.0	4.7	10	4	15.8
	*O-1670	do	266	24.0	4.2	10	4	19.6
	145	Sire	299	24.1	5.2	135	47	19.7
	*O-418	Dam	247	26.0	4.9	11	5	19.6
	*O-748	do	266	24.0	5.2	6	4	20.8
	*O-1572	do	265	24.0	5.0	13	6	22.1
	253	Sire	304	24.9	4.6	200	67	19.2
	*O-60	Dam	251	24.0	5.0	16	6	21.8
	*O-403	do	256	24.0	4.4	11	5	20.7

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production		Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight	
			No.	Oz.							
Moore Haven Farm	*O-460	Dam	256	25.0	4.3	12	5	199	25.2	4.7	
	*O-983	do	256	25.0	4.3	9	5	190	25.4	4.8	
	*O-1323	do	268	24.0	4.5	15	9	199	24.9	5.1	
	*O-1827	do	280	24.0	4.5	13	8	210	26.0	5.0	
	O-402	do	256	24.0	4.4	9	7	233	25.0	4.5	
	O-734	do	268	24.0	4.6	8	4	210	24.8	4.2	
	O-1130	do	270	25.0	4.3	11	4	196	24.5	4.7	
	O-1602	do	270	25.0	4.3	7	5	204	25.0	4.5	
	K-1536	do	295	25.0	4.5	9	4	196	24.0	4.9	
	O-32	do	255	24.0	4.8	5	4	236	24.0	4.4	
	O-700	do	270	24.0	4.7	9	4	184	24.3	4.4	
	O-785	do	256	28.0	4.4	10	5	188	25.3	4.7	
	O-183	do	270	25.0	5.0	14	5	184	25.3	4.4	
	O-1314	do	256	25.0	5.1	11	5	204	24.5	4.4	
	O-82	do	269	24.0	5.2	15	5	190	24.0	4.7	
	O-710	do	256	24.0	4.4	6	5	216	25.6	5.3	
	O-894	do	269	25.0	4.5	12	6	195	24.8	4.6	
	O-1274	do	255	27.0	4.6	8	4	224	24.7	4.5	
	O-1434	do	259	24.0	4.5	15	5	188	23.9	4.6	
	O-1449	do	270	25.0	5.0	12	6	212	23.9	4.7	
	O-1724	do	250	24.0	5.1	13	5	194	24.7	4.9	
	O-1741	do	282	27.0	4.2	9	4	204	24.7	4.0	
	O-1872	do	274	27.0	4.1	12	6	209	25.1	4.3	
Morton, Dr. David C. Agecroft Hall, Windsor Farms, Richmond, Va.	8801	Sire	310	26.6	4.3	45	27	225	24.9	4.5	
	*1317	Dam	281	25.3	4.9	8	4	208	24.7	4.5	
	*1384	do	237	25.5	4.7	11	7	218	25.7	4.7	
	*1438	do	257	24.5	4.5	6	5	250	26.0	4.7	
	*1696	do	257	26.0	4.8	14	6	211	23.9	4.3	
	*1749	do	278	24.1	5.1	6	5	287	24.9	4.5	
	8822	Sire	311	24.1	4.5	48	25	194	25.7	4.9	
	*1010	Dam	250	25.0	4.4	11	5	206	25.8	4.7	
	*1249	do	238	26.9	4.7	6	5	196	26.4	5.0	
	*1426	do	248	26.3	4.5	9	6	185	25.6	4.8	
	*1480	do	230	27.8	5.0	12	6	212	26.6	5.2	
	8825	Sire	320	26.1	4.4	52	22	181	24.4	4.5	
	*1533	Dam	278	25.2	4.5	13	9	217	25.0	4.3	
	*1699	do	255	25.8	4.8	9	4	192	24.7	4.9	
	8857	Sire	257	28.1	5.1	64	24	175	25.0	4.6	
	*128	Dam	228	26.2	3.0	8	4	182	24.7	4.3	
	*203	do	228	26.2	3.0	6	4	209	26.2	5.2	
	8967	Sire	312	26.7	4.4	33	20	181	25.5	5.0	
	*1406	Dam	265	24.6	4.5	7	5	183	25.1	4.8	
	*1807	do	277	27.8	4.7	9	5	170	25.4	4.9	
	*1876	do	238	24.2	5.4	7	5	202	25.6	5.0	
	9004	Sire	309	24.3	5.1	59	20	157	25.4	4.6	
	*1305	Dam	281	24.6	4.3	8	5	194	25.1	4.5	
	*1570	do	266	24.6	4.3	10	4	179	24.5	4.7	
	*1757	do	279	24.4	5.0	18	9	194	25.1	4.7	
	185	do				14	6	153	27.0	4.9	
Nelson's Leghorn Farm Westbrook, Minn.	149101	Sire	315	25.8	5.8	81	41	153	26.1	4.9	
	*2-8432	Dam	250	27.4	5.8	10	7	173	27.2	5.1	
	*2-8484	do	294	24.5	4.7	10	9	260	25.9	4.8	
	149107	Sire	321	26.2	5.8	45	20	135			
	*2-8382	Dam	286	24.7	4.6	9	5	171	26.6	5.0	
	2-9527	do	278	24.4	3.8	8	6	217	26.0	5.1	
	2-9548	do	309	26.3	4.7	8	4	141	26.9	4.5	
	4859	do	287	26.5	5.6	10	4	164	23.9	4.1	
	Pinecroft Poultry Farm Owosso, Mich.	3 N-7084	do			14	7	133	25.9	4.4	
		N-7085	do			18	7	152	25.3	4.3	
		N-7088	do			22	8	174	25.7	4.2	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen
Pine Top Poultry Farm, Inc. (W. C. Goodson). Tamworth, N. H.	677	Sire	No. 300	Oz. 26.5	Lbs. 4.7	No. 45	No. 20	No. 184	Oz. 26.3
	*C-7	Dam	264	25.1	3.8	6	4	242	25.4
	*C-12	do	238	25.9	4.2	5	4	219	27.4
	*Z-40	do	168	25.4		17	8	167	26.1
	D-269	Sire	262	26.5	4.2	55	27	197	26.4
	*C-29	Dam	287	24.6	4.4	7	4	208	25.6
	*C-33	do	291	25.3	4.6	4	4	262	26.0
	*C-46	do	266	25.0	4.3	9	6	192	26.3
	*C-47	do	234	25.4	4.6	11	5	200	25.3
	C-50	do	262	28.6	4.6	10	4	183	27.5
	C-70	do	262	26.5	4.2	7	5	250	26.6
Plymell Poultry Farm and Hatchery. London, Ohio.	3096	Sire	283	26.8	4.2	43	27	217	25.1
	*J-25	Dam	245	24.6	3.7	10	8	223	25.2
	*J-93	do	238	25.4	4.5	7	4	235	24.1
	*J-227	do	312	24.6	3.9	8	7	222	25.2
	J-228	do	296	24.3	4.3	10	4	216	24.6
Porter, Farley. Sodus, N. Y.	N-10820	Sire	292	25.2	5.1	74	34	192	24.8
	*L-8230	Dam	271	24.0	4.2	9	4	198	24.1
	*L-8402	do	258	26.4	4.5	7	5	213	24.6
	*M-4058	do	273	24.0	5.4	9	5	220	24.6
	*M-4237	do	258	26.4	4.7	9	6	231	25.6
	N-10853	Sire	293	27.6	5.2	49	22	174	24.9
	*4231	Dam	268	24.0	4.3	9	5	190	25.3
	*4247	do	297			7	5	188	25.0
	*4291	do	281	26.4	5.8	11	4	167	24.6
	N-11847	Sire	277	26.4	4.9	41	20	171	25.7
	*M-4342	Dam	256	25.2	4.6	5	4	199	26.6
	M-4015	do	283	25.2	4.3	8	4	200	24.9
	M-4047	do	265	25.2	4.1	5	4	211	24.6
	4105	do	274	24.0	4.7	4	4	230	24.9
	4097	do	272			9	6	206	25.2
	7318	do	266	27.6	4.6	5	5	246	25.4
Riley Poultry Farm La Fayette, Ind.	9-2898	Sire	276	25.6		98	71	219	26.4
	*436	Dam	265	25.6	4.5	6	5	236	25.7
	*9038	do	263	25.3	4.0	7	6	238	25.2
	*9083	do	229	25.1	4.0	9	6	233	25.9
	*9121	do	238	25.9	4.4	7	4	157	27.2
	*9185	do	252	26.3	4.5	6	5	229	26.7
	*9654	do	242	24.5	4.1	7	7	266	26.7
	*9676	do	264	26.0	4.3	7	6	220	25.7
	*9712	do	252	24.8	3.8	8	6	200	26.6
	*10006	do	254	25.8	3.5	5	4	205	27.0
	*10012	do	273	25.8	5.2	13	9	225	27.2
	2456	Sire	245	24.4		68	42	208	25.6
	*440	Dam	248	24.8	4.2	11	8	219	25.2
	*9004	do	244	24.1	4.4	9	5	185	25.7
	*9174	do	263	24.9	4.4	5	4	247	25.1
	*9886	do	279	24.2	4.1	8	5	194	25.5
	2459	Sire	251	26.0		36	21	202	25.9
	*1-7062	Dam	255	24.0	4.9	7	4	178	25.5
	*1-7118	do	221	26.9	4.8	5	4	228	25.9
	*1-7340	do	213	25.4	4.0	10	7	217	25.5
	2461	Sire	263	25.5	5.6	105	66	205	25.4
	*9201	Dam	231	24.4	3.5	8	7	240	24.9
	*9218	do	249	24.0	4.6	8	5	244	24.5
	*1-482	do	210	25.4	5.5	8	5	266	25.3
	*1-1344	do	240	25.2	3.7	7	7	234	26.5
	*1-7206	do	225	26.0	4.3	11	5	176	25.8
	*1-7211	do	286	25.5	4.6	10	8	225	26.1
	*1-7106	do	230	24.1	4.4	6	4	206	25.0
	*1-7280	do	213	25.2	4.8	9	6	194	25.1
	*1-7512	do	234	25.5	4.1	15	12	216	26.2
	5365	Sire	210	25.4		60	40	202	26.0

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered	Qualified for U. S. R. O. P.	No.	Oz.	Lbs.	
			No.	Oz.	Body weight						
Riley Poultry Farm											
	*7091	Dam	275	26.5	4.7	10	5	204	26.2	5.3	
	*7221	do	237	26.3	4.3	8	5	194	25.8	4.8	
	*1-7376	do	232	26.8	4.6	10	8	212	26.5	4.8	
	*1-7425	do	233	25.6	4.7	5	4	206	25.7	5.0	
	1-1969	Sire	258	24.2	-----	54	30	192	26.6	5.2	
	*210024	Dam	176	25.0	-----	11	4	162	26.2	5.3	
	*210122	do	177	27.0	3.7	7	4	186	26.1	5.4	
	*210123	do	258	26.1	4.4	6	4	227	27.5	5.0	
	*210161	do	277	25.6	3.6	9	7	219	26.3	5.1	
	1-1981	Sire	273	25.8	5.2	96	71	217	26.4	5.1	
	*210014	Dam	234	24.5	3.5	4	4	267	26.6	4.5	
	*210033	do	208	24.5	4.5	8	6	223	25.6	4.7	
	*210040	do	253	24.9	4.7	7	7	258	26.7	5.3	
	*210083	do	233	26.1	3.9	8	6	220	27.0	5.3	
	*210092	do	236	25.3	4.1	11	9	217	26.2	4.9	
	*210154	do	198	26.0	4.0	7	7	264	25.9	4.9	
	*210171	do	245	25.0	4.1	4	4	259	26.5	5.2	
	*210188	do	239	24.9	4.4	6	5	235	26.3	5.3	
	1-1986	Sire	263	25.3	4.0	104	63	222	25.1	4.7	
		Dam	247	24.9	4.1	11	7	229	24.7	4.4	
	*210008	do	257	24.1	3.9	13	9	236	25.1	4.7	
	*210018	do	275	26.0	4.4	12	10	225	26.6	4.9	
	*210026	do	204	27.5	4.9	5	4	202	26.7	4.9	
	*210157	do	268	26.7	4.8	5	5	247	26.3	4.9	
	*210164	do	302	24.7	4.0	8	8	267	25.6	4.9	
	*210187	do	214	23.9	4.9	12	4	203	24.3	4.8	
	*210195	do	281	24.2	4.3	107	73	215	25.6	5.0	
	1-1994	Sire	239	25.7	4.2	5	4	242	25.9	4.7	
	*210012	Dam	222	25.6	4.4	14	11	222	25.4	5.1	
	*210027	do	235	24.5	4.1	9	4	213	24.6	4.5	
	*210029	do	273	26.6	4.2	8	7	253	27.6	5.2	
	*210068	do	224	24.1	3.9	12	8	196	25.8	5.0	
	*210087	do	261	25.7	4.5	20	15	214	25.8	5.1	
	*210133	do	244	23.7	4.5	5	4	220	26.2	5.1	
	*210158	do	244	25.0	4.2	8	7	242	25.5	4.9	
	*210170	do	259	24.4	-----	71	37	182	26.1	5.0	
	1-1996	Sire	294	26.2	4.5	8	5	230	27.0	4.9	
	*210023	Dam	200	27.0	-----	6	4	173	26.9	5.5	
	*210073	do	281	24.0	-----	114	77	200	25.8	4.6	
	1-5366	Sire	264	24.0	-----	13	8	205	25.2	4.9	
	*661	Dam	216	25.8	4.4	9	6	211	25.8	4.7	
	*7040	do	231	25.7	4.0	7	4	167	26.4	5.1	
	*9214	do	281	24.0	4.1	6	5	234	24.9	4.3	
	*9314	do	214	24.7	3.7	16	10	206	25.8	4.5	
	*9936	do	222	25.4	5.0	15	8	174	26.2	4.9	
	*1-483	do	238	24.7	3.7	16	13	232	25.9	4.5	
	*1-7065	do	234	25.6	4.7	5	4	204	26.8	4.7	
	*1-7289	do	274	25.5	4.0	10	9	252	25.7	4.3	
	*1-7472	do	274	24.7	4.6	11	7	225	26.9	4.9	
	*1-7563	do	263	24.6	3.7	107	67	210	26.1	4.5	
	1-5375	Sire	233	25.2	4.3	10	7	225	26.9	4.9	
	*9324	Dam	233	24.4	4.6	11	7	222	25.9	4.4	
	*1-480	do	248	26.8	4.8	7	5	240	25.5	4.4	
	*1-7001	do	247	24.7	5.0	13	12	248	25.3	4.5	
	*1-7005	do	301	24.3	5.0	9	8	270	26.0	4.6	
	*1-7287	do	206	27.7	4.4	8	4	203	26.7	4.3	
	*2-9025	do	252	24.9	3.8	20	10	202	27.0	4.8	
	1-5386	Sire	228	25.3	5.1	14	6	175	25.4	4.5	
	*1-434	Dam	238	24.0	4.4	6	5	238	25.4	4.3	
	*1-1144	do	261	24.4	3.5	14	11	247	24.8	4.3	
	*1-7307	do	223	25.0	4.1	11	7	238	25.6	4.5	
	*3 9031	do	261	25.4	3.9	7	4	212	25.9	5.0	
	*3 9090	do	218	26.2	4.1	9	5	191	24.8	4.6	
	*3 1-7637	do	269	27.0	4.5	9	6	206	26.0	5.4	
	*3 1-7638	do	284	26.4	5.0	10	5	165	26.4	4.8	
	*3 1-7706	do	-----	-----	-----	-----	-----	-----	-----	-----	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeders name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
Riley Poultry Farm	2630	Sire	300	24.7	4.5	83	46	204	25.7	4.7
	3 9485	Dam	231	24.2	4.1	4	4	245	25.7	4.9
	1-433	do	254	24.6	4.3	15	7	205	24.7	4.8
	1-7482	do	231	26.9	4.7	8	5	192	25.7	4.5
Rowley, P. B. Route 3, Puyallup, Wash.	2630	Sire	300	24.7	4.5	83	46	204	25.7	4.7
	*L-6332	Dam	262	25.8	4.2	7	4	199	27.2	4.5
	*L-6368	do	270	26.0	4.2	4	4	258	26.1	4.8
	*M-461	do	268	25.1	3.9	10	5	210	25.7	4.5
	*M-474	do	258	24.5	3.6	10	7	236	25.6	4.7
	2834	Sire	344	24.7	3.9	45	24	214	25.0	4.4
	*M-496	Dam	277	26.4	4.2	7	5	228	25.1	4.3
	*M-504	do	257	24.3	3.6	5	4	230	25.2	4.5
	*M-538	do	276	28.0	4.0	4	4	228	26.9	5.0
	*M-544	Dam	268	25.4	4.0	8	5	188	25.6	4.6
	*M-554	do	298	24.3	3.8	5	4	222	25.5	4.5
	2847	Sire	273	27.8	4.5	55	40	206	26.6	4.7
	*J-4254	Dam	274	25.1	4.3	5	5	236	26.3	4.8
	*L-6483	do	268	24.0	3.6	5	5	220	26.3	4.4
	*M-588	do	267	25.2	3.6	5	4	205	25.8	4.7
	*M-670	do	278	24.6	3.6	8	6	238	26.8	4.6
	*M-688	do	262	26.7	4.0	5	5	221	27.9	4.9
	*M-736	do	246	26.8	3.9	6	5	213	28.1	4.9
	2852	Sire	255	24.5	4.5	36	32	240	25.7	4.7
	*K-6117	Dam	300	25.4	4.3	5	4	234	25.0	4.7
	*M-665	do	287	26.7	4.3	8	8	260	26.3	4.8
	*M-716	do	293	25.6	4.1	9	8	228	26.2	4.8
	2867	Sire	344	24.7	3.9	64	45	226	25.8	4.5
	*M-404	Dam	286	26.4	3.7	5	5	250	25.8	4.2
	*M-406	do	289	28.0	4.1	6	6	267	26.6	4.6
	*M-463	do	274	25.4	3.9	9	4	191	25.8	4.4
	*M-539	do	281	24.2	3.8	6	5	242	24.5	4.6
	*K-6004	do	311	24.8	3.8	5	4	212	25.8	4.3
	*L-6365	do	268	25.7	4.6	7	5	235	26.5	4.5
	L-6425	do	270	26.2	4.5	4	4	269	25.3	4.6
	M-401	do	265	24.7	3.8	6	5	253	24.9	4.4
	M-520	do	302	26.5	4.1	6	4	232	25.1	4.4
	L-6409	do	257	24.7	4.2	8	6	247	26.3	4.7
	M-428	do	272	26.6	4.4	9	4	188	26.6	4.4
	M-585	do	264	25.4	4.1	4	4	265	26.2	4.6
Seidel, W. A. Elmwood Farm, P. O. Box 1117, San Antonio, Tex.	569	Sire	278	26.2	4.3	61	38	217	25.4	4.5
	*341	Dam	272	25.2	5.1	4	4	253	25.5	4.6
	*349	do	261	25.4	4.5	5	4	227	25.8	4.2
	*354	do	261	24.7	4.3	6	4	217	25.4	4.5
	*358	do	267	26.7	4.2	5	4	246	27.2	5.1
	*362	do	269	24.7	5.4	9	6	215	25.4	4.9
	669	Sire	301	24.0	4.3	101	78	242	24.9	4.6
	*303	Dam	288	25.7	4.0	8	5	235	24.9	4.3
	*307	do	285	24.2	4.5	8	7	230	25.7	5.1
	*310	do	283	24.3	4.4	9	6	230	24.7	4.7
	*317	do	284	25.4	4.5	5	5	244	25.5	4.5
	*324	do	283	24.4	5.3	8	8	261	24.5	4.9
	*325	do	283	24.1	4.6	10	9	268	24.8	4.7
	*327	do	292	24.3	4.2	6	4	241	25.4	4.5
	*328	do	289	25.5	4.5	6	5	225	25.1	4.5
	*329	do	293	24.4	4.3	6	5	253	25.2	4.5
	670	Sire	321	24.2	4.4	124	87	224	25.6	4.4
	*242	Dam	265	24.0	4.0	13	7	223	24.7	4.2
	*578	do	273	24.3	4.6	7	6	248	26.6	4.6
	*586	do	278	24.4	4.1	8	7	247	25.8	4.4
	*588	do	266	25.3	4.1	6	4	212	25.7	4.4
	*641	do	268	24.7	4.1	10	8	232	25.8	4.5
	*647	do	276	26.6	4.6	12	6	182	25.1	4.4
	*776	do	263	27.0	5.0	4	4	223	27.1	5.3
	671	Sire	301	24.0	4.2	82	67	245	25.5	4.5
	*133	Dam	280	24.0	5.0	6	5	259	25.8	4.7

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeders name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.	Average egg production per dozen	Average egg weight per dozen
			No.	Oz.	Lbs.	No.	No.	No.			
Seidel, W. A.											
	*135	Dam	292	24.8	4.5	4	4	259	26.5	4.6	
	*137	do	283	26.6	5.2	8	8	259	25.2	4.5	
	*144	do	286	24.4	4.5	4	4	257	25.1	4.6	
	*150	do	291	25.3	4.2	7	6	274	25.8	4.4	
	*151	do	328	25.7	5.0	10	9	276	24.9	4.4	
	*158	do	283	24.3	4.2	4	4	263	25.6	4.5	
	672	Sire	300	26.8	5.3	80	71	251	25.7	4.6	
	*167	Dam	297			8	7	252	25.2	4.5	
	*188	do	285	24.5	5.4	5	5	258	25.7	4.9	
	*189	do	281	25.1	4.5	4	4	257	25.4	4.8	
	*175	do	299	24.8	3.5	4	4	241	25.7	4.3	
	*180	do	291	24.4	3.6	6	6	274	25.4	4.4	
	*186	do	287	24.5	4.2	6	5	247	25.5	4.8	
	*187	do	287	26.6	6.4	9	7	238	26.6	5.2	
	*301	do	287	26.0	4.4	7	7	255	26.2	5.0	
	674	Sire	315	24.9	6.0	99	69	228	25.2	4.4	
	*67	Dam	319	24.5	4.2	7	5	231	24.4	4.4	
	*81	do	291	25.5	4.2	8	6	212	26.1	4.6	
	*84	do	312	24.7	5.0	7	4	200	25.3	4.1	
	*232	do	326	24.4	4.2	12	7	227	25.1	4.3	
	*668	do	321	25.0	4.5	14	10	232	24.6	4.6	
	*669	do	317	24.2	4.4	7	4	229	25.3	4.9	
	676	Sire	317	24.2	4.1	76	63	241	25.8	4.7	
	*473	Dam	309	25.4	4.6	12	7	228	25.5	4.6	
	*481	do	314	24.0	3.5	6	5	244	25.3	4.1	
	*482	do	300	24.2	5.1	6	6	236	26.7	5.1	
	*483	do	308	24.1	3.6	4	4	269	25.8	4.8	
	*493	do	303	25.9	3.5	6	5	239	25.9	4.4	
	*563	do	305	24.0	3.6	4	4	301	24.6	4.5	
	*566	do	302	24.0	4.1	9	8	241	25.4	4.5	
	677	Sire	321	25.0	4.4	62	46	235	25.5	4.5	
	*570	Dam	308	25.7	4.4	8	7	231	25.8	4.7	
	*579	do	305	24.8	4.0	6	6	276	26.1	5.0	
	*592	do	304	24.2	4.4	10	7	222	25.0	4.2	
	*593	do	300	24.7	5.1	6	5	256	24.9	4.5	
	678	Sire	281	24.4	5.1	35	25	219	25.4	4.6	
	*626	Dam	259	25.7	4.8	5	5	245	25.9	4.6	
	*642	do	263	25.8	4.5	6	5	214	26.0	4.9	
	1097	Sire	321	24.4	4.2	282	213	232	25.4	4.6	
	*1	Dam	332	23.1	4.2	12	10	271	24.5	4.7	
	*418	do	323	24.0	5.1	22	16	224	25.1	4.8	
	*419	do	322	24.0	5.0	16	10	225	25.4	4.6	
	*420	do	317	24.4	4.5	18	18	246	26.3	4.7	
	*421	do	298	24.7	5.1	7	6	222	27.2	5.4	
	*422	do	339	24.2	4.4	22	15	225	24.9	4.6	
	*423	do	318	24.1	4.6	6	4	241	25.8	4.4	
	*424	do	321	24.6	4.2	11	10	235	27.8	4.8	
	*425	do	324	25.2	4.5	14	12	229	25.7	4.7	
	*427	do	319	24.6	4.4	9	4	213	24.9	4.2	
	*428	do	325	25.0	4.6	12	8	211	25.2	4.6	
	*429	do	328	24.8	5.2	12	8	216	25.5	4.6	
	*431	do	323	24.0	3.3	10	7	239	24.7	4.2	
	*432	do	327	24.0	4.2	5	4	243	24.7	4.2	
	*434	do	315	24.6	4.4	15	12	225	26.7	4.8	
	*435	do	325	24.3	5.2	11	7	232	25.0	4.6	
	*436	do	332	24.0	4.2	6	6	259	24.9	5.3	
	*437	do	318	24.0	5.2	12	8	230	25.4	4.8	
	*438	do	329	24.7	4.2	15	13	256	25.4	4.2	
	*439	do	316	25.8	4.3	10	8	212	25.8	4.2	
	*440	do	316	24.4	4.2	6	4	234	26.0	4.3	
	*441	do	315	24.3	4.2	10	7	245	25.3	4.5	
	*442	do	331	24.0	4.5	7	4	194	24.6	4.2	
	*444	do	321	24.0	5.0	6	6	260	25.1	4.5	
	1098	Sire	328	25.4	5.0	194	153	253	24.8	4.8	
	*11	Dam	319	26.8	5.1	7	6	251	26.8	4.9	
	*197	do	301	26.2	4.3	4	4	287	25.5	4.6	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production		Body weight	Entered	No.	No.	Oz.	Lbs.
			No.	Öz.						
Seidel, W. A.										
	*278	Dam	303	24.3	4.4	18	16	236	24.7	4.8
	*496	do	303	24.4	4.2	10	8	250	25.2	4.7
	*640	do	308	24.4	5.1	4	4	282	24.9	5.0
	*658	do	300	26.8	5.3	14	13	245	25.3	5.2
	*660	do	302	25.4	5.2	15	10	241	24.4	5.0
	*661	do	309	24.5	5.0	19	16	272	24.6	5.1
	*667	do	308	24.0	4.2	10	10	251	24.9	4.4
	*671	do	301	24.0	4.2	24	18	269	24.7	4.8
	*691	do	304	24.0	4.3	8	4	236	24.3	4.3
	*699	do	278	24.3	5.2	5	5	255	24.8	4.8
	*755	do	309	24.2	4.5	19	13	234	24.6	5.1
	*3040	do	306			8	8	280	24.5	4.8
	1939	Sire	317	24.2	4.1	122	93	240	25.6	4.7
	*147	Dam	311	25.0	4.5	6	5	214	25.8	5.2
	*448	do	305	24.0	4.3	8	6	229	26.0	4.6
	*450	do	302	24.0	5.1	6	6	270	25.2	5.3
	*454	do	314	24.0	4.1	9	8	266	25.1	4.5
	*459	do	303	24.3	4.4	4	4	273	25.8	5.0
	*460	do	303	25.5	4.2	4	4	262	27.3	4.8
	*463	do	303	26.8	5.0	6	5	223	25.8	4.8
	*464	do	319	24.0	4.4	9	9	279	25.3	4.6
	*465	do	309	25.6	5.1	8	6	232	26.4	5.1
	*469	do	309	24.9	4.4	6	4	220	25.4	5.0
	*471	do	309	24.1	4.5	7	4	218	24.2	4.0
	*472	do	300	25.5	4.2	9	6	253	25.5	4.8
	1948	Sire	317	24.2	4.5	117	95	243	25.3	4.4
	*21	Dam	282	24.1	3.5	7	6	226	25.0	4.3
	*24	do	280	26.2	4.0	4	4	274	25.2	4.5
	*25	do	290	24.9	4.4	13	12	246	25.7	4.4
	*34	do	294	24.1	4.2	5	5	265	25.4	4.5
	*189	do	289	24.2	4.0	6	5	268	24.2	4.1
	*215	do	291	25.8	4.6	7	5	255	24.6	4.4
	*224	do	280	25.9	4.0	7	5	231	24.6	4.3
	*229	do	286	25.9	3.5	6	5	244	24.5	4.4
	*255	do	280	24.6	4.6	9	8	262	25.2	4.6
	*262	do	292	24.8	4.6	7	6	237	25.2	4.3
	*499	do	285	24.0	4.4	10	6	224	26.0	4.5
	*569	do	283	25.4	3.6	9	6	225	25.0	4.2
	*605	do	298	25.5	5.6	5	5	242	26.0	5.7
	*609	do	283	25.2	5.1	4	4	264	26.1	5.0
	2001	Sire	301	24.0	4.3	71	55	241	25.1	6.3
	*622	Dam	280	24.3	4.2	7	5	238	24.3	4.1
	*681	do	287	26.6	5.2	6	6	253	26.3	4.8
	*771	do	293	24.0	4.5	5	5	285	25.0	4.6
	*796	do	283	25.4	4.6	12	7	242	24.8	4.1
	*800	do	289	24.7	4.5	9	6	229	25.6	4.3
	2052	Sire	283	25.4	3.6	25	20	250	25.4	4.5
	2086	do	303	24.0	4.4	27	21	246	25.6	4.6
	*401	Dam	290	24.1	5.1	10	7	251	25.6	4.9
	2126	Sire	313	24.7	5.0	62	47	237	24.6	4.4
	*46	Dam	271	25.8	4.6	5	5	256	24.3	4.2
	*55	do	268	26.7	4.6	4	4	283	24.9	4.5
	*221	do	266	25.0	5.1	8	4	203	24.6	4.7
	*281	do	262	24.1	5.1	6	6	259	24.9	4.5
	*525	do	266	24.0	4.4	6	5	248	24.7	4.7
	*589	do	267	24.5	5.0	4	4	244	24.4	4.3
	2300	Sire	319	26.8	5.1	121	104	243	25.8	4.4
	*1	Dam	282	26.4	4.5	10	9	245	26.0	4.6
	*3	do	287	27.4	4.4	4	4	225	26.6	4.5
	*6	do	282	28.0	4.4	5	5	258	26.5	4.3
	*7	do	286	24.5	4.1	7	6	247	25.9	4.4
	*9	do	296	26.2	4.5	8	8	232	26.5	4.9
	*10	do	299	26.3	4.5	7	6	249	25.9	4.4
	*12	do	294	25.0	4.6	8	7	234	25.7	4.5
	*22	do	289	24.0	4.1	6	5	255	25.4	4.2
	*26	do	282	24.2	4.2	4	4	248	26.1	4.6

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam				Daughters			
			Egg production		Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
			Egg weight per dozen	No.						
Seidel, W. A.	104	Dam	No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.	
			285	24.9	4.6	6	4	221	24.2	4.0
			298	25.4	4.2	7	7	273	25.4	4.4
			280	24.9	4.1	6	5	247	26.5	4.6
			291	25.9	4.5	7	6	229	25.5	4.4
			2578	25.6	4.4	133	108	234	26.2	4.5
			264	24.6	4.4	6	5	229	26.2	4.8
			273	26.4	4.4	4	4	256	26.7	4.5
			272	27.0	5.2	5	4	232	27.6	4.9
			272	26.9	5.0	10	8	240	26.0	4.2
			261	26.1	4.4	9	7	234	27.6	4.7
			273	24.6	4.2	7	7	253	25.0	4.3
			262	26.6	5.2	11	10	248	26.4	4.5
			266	27.0	5.2	11	9	240	27.2	4.9
			269	25.8	4.2	5	4	233	26.4	4.7
			275	24.0	4.4	9	7	228	24.3	4.2
			272	27.0	5.1	6	5	223	25.9	4.4
			276	24.9	4.2	11	11	251	26.2	4.3
			268	24.5	3.6	4	4	235	25.7	4.2
			305	24.0	3.5	60	49	242	25.7	4.4
			296	27.2	5.1	8	7	255	27.1	4.8
			281	25.3	4.4	5	4	227	25.2	4.1
			282	24.4	4.5	4	4	263	25.3	4.2
			284	26.2	4.2	4	4	255	28.1	4.9
			283	24.0	5.0	5	5	271	26.2	4.8
			281	24.0	4.1	10	9	257	24.9	4.5
			299	25.6	4.5	7	7	245	26.9	4.7
			312	24.3	5.0	5	5	295	26.3	5.1
			275	24.0	4.3	15	14	258	25.3	4.3
			267	26.1	4.1	16	11	222	26.2	4.4
			269	26.5	4.3	5	4	216	26.5	4.9
			265	24.7	4.0	6	5	266	24.3	4.6
Smith, Henry F. Hilliard, Fla.	104	do	275	26.0	-----	14	8	196	25.1	6.9
Stratford Plantation (B. F. Cheatham). Stratford, Va.	8103	Sire	307	25.1	6.1	46	25	176	26.0	5.0
			235	25.0	4.2	13	7	168	25.4	4.9
			255	24.6	4.0	8	6	197	26.2	5.6
			281	24.3	4.9	52	21	188	24.7	5.7
			268	24.3	4.1	11	6	229	24.9	4.7
			280	26.1	4.6	59	26	189	25.5	4.9
			269	24.2	4.2	11	7	212	25.7	5.0
			262	25.9	4.5	7	4	215	24.7	4.7
			241	24.3	4.4	6	4	205	26.1	4.6
			242	26.0	4.9	9	6	191	25.3	4.6
			259	27.0	4.6	9	4	213	25.3	4.8
			255	25.9	4.1	10	4	130	25.6	4.8
			238	24.5	4.1	6	4	204	24.6	4.6
			237	24.7	4.4	56	25	207	24.7	4.5
			242	24.4	3.7	5	4	268	25.1	4.0
Town Line Poultry Farm... Zeeland, Mich.	N-1841	Sire	267	24.2	4.5	57	29	190	25.1	4.5
			302	24.2	4.4	5	4	225	26.1	4.9
			290	24.8	4.0	12	6	227	25.1	4.4
			291	24.3	4.5	6	4	218	24.9	4.7
			279	24.0	4.2	7	6	221	26.9	5.1
			269	25.7	4.4	63	35	178	25.3	4.8
			299	25.1	4.4	8	5	174	25.0	4.9
			310	26.6	4.9	8	4	207	24.5	4.9
			293	26.0	4.4	14	10	180	25.6	4.9
			237	24.7	4.4	56	25	207	24.7	4.5
See footnotes at end of table.	*N-6501	Dam	242	24.4	3.7	5	4	268	25.1	4.0
			241	24.2	4.4	10	4	217	23.7	4.1
			259	25.0	4.7	11	6	233	24.3	4.7
			256	26.0	4.2	7	6	213	26.5	4.8
			250	24.2	4.2	14	6	164	25.3	4.4
			255	27.1	4.1	7	4	208	24.7	4.3

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production		Body weight	Entered	Qualified for U. S. R. O. P.		Average egg production	Average egg weight per dozen	Average body weight
			No.	Oz.			No.	No.			
Wayne Poultry Farms Wooster, Ohio.	K-48	Sire	296	25.3	3.8	82	43	191	25.7	4.7	
	*J-93	Dam	243	24.3	3.7	11	6	181	25.2	4.5	
	*J-204	do	242	27.0	3.9	14	10	217	27.5	4.8	
	*J-270	do	241	26.6	4.8	11	6	175	25.7	4.6	
	*K-39	do	241	25.0	4.7	15	7	203	24.6	4.5	
	*K-237	do	242	24.7	4.8	13	6	168	25.0	4.9	
	K-216	Sire	294	25.5	4.1	98	57	187	27.3	4.9	
	*H-120	Dam	252	27.2	5.5	6	5	223	29.3	5.0	
	*J-9	do	250	28.1	4.6	13	9	205	27.5	5.0	
	*K-117	do	258	28.5	5.0	11	7	209	27.3	5.1	
	*K-157	do	254	26.7	7.0	10	5	170	27.8	5.5	
	*K-229	do	250	26.6	4.8	9	5	209	27.0	4.5	
	*K-293	do	254	26.3	5.0	15	9	203	27.0	4.7	
	K-253	Sire	292	25.6	3.9	72	30	159	26.1	4.4	
	*H-230	Dam	259	25.1	4.3	10	4	155	27.6	4.4	
	*H-472	do	257	26.8	4.6	7	5	209	26.2	4.4	
	*K-31	do	262	24.1	5.1	12	6	181	26.7	4.5	
	*K-259	do	261	24.2	4.0	11	5	175	25.4	4.3	
	K-261	Sire	294	25.5	4.1	75	34	164	26.1	4.6	
	*K-98	Dam	245	25.5	4.5	20	12	195	25.9	4.7	
	*K-146	do	249	27.7	4.2	12	5	141	26.7	4.8	
	*K-366	do	248	27.7	3.9	19	8	173	26.0	4.2	
	*K-399	do	246	25.1	5.3	8	4	157	26.3	5.1	
	J K-319	do	289	26.0	4.7	13	8	197	25.7	4.6	
	K-424	do	273	25.4	4.4	15	7	198	25.8	4.5	
	K-36	do	235	24.7	4.2	13	7	182	25.3	4.6	
Weidlich, J. E., & Son Route 2, Roanoke, W. Va.	Q-1224	do	330	25.3	5.2	5	4	291	24.2	4.2	
	344	do	332	27.7	4.7	4	4	248	25.8	4.2	
	389	do	320	24.4	4.7	4	4	261	24.6	4.3	
Welp's Hatchery (J. H. Welp). Bancroft, Iowa.	2085	Sire	267	25.5	4.9	84	35	177	25.2	4.8	
	*728	Dam	271	26.6	5.2	8	5	223	25.3	4.9	
	*794	do	276	25.4	4.2	11	8	206	25.6	4.9	
	*1372	do	254	24.3	4.5	7	4	216	25.1	4.9	
	*6121	do	305	24.6	4.0	9	4	181	24.4	4.3	
	*6199	do	229	26.3	4.8	10	6	202	25.3	5.2	
	2090	Sire	297	25.7	5.0	90	42	192	25.8	4.8	
	*107	Dam	241	28.3	4.1	11	7	209	26.1	4.5	
	*121	do	259	26.8	5.3	13	7	215	25.5	5.0	
	*961	do	313	25.0	4.4	8	4	211	26.3	4.6	
	*1642	do	256	24.3	4.1	8	4	203	24.4	4.3	
	*3845	do	277	26.1	4.6	7	5	218	26.0	4.9	
	*6225	do	225	26.6	4.4	11	6	193	26.5	4.7	
	2100	Sire	297	25.7	5.0	136	86	215	26.1	4.6	
	*233	Dam	248	26.3	4.6	10	6	220	24.7	4.6	
	*622	do	231	25.1	4.6	11	7	221	25.1	4.4	
	*812	do	264	26.6	4.3	15	11	233	26.9	4.5	
	*990	do	281	27.3	4.5	12	9	247	26.4	4.7	
	*1518	do	238	27.2	4.5	12	7	192	26.3	4.9	
	*1539	do	256	26.2	4.3	11	7	213	27.5	4.7	
	*1880	do	315	26.1	4.8	9	6	233	24.8	4.4	
	*1905	do	215	25.3	4.5	13	6	170	26.0	4.7	
	*6278	do	276	26.6	4.7	10	9	248	26.4	4.4	
	*6294	do	295	25.5	4.3	10	7	217	26.4	4.7	
	*6343	do	227	28.1	3.8	6	4	204	28.2	4.6	
	*6376	do	258	25.5	3.9	9	4	198	26.2	4.5	
	2109	Sire	297	25.7	5.0	104	52	215	24.3	4.3	
	*882	Dam	253	25.6	4.3	15	11	241	24.8	4.5	
	*1291	do	280	24.6	4.2	9	4	215	24.2	4.3	
	*1395	do	267	26.6	4.1	13	8	237	24.4	4.2	
	*1703	do	301	26.8	4.7	7	5	198	25.7	4.5	
	*6013	do	267	26.3	4.4	15	10	231	24.8	4.3	
	2121	Sire	292	25.7	5.8	74	29	164	26.0	5.0	
	*1620	Dam	227	26.9	4.4	9	4	184	27.0	5.3	
	*1623	do	255	24.6	4.8	8	4	208	25.6	5.4	

See footnotes at end of table.

SINGLE-COMB WHITE LEGHORN—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
Welp's Hatchery-----			No. Oz.	Lbs.	No.	No.	No.	Oz.	Lbs.	
	2197 Sire	258	24.0	4.9	122	56	178	26.3	5.0	
	*501 Dam	255	27.8	4.6	9	4	192	26.8	4.9	
	*553 do	267	26.1	4.5	9	4	154	26.7	5.2	
	*1145 do	269	27.9	4.6	13	6	194	26.5	4.8	
	*1689 do	251	24.0	4.5	8	5	258	24.6	4.9	
	*6017 do	273	26.1	4.9	13	7	181	25.8	5.1	
	*6096 do	234	25.9	5.1	12	6	170	25.9	4.8	
	*6145 do	305	25.0	4.5	10	5	181	27.0	5.1	
	*6341 do	301	25.2	4.9	10	8	229	25.8	5.3	
	1396 do	282	26.2	4.5	10	8	209	25.8	4.5	
	1871 do	228	28.0	5.5	10	4	153	26.4	4.9	
	482 do	296	25.1	4.2	11	5	167	24.8	4.1	
	1633 do	296	26.6	4.9	12	5	146	26.0	5.0	
	964 do	300	25.6	4.9	6	4	212	25.5	4.8	
	1380 do	246	27.3	4.8	6	4	201	26.2	4.8	
	6288 do	253	27.7	4.3	7	4	207	26.8	4.9	
	6399 do	274	25.9	4.7	11	6	196	26.5	4.8	
White Beauty Poultry Farm (Henry J. Traubert). Route 9, Box 211, Denver, Colo.	D Sire	243	27.0	5.3	122	49	175	25.1	4.4	
	*B-18 Dam	285	27.0	4.0	11	5	198	24.5	4.3	
	*B-161 do	274	27.0	4.2	10	6	192	25.2	4.6	
	*B-162 do	280	28.0	5.0	10	5	157	24.0	4.6	
	*B-178 do	267	28.5	4.2	18	9	183	26.1	4.3	
	*B-189 do	277	27.0	4.6	16	11	193	26.3	4.4	
	F Sire	266	28.0	4.7	67	25	174	25.6	4.3	
	*Y-817 Dam	259	26.0	5.3	9	6	212	26.3	4.2	
	*Y-907 do	295	26.0	4.6	14	6	149	24.6	4.2	
	I Sire	264	28.0	5.1	63	35	214	24.8	4.4	
	*B-3 Dam	257	26.0	4.6	7	5	208	24.6	4.3	
	*B-110 do	262	28.0	4.6	10	4	202	24.5	4.5	
	*Y-859 do	278	26.0	5.1	5	4	232	25.5	4.5	
	*Y-904 do	246	30.0	5.5	15	12	226	25.7	4.4	
	K Sire	304	27.0	4.5	125	42	184	24.5	4.3	
	*B-48 Dam	287	26.0	4.2	17	6	184	23.2	4.3	
	*B-49 do	259	28.0	4.6	19	12	203	25.4	4.2	
	*B-64 do	264	26.0	4.3	16	7	167	24.8	4.4	
	L Sire	277	28.0	5.4	83	35	178	24.6	4.6	
	*B-38 Dam	273	27.5	4.3	8	5	186	24.8	4.4	
	*B-59 do	259	26.0	5.7	13	7	205	25.2	5.0	
	*B-82 do	287	26.5	5.5	7	4	212	24.5	5.0	
	*B-140 do	290	27.0	4.5	14	5	181	24.2	4.6	
	*B-164 do	253	27.0	4.4	9	7	205	24.9	4.7	
	*Y-924 do	242	26.0	4.7	11	4	195	26.8	4.5	
	B-21 do	294	27.0	4.2	11	4	215	24.1	4.5	
	B-101 do	248	29.0	4.5	15	5	184	24.6	4.5	
	B-184 do	264	29.0	4.7	11	4	176	24.3	4.6	
	Y-681 do	235	26.0	5.4	9	4	205	23.9	5.0	
	Y-703 do	256	29.0	5.2	10	5	211	25.6	4.9	
	Y-813 do	253	28.0	4.5	15	9	205	25.3	4.9	
Whittenburg, D. H.-----Richfield, Utah.	G-1352 do	217	25.9	3.8	9	4	182	24.7	3.6	
Winthrop College Poultry Farm. Rock Hill, S. C.	212 do	304	24.0	-----	8	4	204	24.3	4.8	
Young, B. C.-----Bellingham, Wash.	M-7258 do	256	25.8	4.1	6	4	215	27.1	4.1	
	M-7227 do	253	25.3	3.6	5	4	228	27.6	4.3	

See footnotes at end of table.

SINGLE-COMB RHODE ISLAND RED

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production			Entered	Qualified for U. S. R. O. P.	Average egg production ²	Average egg weight per dozen	Average body weight
			No.	Oz.	Lbs.	No.	No.	Oz.	lbs.	
Alampi Breeding Farm Williamstown, N. J.	162	Dam	240	24.9	4.7	7	4	169	25.0	5.3
	163	do	236	25.3	6.2	10	5	139	25.9	5.3
Dave-Co Farm (David Cohen). Guilford, Conn.	5583	do	300	26.3	5.5	19	10	193	26.5	5.9
	4283	do	242	24.7	5.7	4	4	202	25.4	5.9
	5513	do	227	27.0	6.2	8	4	202	26.9	5.4
Goetgeluck, Oscar St. Marys, W. Va.	E-1006	do	224	25.3	6.4	11	5	200	25.1	5.9
	G-984	do	246	24.7	5.9	9	6	209	24.8	5.4
Goodenough, D. I. Rural Route, Torrington, Conn.	889	Sire				60	39	215	25.2	6.0
	*4511	Dam	220	25.3	6.4	8	4	195	24.8	6.0
	*4532	do	268	26.1	5.7	18	12	220	25.3	6.1
	*4544	do	231	26.7	5.9	14	10	222	25.3	5.9
	*4559	do	280	25.7	5.6	9	6	222	25.4	6.2
	*4565	do	190	27.0	5.7	7	5	228	25.3	5.9
	64	do	235	27.0	6.6	5	5	237	25.6	6.2
	17	do	236	26.0	6.7	5	4	225	26.7	6.7
	4549	do	240	27.7	7.2	16	11	211	25.6	6.9
	4539	do	268	25.4	5.9	8	4	211	25.6	6.9
Hannah, W. S. and Sons Grand Rapids, Mich.	O-6244	Sire	260	27.6	6.4	55	23	172	26.2	5.9
	*O-9672	Dam	225	26.6	5.8	9	4	186	26.5	6.1
	*O-9677	do	201	26.0	6.2	7	5	197	26.0	6.2
	*O-9695	do	247	24.0	5.0	7	5	213	25.3	6.0
	*O-9701	do	212	28.0	5.4	9	5	199	26.2	5.7
	P-1834	do	258	28.0	6.8	10	4	161	25.5	6.3
	N-9450	do	226	26.0	5.5	10	4	141	25.3	5.6
	O-9714	do	213	24.4	6.4	11	7	175	26.4	6.9
Hardin, H. J. Culloden, Ga.	1-35	Sire	282	28.0	6.5	62	39	214	26.0	5.1
	*A-128	Dam	270	25.6	6.5	8	5	179	25.6	4.9
	*A-239	do	264	25.2	6.9	7	4	213	25.9	4.8
	*A-279	do	269	25.0	8.2	17	13	242	25.9	5.5
	*A-429	do	257	26.6	6.1	11	5	213	26.3	4.5
	48	Sire	251	27.0	5.2	80	50	225	25.5	4.8
	*C-45	Dam	279	24.7	6.7	8	6	251	24.9	4.9
	*C-297	do	271	24.6	6.1	27	21	240	25.7	4.9
	*C-379	do	292	24.7	5.9	6	5	257	25.7	4.9
	*C-490	do	264	24.8	6.1	14	6	224	24.6	4.6
	*C-498	do	270	28.2	6.7	11	6	208	26.3	4.7
	539	Sire	312	25.9	8.0	44	27	220	25.5	5.5
	*E-97	Dam	292	24.9	6.1	8	7	265	25.6	5.4
	*E-137	do	252	27.3	6.9	11	5	206	26.6	5.7
	*E-180	do	262	25.0	6.6	9	6	232	24.8	5.4
	*E-448	do	277	25.5	8.9	6	4	236	26.5	5.7
	1262	Sire	276	25.0	6.0	48	35	243	25.5	5.2
	*H-226	Dam	299	24.9	5.5	14	11	251	25.5	5.0
	*H-287	do	251	25.8	7.6	9	9	261	26.9	5.3
	*H-356	do	269	24.1	7.7	14	8	230	24.6	5.2
	*H-542	do	271	24.8	6.8	11	7	237	25.3	5.4
	1400	Sire	310	28.0	6.1	57	31	208	25.4	5.0
	*B-71	Dam	290	26.4	8.1	8	4	215	25.8	5.3
	*B-98	do	266	24.9	7.2	5	4	214	25.4	5.0
	*B-298	do	279	26.0	6.9	5	4	265	25.7	5.2
	1425	Sire	326	26.0	5.6	70	46	241	25.4	4.9
	*D-63	Dam	254	28.1	6.8	6	6	247	25.7	4.6
	*D-296	do	318	23.7	6.8	13	5	281	24.1	4.7
	*D-350	do	310	26.0	6.8	17	9	231	24.7	4.7
	*D-358	do	252	25.7	7.0	7	7	250	25.8	5.3
	*D-406	do	277	27.4	6.1	8	4	217	26.6	4.6
	*D-488	do	288	26.0	6.6	10	10	260	26.3	5.1
	1610	Sire	276	25.0	6.0	56	22	233	24.2	5.1
	*G-31	Dam	274	26.6	7.5	10	5	268	24.4	4.9
	*G-295	do	274	25.7	7.2	4	4	256	24.3	5.2
	*B-299	do	301	25.0	6.9	8	6	222	25.3	5.8

See footnotes at end of table.

SINGLE-COMB RHODE ISLAND RED—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam				Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	No.	Oz.	Average body weight
Hardin, H. J.	F-460	Dam	No. 264	Oz. 26.9	Lbs. 5.5	No. 5	Qualified for U. S. R. O. P.	No. 234	Oz. 26.3	Lbs. 4.7
	I-350	do	254	24.5	7.2	10		248	25.0	5.3
	I-365	do	310	25.4	5.2	6		213	25.4	5.1
Lockwood Poultry Plant, Route 2, Harrison, Ohio.	J-3460	Sire	263	25.5	5.5	41	Qualified for U. S. R. O. P.	No. 216	24.6	6.2
	*K-126	Dam	287	26.5	6.0	9		249	25.3	6.2
Mazanec, Anton Route 4, Waco, Tex.	2818	Sire	260	25.9	5.2	36	Qualified for U. S. R. O. P.	No. 199	24.8	6.3
	*216	Dam	211	24.5	7.0	5		209	25.7	6.5
	*518	do	253	25.0	6.5	15		222	24.6	6.2
	516	do	236	25.3	7.0	8		214	26.5	6.5
McRae, J. R. Milwaukee, Oreg.	3024	Sire	243	25.9	6.2	50	Qualified for U. S. R. O. P.	No. 220	26.3	6.3
	*29	Dam	295	24.9	6.9	8		245	25.9	6.1
1-3147	*54	do	283	25.8	5.2	5		256	25.4	5.8
	Sire	253	24.7	5.8	45	20		191	26.1	5.7
	1-31	do	243	25.9	6.2	41		21	187	26.2
	*76	Dam	268	25.1	5.6	9		194	26.2	6.3
	*657	do	230	25.8	6.6	7		167	26.7	7.7
	1-63	Sire	302	25.5	6.3	49		26	201	25.7
	*307	Dam	288	28.2	6.0	7		4	208	26.8
	1-128	Sire	233	28.5	7.2	109		42	187	24.9
	*343	Dam	289	26.0	5.8	11		7	192	26.3
	*432	do	256	25.8	5.2	17		8	179	24.6
1-207	*841	do	245	25.2	4.8	11		6	223	24.8
	*864	do	266	24.9	5.8	9		4	198	24.2
	1-170	Sire	242	25.5	5.5	59		28	185	25.8
	*73	Dam	282	26.9	5.9	7		4	185	25.5
	*254	do	233	25.5	5.6	8		5	221	26.1
	*497	do	227	27.3	6.4	10		4	153	25.6
	*527	do	268	24.6	4.8	8		4	205	24.6
	Sire	270	27.2	6.5	74	35		193	25.9	5.6
	*192	Dam	262	28.0	5.6	8		4	216	25.3
	*233	do	285	26.8	5.5	11		5	234	25.8
1-217	*304	do	249	26.0	6.6	8		5	206	26.9
	*714	do	282	25.4	4.7	6		5	223	25.5
	*730	do	273	25.8	5.5	7		4	170	25.6
	Sire	248	24.7	6.2	45	31		212	26.2	6.0
	*7-9447	Dam	270	24.3	6.1	4		4	245	25.9
	*128	do	278	26.0	6.6	5		4	240	25.4
	*375	do	260	24.5	6.8	9		7	219	25.5
	1-256	Sire	240	25.5	6.7	99		37	195	24.5
	*191	Dam	241	25.7	7.0	10		5	198	25.1
	*209	do	265	25.5	5.1	14		5	222	24.4
Mt. Fair Farm (S. McLean Buckingham). Watertown, Conn.	*215	do	235	25.4	6.3	7		4	210	24.4
	*349	do	229	25.6	5.6	7		4	207	24.8
	*695	do	239	25.2	5.5	9		4	220	24.4
	131	do	282	27.0	5.9	6		4	189	25.6
	387	do	282	26.0	6.2	7		4	157	26.0
	A-140	Sire	248	25.9	6.8	51	Qualified for U. S. R. O. P.	No. 229	25.5	5.4
	*3195	Dam	276	25.0	5.4	14		11	234	26.0
	*3447	do	287	25.3	5.2	11		6	245	25.2
	A-150	Sire	277	26.5	6.4	59		45	237	25.7
	*3219	Dam	238	25.5	6.0	8		8	240	27.0
A-153	*3389	do	253	25.9	5.7	7		4	273	24.4
	*3391	do	236	26.9	6.7	5		5	275	25.2
	*3399	do	276	26.8	6.5	8		5	207	25.7
	*3424	do	252	28.1	5.6	8		6	226	26.1
	*3612	do	307	24.8	6.6	5		5	245	26.3
	*3685	do	216	25.5	5.2	11		6	219	25.2
	A-153	Sire	277	25.1	6.5	40	Qualified for U. S. R. O. P.	No. 29	247	25.6
	*3234	Dam	270	28.5	5.9	8		6	250	25.2
	A-164	Sire	214	26.0	5.1	51		31	218	25.8
	*4031	Dam	293	24.5	4.9	14		10	235	25.8

See footnotes at end of table.

SINGLE-COMB RHODE ISLAND RED—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production, per dozen	Average egg weight per dozen
Mt. Fair Farm-----	*4358	Dam-----	No. 249	Oz. 24.6	Lbs. 6.6	No. 8	No. 4	Oz. 26.1	Lbs. 7.0
	*4570	do-----	263	25.6	6.6	13	9	217	6.7
	4126	Sire-----	284	24.5	5.9	53	38	239	6.6
	*8388	Dam-----	243	27.6	7.9	5	4	224	7.3
	*8484	do-----	215	25.6	5.3	6	4	233	6.0
	*8558	do-----	238	24.4	6.3	11	7	215	6.5
	*8656	do-----	217	24.3	7.2	9	6	239	6.7
	*8683	do-----	327	25.3	6.5	10	9	258	6.1
	4151	Sire-----	263	25.6	6.6	38	21	219	6.8
	*8208	Dam-----	236	27.3	6.8	8	5	231	6.7
	4182	Sire-----	272	25.2	6.7	49	33	227	7.1
	*8503	Dam-----	276	27.1	6.7	7	4	207	6.2
	*8593	do-----	256	26.7	6.7	5	5	240	6.5
	*8812	do-----	249	26.0	6.7	9	7	230	6.3
	4184	Sire-----	225	27.8	7.0	37	29	216	6.3
	*8225	Dam-----	211	26.1	6.2	6	6	241	6.6
	*8497	do-----	288	25.1	7.1	6	5	228	6.7
	*8696	do-----	258	28.5	7.3	7	4	206	7.0
	*8699	do-----	229	25.5	6.7	6	4	214	6.8
	*8844	do-----	235	26.0	6.3	5	5	239	6.9
	4238	Sire-----	284	24.5	5.9	52	22	203	6.5
	*8206	Dam-----	237	24.4	6.9	6	4	200	6.7
	*8431	do-----	251	27.4	6.7	10	4	217	7.0
	4246	Sire-----	269	25.8	5.2	39	20	238	6.9
	*8113	Dam-----	231	24.1	6.3	11	4	235	6.4
	*8236	do-----	235	27.3	6.2	5	4	253	7.3
	*8554	do-----	201	26.0	8.5	7	4	220	7.5
	*8648	do-----	284	26.5	6.9	6	4	275	7.1
	5220	Sire-----	232	25.4	6.9	31	21	224	6.7
	*4164	Dam-----	230	24.8	5.8	9	5	217	6.6
	*4355	do-----	272	25.2	6.7	11	8	251	6.8
	*4459	do-----	234	26.9	6.0	7	5	187	6.6
	3213	do-----	288	24.4	5.3	16	8	232	6.3
	*3517	do-----	305	26.2	6.1	10	10	268	6.3
	*8114	do-----	291	25.2	6.8	6	6	242	7.0
	*8361	do-----	223	26.5	6.7	10	6	225	7.1
	*8450	do-----	217	27.5	5.4	10	4	224	6.5
	*8491	do-----	237	26.1	6.6	9	4	221	6.2
	*8675	do-----	214	25.5	7.1	8	7	240	6.3
	*8693	do-----	260	26.1	5.9	8	4	220	7.0
	8752	do-----	224	26.7	7.3	5	4	277	7.2
	8348	do-----	287	25.5	7.3	10	6	209	6.9
	8690	do-----	286	25.9	5.7	9	6	244	6.2
	8412	do-----	243	24.1	6.4	10	8	233	6.0
	8180	do-----	246	27.9	6.3	7	6	254	6.1
	8286	do-----	250	29.1	6.5	8	6	212	6.3
	8145	do-----	241	26.8	5.9	5	4	195	6.4
	8454	do-----	234	25.4	6.7	9	8	240	7.0
Norfolk County Agricultural School, Walpole, Mass.	37605	Sire-----	282	26.0	5.8	56	22	218	5.8
	*X-410	Dam-----	271	25.0	6.1	12	9	254	5.9
	*X-468	do-----	289	24.0	5.5	11	5	228	5.4
	37606	Sire-----	281	24.0	5.6	44	22	207	5.7
	*X-97	Dam-----	266	26.0	5.6	8	5	230	5.9
	*X-203	do-----	288	24.0	5.5	9	7	241	5.6
	*X-242	do-----	300	24.0	5.5	11	5	205	5.5
	37617	Sire-----	265	26.0	6.0	63	30	198	5.6
	*S-413	Dam-----	261	26.0	5.9	7	5	223	5.8
	*X-261	do-----	288	24.0	6.1	15	9	233	5.4
	*X-316	do-----	318	24.0	5.5	17	9	189	5.8
	X-121	do-----	310	25.0	6.0	12	7	204	6.1
	X-171	do-----	267	24.0	5.3	7	6	245	5.7
	X-6	do-----	254	26.0	6.2	11	6	199	6.2
	X-50	do-----	286	25.0	6.0	15	5	234	5.9
	X-380	do-----	250	24.0	7.3	13	5	186	6.4
	X-409	do-----	253	28.0	6.4	8	4	209	6.0

See footnotes at end of table.

SINGLE-COMB RHODE ISLAND RED—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.		
			No.	Oz.	Lbs.	No.	No.	No.	No.	Oz.	Lbs.
Norfolk County Agricultural School.	S-78	Dam	270	25.0	5.6	10	5	184	24.3	5.3	
	T-322	do	271	24.0	5.2	10	4	213	24.4	5.6	
	X-113	do	301	24.0	5.6	8	5	215	25.1	5.2	
	X-328	do	256	25.0	5.6	7	4	222	24.3	5.3	
Palmer, C. Harlan New Haven, Vt.	846	Sire	288	24.7	6.4	56	20	145	25.8	6.6	
	*36	Dam	234	25.6	5.2	17	6	173	25.8	6.1	
	1235	Sire				47	21	166	26.5	6.8	
	*26	Dam	238			13	8	199	26.8	7.1	
	*62	do	255	26.7	6.6	15	7	165	26.4	6.7	
	71	do	237	25.2	6.5	8	4	202	24.7	7.4	
	83	do	245	25.6	5.9	10	5	174	25.9	6.6	
	97	do	276	24.2	5.6	12	4	158	24.1	6.4	
	9	do	227	27.1	5.8	14	6	162	24.7	7.1	
	13	do	288	24.7	6.4	11	4	172	24.7	7.1	
	47	do	256	24.8	6.5	14	5	148	24.5	7.2	
	48	do	206	26.0	5.9	11	5	178	24.2	7.1	
Parmenter, E. B. Franklin, Mass.	2	Sire	288	26.0	6.0	55	21	170	25.0	6.0	
	*B-1319	Dam	242	27.0	6.3	13	6	197	24.7	5.9	
	*B-1333	do	226	28.0	6.6	12	9	223	26.7	6.4	
	15	Sire	278	27.0	5.4	41	23	181	25.3	6.4	
	*A-1321	Dam	282	28.0	5.8	6	4	204	26.5	6.8	
	*B-1041	do	269	24.0	7.0	7	4	189	24.1	6.2	
	*B-1776	do	303	26.0	6.6	7	4	170	25.2	6.3	
	*B-1791	do	284	28.0	5.5	8	6	194	26.0	6.4	
	18	Sire	298	27.0	5.8	53	26	202	25.5	6.0	
	*A-1201	Dam	303	25.0	5.8	9	7	225	25.7	5.9	
	*B-1581	do	272	26.0	7.2	11	5	207	26.1	5.9	
	*B-2488	do	306	26.0	7.6	8	7	246	26.3	6.8	
	20	Sire	300	25.0	6.8	43	24	194	24.7	6.2	
	*A-769	Dam	273	26.0		7	5	217	26.3	6.7	
	*A-956	do	255	25.0	6.2	8	7	215	25.6	6.6	
	*B-1804	Dam	274	26.0	6.3	47	26	208	25.1	5.8	
	*B-1813	do	322	26.0	5.0	24	12	201	24.8	5.6	
	*B-1935	do	293	24.0	5.0	13	6	213	25.0	5.5	
	27	Sire	271	26.0	5.6	29	20	221	25.4	5.9	
	*B-1055	Dam	300	27.0	7.4	9	7	224	24.9	6.2	
	*B-1063	do	235	28.0	6.7	8	6	227	25.8	5.5	
	28	Sire	271	26.0		54	20	158	25.9	5.9	
	*B-1161	Dam	255	25.0	5.6	13	5	152	26.5	6.2	
	*B-1313	do	265	27.0	7.6	10	5	180	25.9	7.1	
	29	Sire	306	26.0		68	22	182	24.1	5.4	
	*B-1302	Dam	253	26.0	7.2	13	6	201	24.1	5.4	
	30	Sire	340	26.0		90	51	209	25.3	5.7	
	*A-1033	Dam	307	25.0	5.2	6	6	254	26.5	5.8	
	*A-1249	do	262	27.0	5.8	12	8	200	26.1	6.0	
	*B-1985	do	289	25.0	5.7	8	6	212	25.5	5.7	
	31	Sire	288	25.0	6.5	54	25	181	25.4	6.3	
	*B-1037	Dam	284	25.0	6.2	14	8	206	25.4	6.3	
	*B-1065	do	236	26.0	6.8	11	5	179	25.3	6.6	
	*B-1151	do	243	26.0	6.0	11	4	173	24.7	6.0	
	*B-1284	do	239	26.0	5.9	8	4	148	26.0	6.3	
	33	Sire	298	26.0	5.9	47	21	173	24.9	5.8	
	*B-1902	Dam	300	27.0	6.9	11	7	198	26.0	6.0	
	36	Sire	291	24.0	4.9	36	21	181	25.8	6.0	
	*B-1049	Dam	247	27.0	6.4	8	6	220	26.7	6.2	
	41	Sire	300	24.0	5.7	53	32	199	25.0	6.0	
	B-79	Dam	258	25.0	7.3	7	4	231	24.7	5.4	
	42	Sire	278	28.0	5.9	51	24	185	26.6	5.9	
	*B-27	Dam	324	25.0	5.9	9	8	237	26.5	5.9	
	*B-308	do	312	24.0	6.9	8	5	190	26.1	6.3	
	*B-621	do	253	28.0	6.4	13	5	183	26.9	6.0	
	43	Sire	255	26.0	6.1	69	34	195	25.4	5.7	

See footnotes at end of table.

SINGLE-COMB RHODE ISLAND RED—Continued

Breeders name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Eggs weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production ²	Average egg weight per dozen	Average body weight
Parmenter, E. B.-----	*A-1066	Dam-----	No. 231	Oz. 27.0	Lbs. 5.4	No. 7	No. 4	No. 194	Oz. 25.7	Lbs. 5.7
	46	Sire-----	271	26.0	5.4	53	30	189	26.3	6.5
	*A-144	Dam-----	278	28.0	5.9	5	4	205	27.1	6.1
	47	Sire-----	313	24.0	6.7	61	28	185	26.5	6.3
	*A-1314	Dam-----	304	25.0	5.6	19	7	177	26.6	6.5
	*B-181	do-----	251	29.0	5.2	4	4	255	26.3	5.5
	*B-630	do-----	261	25.0	5.7	10	5	157	26.4	6.3
	*B-658	do-----	280	25.0	5.6	9	6	236	26.7	6.3
	48	Sire-----	271	26.0	5.4	63	29	193	26.3	6.0
	*A-607	Dam-----	291	24.0	4.9	11	8	225	26.7	6.4
	³ A-231	do-----	259	27.0	7.4	7	4	212	24.8	6.2
	³ A-425	do-----	305	25.0	6.1	12	4	117	25.3	5.7
	³ A-1579	do-----	300	24.0	5.7	9	4	198	24.6	5.5
	³ A-1647	do-----	315	27.0	6.2	10	4	166	25.8	6.3
	³ A-1783	do-----	310	27.0	7.6	27	12	199	25.1	5.5
	³ A-2237	do-----	305	26.0	6.8	9	4	217	24.7	5.6
	³ B-44	do-----	278	27.0	6.6	15	8	195	25.7	6.2
	³ B-113	do-----	256	24.0	5.3	8	5	226	26.2	6.0
	³ B-354	do-----	316	24.0	5.8	18	12	219	25.5	5.7
	³ B-397	do-----	307	24.0	6.7	9	4	189	24.7	6.0
	³ B-421	do-----	271	27.0	6.3	8	4	230	25.6	6.3
	³ B-510	do-----	302	25.0	6.4	12	7	193	24.6	6.0
	³ B-536	do-----	245	27.0	6.3	8	4	173	25.9	6.3
	³ B-557	do-----	286	26.0	5.1	15	11	227	25.2	5.9
	³ B-585	do-----	239	27.0	6.3	7	4	175	26.1	6.9
	³ B-596	do-----	307	26.0	8.3	22	12	191	26.0	6.6
	³ B-637	do-----	285	26.0	6.5	10	4	186	24.8	6.0
	³ B-680	do-----	298	25.0	6.7	13	5	189	26.0	5.7
	³ B-710	do-----	316	25.0	6.3	18	6	151	24.7	6.2
	³ B-720	do-----	280	25.0	5.6	7	4	175	24.7	5.4
	³ B-845	do-----	323	24.0	6.2	10	6	236	25.8	6.1
	³ B-880	do-----	301	27.0	6.6	10	8	228	25.8	6.4
	³ B-921	do-----	278	28.0	6.3	5	5	257	27.2	6.0
	³ B-1094	do-----	250	25.0	6.0	13	9	202	25.8	5.5
	³ B-1173	do-----	278	24.0	5.9	12	5	195	24.1	5.1
	³ B-1222	do-----	282	27.0	6.8	15	10	221	26.2	5.9
	³ B-1228	do-----	320	25.0	5.2	9	7	225	26.0	5.9
	³ B-1455	do-----	287	27.0	6.5	11	8	202	26.2	6.0
	³ B-1638	do-----	281	27.0	6.2	6	4	193	25.1	6.3
	³ B-1814	do-----	305	24.0	5.7	17	4	144	24.6	6.2
	³ B-1897	do-----	317	24.0	5.8	20	10	220	25.2	5.4
	³ B-1924	do-----	251	27.0	5.8	9	5	195	25.0	5.6
	³ B-1977	do-----	265	24.0	6.5	10	4	186	25.0	5.7
	³ B-1986	do-----	285	25.0	5.9	14	6	170	24.9	5.3
	³ B-2120	do-----	283	27.0	5.8	7	5	231	26.4	5.6
	³ B-2134	do-----	273	25.0	6.0	12	5	175	24.9	6.5
	³ B-2308	do-----	265	24.0	5.3	11	4	206	24.8	6.0
	³ B-2383	do-----	288	24.0	5.9	11	4	163	25.0	5.8
	³ B-2455	do-----	270	26.0	6.1	8	6	225	25.6	6.7
	³ T-2632	do-----	284	26.0	5.8	6	5	210	25.8	5.7
	A-1812	do-----	271	24.0	5.9	10	5	184	25.4	6.3
	B-471	do-----	286	26.0	7.2	8	5	196	26.7	6.5
	B-1613	do-----	316	25.0	6.0	12	4	158	24.1	5.3
	A-1093	do-----	240	27.0	5.1	10	6	188	26.8	5.8
	B-1562	do-----	270	25.0	6.6	9	5	203	24.7	5.5
	A-953	do-----	257	29.0	6.5	5	5	275	26.1	6.3
	B-647	do-----	335	26.0	6.0	13	6	160	26.1	6.3
	B-1587	do-----	248	28.0	5.9	8	5	206	26.2	6.3
	A-1483	do-----	339	24.0	5.9	7	5	247	25.0	5.8
	A-1959	do-----	255	27.0	5.6	6	4	216	26.9	6.5
	B-861	do-----	283	27.0	5.6	10	4	186	25.1	5.7
	B-2310	do-----	241	26.0	5.5	6	4	216	25.0	5.6
To-Lani Farm (T. C. Hudman).	166	do-----	294	27.0	6.5	5	4	239	25.8	6.1
Route 1, Old Redan Road, Stone Mountain, Ga.	103	do-----	279	26.0	5.0	7	5	238	25.2	6.1
	1153	do-----	272	24.8	7.4	7	6	260	25.3	6.8
	95	do-----	258	24.0	6.1	6	5	213	25.8	6.1

See footnotes at end of table.

SINGLE-COMB RHODE ISLAND RED—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.		
			No.	Oz.	Lbs.	No.	No.	Lbs.	No.	Oz.	Lbs.
Welp's Hatchery Bancroft, Iowa.	5906	Sire	256	28.0	5.8	54	23	194	25.1	5.8	
	*4901	Dam	284	25.5	5.8	8	4	237	25.2	5.7	
	*4905	do	317	26.4	6.8	12	4	163	24.6	6.2	
	*5347	do	266	24.2	5.7	12	8	220	25.2	5.9	
	5998	Sire	302	25.8	5.7	55	33	218	25.3	5.7	
	*4566	Dam	259	26.8	5.7	8	5	208	25.4	5.7	
	*4572	do	279	25.7	6.1	7	5	211	26.4	5.5	
	*4672	do	292	25.5	5.9	8	6	234	24.9	5.6	
	*4701	do	247	28.0	6.8	7	6	209	26.7	5.7	
	*4837	do	228	26.9	5.8	10	5	218	25.5	5.8	
	5124	do	237	25.2	5.9	10	4	179	24.8	5.9	
	4683	do	255	26.9	6.9	7	4	181	25.8	5.9	
	5000	do	266	26.8	6.5	8	4	181	25.5	6.1	
	5209	do	217	26.4	5.1	5	4	219	25.8	5.9	
	4626	do	304	25.0	6.4	9	5	239	25.2	5.7	
	2101	do	231	27.5	5.4	10	4	161	27.0	6.0	
Whittaker Red Farm Route 3, Lawrence, Mich.	O-6009	Sire	292	25.5	—	37	20	185	25.5	6.0	
	*N-9222	Dam	255	24.7	5.9	6	5	228	26.4	5.8	
	*N-9243	do	244	25.3	6.4	6	4	204	25.9	6.5	
	*9516	do	295	26.7	5.6	7	4	144	25.8	5.9	
	O-6099	Sire	247	26.4	—	48	23	170	25.7	6.1	
	*N-9246	Dam	259	24.4	6.4	11	4	165	26.5	6.3	
	*N-9240	do	231	24.0	4.8	13	9	214	26.3	5.8	
	M-8835	do	258	25.4	5.8	6	4	183	25.9	6.3	
	O-9538	do	200	24.0	5.8	6	5	226	25.7	6.7	
	O-9564	do	240	25.2	5.8	10	6	199	24.9	6.1	
	O-9547	do	274	25.9	5.5	12	8	207	26.1	6.8	
	O-9517	do	253	24.9	5.5	12	6	180	25.0	5.9	
	O-9523	do	245	26.2	5.5	8	4	170	25.5	6.0	
	O-9526	do	265	25.6	5.7	8	4	197	25.0	6.5	
	O-9565	do	246	24.3	4.8	5	4	215	24.8	6.6	
	O-9578	do	276	26.4	5.8	4	4	241	26.1	6.4	
	O-9508	do	237	24.8	6.1	7	6	221	26.3	6.0	
Wilson's Red Farm Box 415, Greenville, S. C.	409	do	270	24.9	6.3	7	5	224	24.6	5.6	

WHITE PLYMOUTH ROCK

Baldwin, Mrs. George M.---- Litchfield, Minn.	8728	Dam	267	24.7	5.4	6	4	185	25.8	6.9
	9041	do	274	25.1	5.1	8	5	185	25.4	7.1
	8831	do	272	25.1	6.2	10	4	176	24.8	6.3
	8824	do	282	24.5	6.2	11	5	181	25.8	6.9
	9260	do	255	24.5	6.4	10	6	200	25.3	6.2
	8560	do	261	27.8	6.2	9	5	201	24.5	6.4
Bertsch, Mrs. M. A.---- Salisbury, Mo.	G-12698	do	238	25.0	4.6	8	4	139	25.8	5.8
Cain Spring Farm (B. H. Maybin, Manager). Hickory Grove, S. C.	140	Sire	272	25.4	6.5	74	39	193	25.5	5.8
	*211	Dam	270	24.9	6.4	9	5	193	25.9	6.1
	*217	do	266	25.8	6.0	6	6	231	25.8	5.4
	*270	do	267	25.1	6.4	10	8	211	25.7	5.9
	*298	do	268	25.8	5.9	6	4	203	27.2	5.9
	*348	do	268	25.0	6.3	6	4	209	25.3	6.1
	324	do	206	24.4	5.1	7	4	141	24.4	5.5
	307	do	234	26.1	6.5	7	4	209	25.7	5.8
	357	do	234	26.6	8.1	9	4	151	25.1	6.0

See footnotes at end of table.

WHITE PLYMOUTH ROCK—Continued

Breeder's name and address	U. S. R.-O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production ²	Average egg weight per dozen
Collins and Ripper Poultry Farm. Seymour, Iowa.	3307	Sire	No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.
	*51	Dam	269	26.6	7.5	50	31	186	26.3
	*L-133	do	240	27.0	7.0	15	8	172	26.2
	*M-257	do	204	25.7	7.3	14	11	213	26.5
	*M-311	do	204	26.6	6.4	9	4	167	26.5
	3384	Sire	204	25.1	8.7	42	23	182	26.2
	*313	Dam	236	27.1	5.9	9	5	182	26.0
	*M-270	do	218	25.6	7.7	8	4	179	25.7
	3408	Sire	234	28.7	6.3	47	27	181	25.9
	*K-128	Dam	269	26.6	7.5	11	7	174	25.9
	*L-30	do	255	26.8	6.8	8	6	214	26.7
	*M-255	do	233	24.6	7.2	8	6	206	25.7
	118	do	205	27.2	6.5	8	4	189	26.2
	120	do	265	24.0	6.1	6	4	224	25.6
	175	do	226	27.5	6.3	9	5	150	27.2
	203	do	245	27.1	5.2	10	5	160	26.1
	M-265	do	208	26.1	6.4	8	4	178	26.9
	M-387	do	228	26.4	6.1	14	8	174	26.9
	M-388	do	200	26.5	6.2	5	4	209	26.7
Dubach, Mrs. Fred, Jr.----- Wathena, Kans.	L-1747	do	255	25.3	7.1	7	4	163	25.0
Dunham Breeder Hatchery-- Waynesville, Ohio.	K-268	do	233	25.1	6.1	6	4	171	25.7
	J-65	do	253	25.5	6.4	6	5	218	25.2
	K-271	do	268	25.2	-----	8	6	206	25.7
Fairfield Farms (J. P. Garvin)- Pacific, Mo.	G-13125	Sire	254	24.1	4.7	55	20	141	25.8
	*G-570	Dam	240	24.0	5.5	9	4	152	25.2
	*G-571	do	237	25.3	5.6	12	4	144	25.6
	G-577	do	252	27.1	5.0	9	4	179	26.8
	G-564	do	230	26.4	6.3	7	4	197	24.5
	G-565	do	234	27.0	5.4	9	5	187	25.8
	G-582	do	255	25.0	5.4	11	4	125	25.1
	O-6278	Sire	-----	-----	-----	75	38	183	24.6
Hannah, W. S. and Sons----- Grand Rapids, Mich.	*227	Dam	157	-----	-----	7	5	208	24.8
	*242	do	140	-----	-----	7	4	206	24.1
	*276	do	195	-----	-----	10	4	198	23.5
	*346	do	183	-----	-----	9	4	161	23.4
	*270	do	174	-----	-----	12	8	193	25.2
	*291	do	172	-----	-----	12	7	200	24.6
	1710	do	197	-----	-----	6	5	220	26.2
	1713	do	172	-----	-----	7	5	206	26.5
	1939	do	209	27.5	6.6	12	7	191	26.1
	P-1944	do	239	26.7	7.0	15	8	188	25.5
	P-1937	do	282	24.8	6.7	18	7	183	24.2
	O-6278	Sire	-----	-----	-----	75	38	183	24.6
Holtzapple Poultry Farm---- Elida, Ohio.	K-5577	Sire	242	26.5	5.7	47	22	184	25.3
	*K-549	Dam	257	24.9	6.1	6	4	190	26.4
	K-5604	Sire	244	28.2	6.9	83	41	167	25.4
	*G-132	Dam	246	28.3	6.5	7	6	215	26.2
	*K-1291	do	229	25.6	6.3	15	10	200	25.7
	*K-1339	do	235	25.6	6.5	10	6	176	27.0
	*K-1469	do	287	25.6	-----	5	4	202	26.0
	K-5611	Sire	249	25.1	6.3	76	29	154	25.5
	*K-834	Dam	235	24.7	5.9	11	6	153	24.8
	*K-850	do	252	24.0	6.0	10	4	161	25.4
	*K-859	do	259	27.6	5.9	13	7	167	25.7
	*K-864	do	298	24.4	7.2	10	5	177	25.9
	K-5616	Sire	244	28.2	6.9	54	22	151	25.4
	*G-449	Dam	249	24.2	5.9	11	6	170	25.5
	*K-502	do	227	25.7	6.7	14	7	148	25.5
	K-5637	Sire	244	28.2	6.9	54	25	170	26.0
	*K-56	Dam	213	25.7	6.6	7	6	210	25.7
	*K-99	do	218	25.7	6.1	10	5	203	26.4
	*K-1027	do	211	25.1	5.7	9	7	219	26.0

See footnotes at end of table.

WHITE PLYMOUTH ROCK—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered	Qualified for U. S. R. O. P.	Average egg production ₂	Average egg weight per dozen	Average body weight	
			No.	Oz.	Lbs.						
Holtzapple Poultry Farm	K-5638	Sire	244	28.2	6.9	40	26	197	26.5	6.0	
	*J-85	Dam	270	26.2	6.0	5	4	229	26.1	6.0	
	*K-211	do	240	25.5	6.2	11	9	221	26.4	6.3	
	K-5644	Sire	244	28.2	6.9	55	30	180	26.9	6.6	
	*K-67	Dam	248	25.6	6.0	7	5	196	26.4	6.5	
	*K-69	do	271	25.7	6.3	7	4	152	26.3	6.4	
	*K-76	do	239	27.7	6.9	11	4	167	27.3	6.8	
	*K-106	do	248	26.3	6.2	11	7	200	27.3	6.5	
	*K-126	do	257	24.7	5.9	7	5	203	27.2	6.7	
	3 G-175	do	243	26.6	6.8	8	4	192	25.4	6.0	
	*K-32	do	231	24.5	6.3	10	5	221	24.8	6.0	
	*K-553	do	246	24.5	6.7	12	5	178	25.0	6.2	
	K-1305	do	238	28.1	7.4	8	4	180	27.1	6.9	
	K-470	do	272	24.7	6.0	7	4	194	25.8	5.5	
	F-514	do	210	25.5	5.8	6	4	206	25.7	5.6	
	K-3	do	203	25.4	6.1	6	4	172	26.5	6.1	
	J-530	do	206	24.8	7.0	7	4	176	25.6	6.3	
	K-1303	do	202	26.7	5.8	11	5	151	26.4	6.0	
	K-642	do	235	24.3	6.5	8	4	168	26.3	6.8	
	K-817	do	266	24.6	6.8	12	4	161	26.2	7.0	
	K-180	do	217	26.0	6.0	10	5	162	26.7	5.5	
	4-6	do	217	25.3	6.7	7	6	219	25.7	6.4	
	6-18	do	214	25.8	6.6	6	4	213	26.3	6.4	
	K-1241	do	224	24.3	6.2	8	6	206	25.8	6.2	
	K-1199	do	254	25.0	6.3	13	5	161	26.1	6.6	
	K-1206	do	227	26.9	6.0	9	4	139	26.2	6.1	
	K-332	do	259	24.6	6.4	5	4	195	29.0	7.5	
	K-80	do	215	25.5	6.5	10	4	135	26.7	5.7	
	K-1390	do	220	26.9	6.6	6	5	240	25.9	6.8	
	K-510	do	259	25.5	6.7	12	7	179	27.7	6.2	
Kreienkamp, Mrs. A. G. Glencoe, Mo.	G-516	do	210	26.0	6.5	12	6	162	25.8	6.2	
Lawton, Albert C. Foxboro, Mass.	C-2	Sire	260	25.0	6.0	118	46	174	24.9	5.8	
	*A-43	Dam	201	25.0	6.6	12	7	182	25.2	5.7	
	*A-107	do	222	27.0	7.6	5	5	239	26.5	5.9	
	*B-365	do	288	25.0	5.4	11	4	161	25.3	6.0	
	*B-419	do	250	24.0	6.6	10	5	197	24.5	6.0	
	C-15	Sire	286	27.0	6.1	75	35	175	25.3	5.8	
	*A-240	Dam	256	26.0	6.4	11	7	174	25.3	5.9	
	*A-285	do	201	27.0	6.7	10	7	181	27.2	6.2	
	*B-49	do	220	24.0	6.1	10	5	148	25.8	6.3	
	*B-355	do	244	24.0	5.2	9	4	235	23.8	5.2	
	*B-407	do	205	26.0	6.0	12	5	189	25.1	5.8	
	C-44	Sire	261	26.0	6.1	47	20	183	25.8	6.4	
	C-77	do	245	25.0	6.7	86	37	175	25.5	5.7	
	*A-135	Dam	213	27.0	5.6	10	7	216	25.7	5.6	
	*A-264	do	249	25.0	5.6	11	5	192	26.0	5.9	
	*B-67	do	263	24.0	5.4	15	8	187	25.1	5.9	
	*B-225	do	281	25.0	5.5	7	4	196	26.0	6.0	
	*B-431	do	265	25.0	5.1	8	5	166	26.3	5.8	
	C-128	Sire	289	24.0	6.1	71	31	163	25.1	6.0	
	*B-86	Dam	251	26.0	5.4	11	5	167	24.8	5.5	
	*B-123	do	262	24.0	6.1	8	4	155	24.8	5.7	
	C-156	Sire	278	25.0	6.6	87	45	190	25.6	5.9	
	*A-64	Dam	289	24.0	6.1	19	14	219	25.6	6.0	
	*A-222	do	224	26.0	5.9	7	4	183	27.6	5.8	
	*B-159	do	216	25.0	6.0	8	7	238	26.4	5.9	
	*A-4	do	272	26.0	5.9	6	4	201	26.3	5.9	
	*A-179	do	212	27.0	6.3	12	6	168	24.8	5.9	
	*A-312	do	240	28.0	5.7	5	5	227	27.6	5.9	
	*A-341	do	217	27.0	5.7	11	4	151	25.1	5.9	
	*B-1	do	218	26.0	6.3	7	4	161	26.3	6.0	
	*B-98	do	281	24.0	6.5	8	5	211	25.1	6.4	
	*B-371	do	210	24.0	5.6	7	4	219	25.8	6.2	
	*B-401	do	281	24.0	6.8	9	5	173	25.4	6.5	

See footnotes at end of table.

WHITE PLYMOUTH ROCK—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.	Average egg production	Average body weight
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.		
Lockwood Poultry Plant Route 2, Harrison, Ohio.	K-27	Dam	219	25.9	7.7	7	4	185	26.5	6.1	
	K-16	do	210	25.5	7.5	5	4	194	25.2	6.5	
	K-43	do	243	26.0	7.1	6	4	222	25.9	5.9	
Menefee Poultry Farm Crittenden, Ky.	1474	Sire	231	25.1	5.9	70	25	194	24.4	5.9	
	*5320	Dam	219	24.2	7.5	12	5	204	24.8	6.1	
	*5464	do	227	25.0	7.4	8	4	195	24.6	5.9	
	*5517	do	227	25.4	6.7	14	6	203	24.5	6.3	
	M-5	do	244	27.3	6.0	6	4	163	25.7	5.5	
Pine Top Poultry Farm, Inc. (W. C. Goodson), Tamworth, N. H.	M-229	do	272	24.7	7.1	8	4	149	26.2	6.5	
	Riley Poultry Farm La Fayette, Ind.										
	1-1444	Sire	244	24.7	5.8	99	50	197	25.1	6.1	
Riley Poultry Farm La Fayette, Ind.	*3603	Dam	243	25.8	6.4	16	12	218	25.3	6.4	
	*1-2380	do	260	24.5	4.7	16	6	191	24.5	5.5	
	*1-2437	do	226	25.1	5.1	8	6	203	25.8	5.9	
	*1-2600	do	217	24.6	6.1	10	5	200	24.8	5.8	
	*1-2622	do	237	25.3	5.3	16	9	204	26.0	6.2	
	*1-2851	do	250	25.9	6.9	12	5	195	25.5	6.4	
	1-1446	Sire	244	24.7	5.8	97	47	188	25.1	6.3	
	*3671	Dam	203	27.5	5.6	7	4	189	26.9	6.5	
	*1-2526	do	273	24.9	6.1	14	10	207	25.5	6.2	
	*1-2650	do	226	26.6	7.3	13	6	194	25.4	6.5	
Riley Poultry Farm La Fayette, Ind.	*1-2856	do	242	25.0	6.3	18	12	207	24.0	6.5	
	*1-2945	do	211	26.3	6.7	14	6	192	24.6	6.0	
	1-1448	Sire	232	25.2	5.2	30	21	227	25.6	6.1	
	*1-2618	Dam	260	26.8	6.0	8	6	230	25.9	6.0	
	*1-2732	do	259	25.0	6.0	7	4	246	24.9	6.2	
	1-1450	Sire	214	24.1	-----	67	46	211	25.9	5.8	
	*3467	Dam	239	26.0	5.4	11	7	196	26.2	5.4	
	*3657	do	215	24.1	5.4	7	4	207	26.0	5.2	
	*1-2213	do	264	24.4	5.0	6	4	185	25.6	5.6	
	*1-2653	do	243	26.9	5.4	4	4	224	25.5	5.4	
Riley Poultry Farm La Fayette, Ind.	*1-2790	do	271	25.3	5.4	12	8	225	25.3	6.1	
	*1-2858	do	228	27.5	6.3	13	9	220	25.8	6.0	
	*1-2935	do	212	26.2	6.8	5	4	238	26.3	6.5	
	1-1451	Sire	251	24.2	-----	59	25	189	25.4	5.9	
	*1-2497	Dam	254	27.3	5.9	11	4	182	25.8	5.9	
	*1-3814	do	213	25.6	5.8	7	4	178	26.0	5.8	
	1-1453	Sire	261	25.5	6.8	69	45	204	26.0	5.9	
	*120	Dam	262	25.4	5.5	12	8	223	26.1	5.9	
	*3478	do	220	24.4	5.4	9	8	240	25.9	5.9	
	*3665	do	232	25.2	5.2	9	8	231	26.1	5.9	
Riley Poultry Farm La Fayette, Ind.	*1-2619	do	275	25.4	5.9	7	4	205	26.2	5.9	
	*1-2810	do	263	27.4	6.0	8	5	186	26.9	5.5	
	1-1454	Sire	214	24.3	5.3	62	28	189	25.1	5.5	
	*1-2493	Dam	260	25.5	6.5	7	6	257	25.1	5.7	
	*1-2604	do	248	25.5	6.6	5	4	229	25.0	5.5	
	*1-2607	do	278	25.7	6.3	6	4	214	25.5	5.7	
	*3780	do	232	24.3	5.7	8	4	212	24.5	5.6	
	*1-2308	do	238	25.1	6.5	8	4	185	27.4	6.9	
	*1-2721	do	265	25.6	5.0	11	8	219	25.9	5.7	
	*1-2877	do	202	25.5	5.6	6	4	215	27.1	6.6	
Rutter, E. R. Derry, N. H.	*1-3817	do	209	24.7	6.3	13	8	200	26.4	5.9	
	1-125	do	225	24.2	5.4	9	5	174	24.5	6.0	
	1-2637	do	268	27.0	5.3	5	4	224	26.1	5.8	
	1-2878	do	250	24.7	6.2	7	4	201	24.4	6.0	
	1106	Sire	271	25.6	5.9	44	30	207	26.0	6.3	
	*1-176	Dam	231	25.1	6.0	5	4	213	26.1	6.1	
	*M-16	do	247	25.7	6.7	8	5	189	26.2	6.5	
Rutter, E. R. Derry, N. H.	B-4166	Sire	218	25.7	7.2	58	44	223	25.9	6.4	
	*M-23	Dam	224	25.5	6.9	6	5	238	25.8	6.4	
	*M-80	do	272	26.5	6.5	5	4	236	25.5	6.2	
	B-4172	Sire	271	25.7	5.9	65	52	232	25.9	6.5	
	*M-19	Dam	239	27.6	7.2	9	8	223	25.7	6.8	
	*M-77	do	263	24.2	6.1	4	4	238	25.4	6.3	

See footnotes at end of table.

WHITE PLYMOUTH ROCK—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight	
Rutter, E. R.											
	B-4175	Sire	No. 258	Oz. 25.3	Lbs. 6.3	No. 58	No. 46	No. 234	Oz. 26.0	Lbs. 6.2	
	*L-131	Dam	295	28.4	6.3	6	5	239	27.2	5.9	
	*M-11	do	278	27.3	7.0	6	5	238	26.2	6.2	
	³ K-416	do	309	25.6	6.8	6	4	192	25.1	6.3	
	³ L-6	do	283	25.9	6.5	5	4	225	27.3	7.4	
	³ L-107	do	292	24.2	6.1	5	5	238	26.3	6.3	
	³ L-210	do	252	27.1	5.2	7	4	181	25.8	6.4	
	³ M-5	do	280	26.3	6.0	19	13	211	25.1	5.4	
	³ M-103	do	302	26.5	7.4	4	4	276	25.9	6.4	
	³ M-189	do	268	25.4	6.6	7	6	243	26.8	6.7	
	³ M-213	do	227	25.3	5.2	6	5	212	26.6	6.0	
Townsley Trapnest Farm Wilmington, Ohio.	Y-70-18	do	208	25.1	5.9	7	4	186	25.2	5.6	
Ward, A. H. Independence, Iowa.											
	856	Sire	267	25.6	5.8	66	32	191	26.0	6.1	
	*68	Dam	227	26.4	7.9	13	7	201	25.7	6.8	
	*81	do	240	27.4	6.2	8	5	217	27.1	6.1	
	*161	do	242	28.7	7.5	10	5	197	26.1	6.0	
	930	Sire	245	26.0	7.4	47	23	187	26.7	6.2	
	*39	Dam	278	26.3	7.4	6	4	187	26.4	6.9	
	*229	do	250	27.1	6.4	11	4	191	25.1	6.1	
	*761	do	244	28.5	5.3	9	5	189	27.6	6.0	
	*877	do	250	27.8	5.8	9	7	211	27.6	6.0	
	3486	Sire	204	24.7	6.2	118	41	174	24.5	5.9	
	*1030	Dam	234	25.9	6.7	9	4	176	25.0	5.8	
	*1108	do	230	27.7	7.0	10	6	193	25.9	6.1	
	*1167	do	204	25.9	6.5	7	6	212	25.2	5.9	
	*1174	do	247	24.5	6.2	17	8	189	24.7	5.9	
	*1208	do	221	25.3	5.8	19	7	170	25.1	5.9	
	3722	Sire	278	25.9	6.1	54	21	172	25.4	6.4	
	*97	Dam	222	25.8	6.5	7	4	190	25.7	6.1	
	*846	do	251	25.9	6.5	17	9	191	25.9	6.6	
	*M-200	do	210	25.2	6.0	10	4	148	25.1	6.0	
	3752	Sire	278	25.9	6.1	62	34	196	26.2	6.4	
	*1	Dam	206	27.3	6.7	8	5	183	26.5	7.0	
	*34	do	265	25.7	6.5	10	6	183	26.3	6.3	
	*269	do	272	27.5	6.2	12	7	200	25.7	6.0	
	*393	do	251	28.6	7.2	8	4	201	27.0	6.3	
	3 183	do	248	26.6	7.2	19	7	181	25.2	5.9	
	3 329	do	314	25.2	6.6	17	7	188	24.9	6.4	
	3 337	do	286	25.5	6.0	16	6	173	25.2	5.9	
	³ M-96	do	250	24.8	5.9	11	8	207	25.7	6.0	
	59	do	267	25.2	6.1	20	7	160	25.2	5.8	
	298	do	276	27.0	5.7	14	5	193	25.8	5.9	
	347	do	241	25.6	6.9	12	4	169	25.5	6.3	
	539	do	245	26.3	6.6	11	4	177	25.3	6.4	
	98	do	215	25.2	6.5	13	6	208	25.1	5.9	
	M-104	do	260	24.3	6.0	13	5	167	26.1	6.6	
	640	do	205	27.9	5.6	18	7	158	26.6	5.9	
	1258	do	233	27.1	6.8	11	7	173	27.3	6.3	
	M-950	do	264	26.6	6.5	9	4	168	26.4	6.1	
	M-255	do	251	27.6	6.6	8	4	198	25.9	5.7	
	M-858	do	223	24.3	6.3	11	5	171	25.2	5.9	
	542	do	246	24.8	5.5	14	5	175	25.4	5.6	
	1230	do	257	25.7	6.1	14	5	164	25.3	6.2	
	1246	do	269	25.5	6.4	9	5	215	25.5	6.3	
	L-986	do	210	25.5	6.1	10	4	175	26.3	6.1	
Welp's Hatchery (J. H. Welp). Bancroft, Iowa.	4212	Sire	272	25.1	6.5	77	30	182	24.7	6.0	
	*2286	Dam	243	25.1	7.0	13	6	194	24.7	6.0	
	*2478	do	217	26.0	5.5	11	7	181	24.5	6.1	
	*2960	do	222	25.9	6.4	13	6	204	24.8	6.5	
	4247	Sire	272	28.1	7.1	73	26	180	25.6	6.1	
	*2846	Dam	266	24.0	5.8	9	5	227	24.9	5.8	
	*2881	do	248	27.1	7.1	11	4	169	26.3	6.4	
	4366	Sire	255	26.7	6.5	58	29	177	26.8	6.2	

See footnotes at end of table.

WHITE PLYMOUTH ROCK—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
Welp's Hatchery-----	*2213 Dam-----	No. 260	Oz. 26.3	Lbs. 5.7	No. 12	No. 9	No. 202	Oz. 27.0	Lbs. 6.2	
	*2986 do-----	218	24.2	5.9	7	4	181	26.1	6.3	
	*3668 do-----	291	23.4	6.4	6	4	192	25.5	5.7	
	4398 Sire-----	325	24.0	5.3	49	28	190	26.6	5.8	
	2778 Dam-----	235	25.2	5.9	8	4	212	26.4	5.8	
	*2835 do-----	176	26.7	6.7	9	7	232	27.0	5.8	
	*3522 do-----	204	25.5	6.6	7	5	204	26.4	5.8	
	2658 do-----	255	29.5	7.1	8	4	212	26.3	6.8	
	3483 do-----	273	25.0	5.6	10	5	188	24.7	5.9	

NEW HAMPSHIRE

Ahmuty, Samuel Odenton, Md.	742 Dam-----	225				5	5	233	27.4	6.3
	887 do-----	237				8	6	213	26.3	5.4
	899 do-----	236				7	4	200	25.4	5.5
	933 do-----	241				10	4	222	23.7	6.0
	19253 do-----	246				5	4	223	26.5	6.4
	578 do-----	284				7	4	188	24.8	6.6
	592 do-----	302				10	4	244	23.6	5.9
	709 do-----	263				15	7	230	24.3	6.0
	342 do-----	206				7	5	200	27.4	6.0
Blodgett, George W Derry, N. H.	196 Sire-----	272	27.0	27.1	50	30	199	26.2	6.8	
	*R-10 Dam-----	244	27.1	6.8	10	6	203	26.4	6.9	
	*R-190 do-----	270	25.8	5.9	9	6	202	26.9	6.9	
	*R-260 do-----	270	25.2	7.0	13	9	210	26.2	6.8	
	649 Sire-----	260	26.2	6.5	33	20	180	26.8	6.7	
	*R-102 Dam-----	240	24.7	5.4	8	4	148	26.2	6.5	
	*R-136 do-----	277	26.5	5.6	6	4	200	26.9	6.8	
	*R-235 do-----	259	27.6	5.7	6	4	198	26.9	6.8	
	735 Sire-----	253	25.9	5.7	28	21	198	28.0	6.5	
	*R-198 Dam-----	234	26.3	6.4	8	7	215	27.9	6.6	
	*R-272 do-----	250	24.6	6.3	5	4	197	28.5	6.2	
	*R-282 do-----	260	24.4	6.1	5	5	221	27.8	6.4	
	R-255 do-----	252	27.1	7.0	11	4	147	26.5	6.9	
	N-6 do-----	240	26.8	6.9	6	4	190	26.3	7.0	
	N-89 do-----	245	29.7	8.0	4	4	240	27.1	7.6	
	N-108 do-----	261	26.2	5.1	9	4	173	27.7	6.4	
	R-18 do-----	252	28.7	6.0	6	5	227	25.7	6.8	
Brightwater Farms Hendersonville, N. C.	I-63 do-----	263	26.1	5.6	8	5	196	24.5	5.4	
	I-118 do-----	252	26.8	4.8	5	4	238	24.8	5.9	
Colonial Poultry Farms Pleasant Hill, Mo.	K-2-39 do-----	252	24.8	5.5	4	4	246	25.3	5.9	
Curtis, R. E. Oakledge Farm, Mallets Bay, Winooski, Vt.	318 do-----	235	25.7	5.5	5	4	236	25.5	6.2	
Doctor Salsbury's Poultry Farm Charles City, Iowa.	3223 do-----	223	25.4	5.2	11	4	153	26.2	5.0	
Fiery, J. F. Smithsburg, Md.	94 do-----	207	26.1	5.4	9	4	142	26.7	5.1	
	81178 do-----	275	25.0	5.3	6	4	201	25.4	5.2	
Forest Hill Poultry Farm (Henry J. Luebbering). St. Thomas, Mo.	A-1173 Sire-----	276	24.9	5.3	99	49	193	25.1	5.7	
	*G-620 Dam-----	224	26.8	7.0	14	6	200	23.5	6.0	
	*G-628 do-----	204	26.8	5.9	8	5	194	25.0	5.8	
	*G-641 do-----	217	28.4	6.5	8	4	167	25.3	5.7	
	*G-644 do-----	223	28.1	5.8	9	5	213	25.6	5.5	
	*G-647 do-----	204	25.8	6.3	13	5	177	24.4	5.3	
	*G-655 do-----	226	24.5	5.2	15	7	204	24.3	5.7	
	*G-662 do-----	229	28.9	5.6	18	9	198	24.9	5.9	

See footnotes at end of table.

NEW HAMPSHIRE—Continued

Breeder's name and address	U. S. R. O. P. leg-band No.1	Sire or dam	First-year record of dam or of sire's dam				Daughters			
			Egg production			Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight
			No.	Oz.	Lbs.					
Forest Hill Poultry Farm (Henry J. Luebbering). St. Thomas, Mo.	*G-665	Dam	230	26.9	6.0	7	5	214	25.5	5.6
	26806	Sire	225	27.4	6.1	77	26	161	25.1	6.0
	*G-654	Dam	265	24.9	4.9	11	4	133	24.7	5.7
	*G-658	do	250	25.4	5.4	14	6	195	24.6	5.8
	G-629	do	210	24.1	4.9	6	4	209	24.8	5.1
	G-642	do	204	27.4	6.6	8	4	173	25.5	6.5
	G-614	do	255	24.8	5.4	9	4	163	25.2	5.6
	H-10	do	254	25.5	4.7	12	4	161	25.2	5.3
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.	
Forest Hill Poultry Farm (C. Bruyneel & Sons). North Weare, N. H.	A-2330	Sire	332	26.5	7.1	58	18	182	25.9	6.2
	*279	Dam	234	24.6	6.9	9	4	154	25.0	6.5
	*0-93	do	290	25.8	5.7	9	6	221	25.7	6.1
	*0-134	do	267	24.3	5.6	7	5	208	25.9	6.0
	0-9	do	307	26.8	7.1	5	4	188	26.4	6.9
	0-119	do	253	25.9	5.3	6	5	216	25.4	6.0
	0-153	do	287	24.4	5.3	5	4	203	24.8	6.3
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.	
Hank's Hennery (R. C. Durgin). Newmarket, N. H.	A-2395	Sire	271	28.5	5.7	45	25	195	25.8	6.1
	*C-6-30	Dam	286	25.6	6.8	9	5	193	25.5	5.7
	*1-91	do	259	24.5	7.0	15	8	185	26.9	6.3
	*D-105	do	270	25.5	6.9	8	5	215	25.0	6.3
	*D-6-107	do	255	25.4	6.5	10	5	194	25.1	5.9
	A-2396	Sire	263	26.7	6.4	28	21	205	26.7	5.5
	*D-1-147	Dam	262	27.2	5.7	8	4	167	27.0	5.5
	*D-9-30	do	241	28.6	6.2	7	7	239	27.5	5.6
	*D-9-38	do	254	27.4	5.7	10	8	212	26.3	5.4
	D-2-39	do	231	26.8	5.2	8	6	194	24.8	5.9
D-2-45	D-2-45	do	244	26.6	5.3	8	4	210	24.8	5.6
	C-5-13	do	239	27.0	5.8	11	8	209	26.2	5.9
	D-1-132	do	273	28.3	5.8	9	4	161	26.6	5.5
	D-6-82	do	273	26.4	6.1	8	5	199	25.9	5.4
	D-6-113	do	266	26.8	5.6	9	6	213	25.6	5.1
	C-5-9	do	263	26.0	5.8	9	4	167	25.8	5.2
	C-7-68	do	298	26.0	6.8	6	4	218	24.8	5.9
	D-9-40	do	275	26.2	5.2	6	6	239	25.4	5.4
	D-1-110	do	270	27.3	5.4	5	4	209	25.9	5.1
Helms, H. Bernard Box 183, Monroe, N. C.	O-40	do	252	24.5	5.9	7	4	173	24.6	5.6
Hubbard Farms (Oliver J. Hubbard). Walpole, N. H.	M-21	Sire	226	27.5	6.5	172	84	178	26.1	5.2
	*K-881	Dam	238	25.4	4.1	5	5	250	26.1	5.0
	*L-1013	do	246	25.5	5.8	25	14	185	26.7	5.6
	*M-73	do	284	25.6	6.1	16	8	186	26.1	5.0
	*M-484	do	252	26.2	5.6	12	7	199	25.6	4.9
	*M-925	do	287	25.4	6.2	23	15	186	26.1	5.6
	*M-1323	do	279	27.2	5.3	13	5	147	27.3	5.3
	*N-84	do	270	25.9	5.0	19	11	208	25.6	4.8
	*N-286	do	305	24.8	5.0	25	9	156	25.8	4.8
	M-26	Sire	255	25.3	44	23	178	24.6	5.5	
	*K-188	Dam	249	26.0	7.0	13	5	136	25.4	6.0
	*N-263	do	247	29.0	5.8	10	7	207	26.2	5.4
	*N-930	do	258	26.0	5.6	9	7	250	24.7	5.4
	M-27	Sire	228	26.6	6.6	92	33	172	24.9	5.4
	*L-1104	Dam	287	24.5	5.3	10	5	196	24.8	5.6
	*M-975	do	264	25.5	5.4	17	10	206	25.4	5.5
	*M-1469	do	241	24.1	5.3	11	4	182	25.0	5.6
	*N-199	do	250	27.6	5.8	12	4	158	24.7	5.5
	N-1	Sire	249	26.0	7.0	61	29	173	25.2	5.4
	*L-878	Dam	240	25.5	5.1	10	4	193	25.4	5.5
	*M-1101	do	258	26.6	5.1	16	10	220	25.0	5.2
	*N-547	do	229	28.9	5.2	21	14	194	25.7	5.5
	N-13	Sire	246	25.5	5.8	90	31	176	24.9	5.4
	*L-892	Dam	259	27.1	4.9	7	4	208	24.8	5.5
	*N-81	do	309	24.5	4.7	24	11	188	25.7	5.3
	*N-373	do	301	26.2	5.8	16	7	167	25.0	5.5
	N-17	Sire	287	25.0	5.3	103	42	186	25.2	5.3
	*M-606	Dam	260	24.2	6.3	20	7	209	24.2	5.2

See footnotes at end of table.

NEW HAMPSHIRE—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.	Average egg production ²	Average body weight
			No.	Oz.	Lbs.	No.	No.	Entered			
Hubbard Farms	*M-1365	Dam	255	24.4	4.9	16	8	184	25.5	5.1	
	*N-172	do	221	27.2	—	16	12	214	26.3	5.5	
	*N-878	do	253	26.7	5.1	20	7	175	25.3	5.6	
	N-19	Sire	261	26.3	5.9	105	40	152	26.1	5.4	
	*M-274	Dam	229	25.4	6.2	21	11	175	26.1	5.8	
	*M-864	do	252	24.4	4.9	18	8	171	26.2	5.0	
	*M-940	do	—	—	—	22	10	180	26.6	5.4	
	*N-370	do	258	25.9	4.7	8	4	201	26.2	5.0	
	*N-573	do	239	26.6	—	16	7	180	25.0	5.4	
	N-21	Sire	298	25.2	5.5	40	21	217	25.9	5.0	
	*M-1222	Dam	229	24.6	5.9	8	4	198	25.9	4.9	
	*N-116	do	264	24.6	5.3	14	10	233	25.9	5.1	
	*N-499	do	222	26.3	5.4	10	5	230	26.1	4.8	
	N-23	Sire	285	25.1	6.2	133	51	186	25.0	5.2	
	*L-1392	Dam	254	26.4	5.5	11	6	183	25.7	5.5	
	*M-448	do	247	26.2	5.4	11	4	161	24.6	4.9	
	*M-1034	do	227	24.8	5.6	23	9	203	25.1	5.4	
	*M-1053	do	293	25.5	5.7	18	8	212	24.8	5.1	
	*N-5	do	239	24.4	4.9	14	6	187	25.0	5.2	
	*N-576	do	252	25.2	6.2	17	7	171	25.2	5.6	
	L-851	do	266	26.5	—	11	7	207	25.4	4.9	
	M-823	do	251	25.3	4.8	10	6	191	25.3	4.9	
	L-1244	do	287	25.0	—	15	9	184	25.1	5.5	
	M-1064	do	287	24.8	6.4	18	9	183	25.2	5.6	
	M-1091	do	241	24.8	5.0	6	5	247	24.8	4.9	
	K-448	do	255	25.3	—	18	9	197	25.9	5.0	
	M-643	do	243	27.9	5.0	12	4	176	27.3	5.3	
	M-1171	do	263	25.8	6.2	9	5	203	26.1	5.7	
	N-229	do	250	26.6	—	21	8	169	24.7	5.1	
	N-281	do	237	26.3	4.7	15	6	179	26.8	5.1	
	M-939	do	255	25.1	5.8	10	5	179	25.7	5.5	
	L-1374	do	230	24.5	5.7	11	4	222	24.3	5.3	
	L-1416	do	226	27.0	—	12	6	226	25.1	4.7	
Larrabee, E. N. Peterboro, N. H.	C-1227	Sire	281	27.3	5.6	35	23	208	25.6	5.5	
	*L-4-71	Dam	279	24.5	6.0	16	9	203	25.1	5.8	
	*L-4-100	do	262	26.2	6.1	6	5	208	26.1	6.2	
	*L-4-124	do	305	24.0	6.1	5	4	243	25.1	5.8	
	*L-4-128	do	257	25.7	5.1	8	5	195	26.5	5.6	
	C-1238	Sire	263	26.8	5.2	111	52	193	24.5	5.6	
	*K-3-7	Dam	247	25.5	6.2	17	6	179	24.2	5.6	
	*K-4-54	do	250	26.4	5.1	9	5	207	24.1	5.5	
	*K-4-59	do	230	25.3	5.5	11	4	187	24.0	5.3	
	*K-8-68	do	245	26.9	5.4	11	7	213	25.5	5.8	
	*K-8-98	do	238	26.1	6.0	10	6	209	24.3	5.6	
	*K-9-123	do	265	28.3	5.2	10	7	221	25.5	5.4	
	*K-10-32	do	263	25.7	5.5	9	4	175	24.1	5.4	
	*K-10-34	do	255	25.8	5.3	17	9	203	25.0	5.4	
	C-1241	Sire	263	25.5	6.0	56	23	181	24.9	5.6	
	*L-3-108	Dam	287	24.1	5.1	11	4	211	23.9	5.2	
	*L-3-114	do	267	26.8	6.0	13	6	167	25.9	5.8	
	*L-4-39	do	279	26.7	6.1	7	5	231	25.6	5.6	
	C-1258	Sire	282	25.6	5.6	99	34	176	25.0	5.9	
	*L-1-22	Dam	286	25.4	5.6	9	5	205	24.7	6.0	
	*L-2-12	do	265	24.1	5.6	20	7	185	24.3	5.7	
	*L-2-97	do	271	26.1	6.1	13	6	196	25.5	6.2	
	*L-2-101	do	266	25.2	6.0	7	5	189	26.2	5.9	
	*L-2-102	do	291	26.0	6.1	13	6	195	25.2	6.1	
	C-1262	Sire	267	26.2	6.2	33	24	214	26.3	5.8	
	*L-3-18	Dam	259	25.1	6.4	15	11	210	26.1	6.0	
	*L-3-54	do	305	25.9	5.2	8	7	229	27.2	5.7	
	C-1271	Sire	303	25.0	6.0	72	41	205	25.4	5.6	
	*L-2-62	Dam	271	24.4	5.1	8	5	209	26.4	5.3	
	*L-6-161	do	266	26.7	6.4	12	7	207	25.3	5.6	
	*L-6-183	do	271	25.0	6.2	11	6	210	25.0	5.6	
	*L-7-37	do	281	25.2	5.6	11	7	215	24.4	5.7	
	*L-7-44	do	294	25.3	5.6	8	4	176	25.8	5.6	
	*L-7-101	do	295	25.5	5.3	9	5	218	26.1	5.5	

See footnotes at end of table.

NEW HAMPSHIRE—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. 1	Sire or dam	First-year record of dam or of sire's dam			Daughters					
			Egg production			Entered			Qualified for U. S. R. O. P.	Average egg production ²	Average body weight
			No.	Oz.	Lbs.	No.	Oz.	Lbs.			
Larrabee, E. N.	*L-7-102 B-3584 *K-2-18 *K-2-45 *K-2-49 *K-2-60 *K-9-31 L-6-185 L-8-121 L-131 L-7-13 L-7-25 L-6-81 L-6-115 L-6-144 L-4-119 L-10-45 L-3-33 L-21	Dam Sire Dam do do do do do do do do do do do do do do do do do do	265	26.7	6.2	6	4	200	26.0	5.6	
			274	24.5	6.1	63	38	210	25.6	6.2	
			245	26.0	6.0	9	7	232	26.2	6.3	
			263	26.8	5.2	8	7	218	26.3	5.5	
			239	28.1	6.2	11	8	240	25.7	6.0	
			242	27.5	7.1	16	10	210	26.2	6.7	
			do	do	do	10	4	187	24.0	6.3	
			254	26.2	6.0	5	5	245	25.1	5.9	
			249	25.7	5.4	11	4	189	24.8	5.5	
			248	26.3	5.4	8	4	200	24.2	6.0	
			262	24.7	5.1	7	5	228	24.3	5.7	
			280	24.4	6.0	13	5	229	24.2	5.7	
			243	25.7	6.1	7	4	233	25.8	5.6	
			243	25.7	7.3	11	9	231	25.4	6.0	
			247	28.6	4.4	7	5	240	25.3	5.8	
			249	25.1	4.5	6	4	204	25.7	5.3	
			272	26.2	6.5	12	6	184	25.1	6.0	
			242	26.1	6.0	6	4	200	25.5	6.0	
			280	24.9	5.4	7	5	234	25.1	5.7	
Little, Mrs. Harry F. Camillus, N. Y.	M-15401 M-15395	do do	245	27.6	6.5	4	4	239	27.0	5.8	
			246	25.2	5.3	5	4	218	25.5	5.9	
Mertz, Mrs. George H. Valley Park, Mo.	G-8941 *G-487 *G-491 *G-495 *G-497 *G-501 *G-505 G-8945 Sire F-1221 F-1222 G-486	Sire Dam do do do do do do do do do do	229	24.4	6.0	97	35	178	25.0	5.6	
			207	25.7	4.9	11	4	175	24.5	5.8	
			201	27.6	5.8	11	6	178	25.7	5.8	
			229	24.7	5.4	10	4	193	24.0	5.4	
			232	27.2	5.8	9	5	203	25.9	5.6	
			203	25.9	5.8	12	5	191	24.8	5.8	
			228	26.3	5.8	10	4	194	25.7	5.8	
			256	27.6	6.0	55	24	175	26.5	5.6	
			227	27.2	5.9	6	4	162	26.7	5.7	
			215	24.0	4.8	12	4	171	26.4	5.7	
			205	24.1	5.9	13	7	182	25.8	5.5	
			do	do	do	do	do	do	do	do	do
			do	do	do	do	do	do	do	do	do
			do	do	do	do	do	do	do	do	do
Newton, O. A. & Son Co. Bridgeville, Del.	N-183	do	214	24.4	5.8	9	4	172	26.3	5.8	
Pine Top Poultry Farm, Inc. (W. C. Goodson). Tamworth, N. H.	B-4 *C-35 *R-274 D-56 *B-726 *C-73 *C-1114 D-112 *C-952 *C-1066 *C-1080 C-126 C-1181 C-123 C-1336 C-72 C-145 C-1341 C-1378 C-916 C-1630 C-601	Sire Dam do do do do do do do do do do do do do do do do do	214	26.1	6.8	60	24	188	26.4	6.8	
			291	24.8	5.5	14	8	202	26.9	6.7	
			273	25.0	5.1	16	10	208	26.4	6.8	
			303	26.0	do	46	20	198	25.0	6.3	
			232	24.7	5.5	8	4	223	23.9	6.2	
			237	26.5	5.3	9	5	205	26.5	6.4	
			237	25.7	5.3	13	7	204	25.9	6.3	
			254	24.1	5.7	50	21	178	25.0	6.8	
			229	25.0	7.6	8	4	192	24.3	7.3	
			235	24.8	6.1	12	6	179	24.8	6.8	
			276	24.7	6.8	15	9	217	24.6	6.8	
			247	24.2	5.7	10	5	189	25.3	6.2	
			243	24.3	4.6	11	6	182	26.3	5.5	
			213	26.2	5.0	11	6	180	26.0	5.9	
			266	25.0	5.0	6	4	210	26.8	5.8	
			243	25.1	4.8	12	5	172	25.3	6.3	
			210	25.1	6.2	7	4	201	26.0	7.1	
			230	25.6	4.9	11	6	193	26.4	6.4	
			239	26.1	5.8	12	5	162	25.9	6.1	
			231	26.0	6.1	11	8	206	27.2	6.4	
			251	26.2	5.9	7	4	221	27.4	6.3	
			258	27.6	5.9	6	4	184	26.8	6.2	
Ridgeview Farm. Hickory Grove, S. C.	699 *14 *41 *51 *134	Sire Dam do do do	320	26.0	6.8	77	43	199	24.9	5.7	
			235	24.3	6.6	13	8	194	24.9	5.5	
			238	24.0	5.6	9	5	205	25.8	5.3	
			245	24.4	6.0	8	8	264	26.2	5.7	
			242	25.4	6.0	12	4	174	24.9	5.2	

See footnotes at end of table.

NEW HAMPSHIRE—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters						
			Egg production	Egg weight per dozen	Body weight	Entered	No.	Oz.	Lbs.	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen
Ridgeview Farms-----			No.	Oz.	Lbs.	No.	No.	No.	No.	No.	Average egg weight per dozen	Average body weight
	*136	Dam	238	24.2	6.5	15	11	225	25.1	5.5		
	700	Sire	304	26.9	7.5	94	40	197	25.5	6.1		
	*16	Dam	254	24.8	7.3	11	7	194	25.5	5.8		
	*66	do	254	25.1	8.0	9	5	226	25.7	6.0		
	*125	do	258	26.0	5.8	11	4	182	26.1	5.8		
	*133	do	265	24.3	6.4	15	8	206	25.3	5.8		
	*150	do	250	25.2	7.8	13	7	204	26.7	6.3		
Seven Oaks Poultry Farm--- Spartanburg, S. C.	279	do	233	24.3	5.7	4	4	231	26.9	5.8		
Twitchell, H. S. and M. E.--- Exeter, N. H.	1843	Sire	250	26.6	5.1	111	41	171	25.5	5.8		
	*F-192	Dam	249	24.0	6.2	12	6	204	25.5	6.1		
	*F-297	do	266	25.6	6.0	16	6	156	25.3	5.8		
	*F-314	do	247	24.7	5.8	22	9	171	25.2	6.1		
	*F-391	do	301	24.1	6.0	14	5	160	24.6	5.6		
	*F-549	do	264	24.7	5.2	11	6	209	25.8	5.6		
	1855	Sire	255	26.9	5.5	70	30	187	26.1	5.5		
	*F-346	Dam	286	24.5	5.6	26	11	187	25.9	5.4		
	*F-381	do	256	28.2	5.9	15	7	210	26.4	5.5		
	*S-9	do	228	24.3	6.9	5	4	218	25.9	5.6		
	1856	Sire	258	25.5	6.5	47	22	216	26.3	6.2		
	*Y-14	Dam	253	26.0	6.6	6	4	250	27.5	6.3		
	*Y-16	do	238	24.5	6.0	11	4	187	25.5	6.1		
	*Y-18	do	251	25.9	6.0	8	5	215	26.2	6.5		
	Y-1	do	275	26.0	6.7	7	6	215	27.5	6.5		
	E-563	do	246	26.5	5.6	6	4	195	26.4	6.4		
	F-105	do	275	27.4	5.4	12	4	182	25.8	6.0		
	E-492	do	258	27.7	5.8	13	5	172	26.8	6.5		
	F-149	do	280	27.1	6.0	10	4	166	26.4	6.2		
	F-458	do	226	25.3	5.5	7	4	165	24.6	5.3		
	F-189	do	223	24.2	6.4	17	6	159	26.1	5.9		

BARRED PLYMOUTH ROCK

Bishop, R. Walter ----- Guilford, Conn.	4548	Dam	248	24.5	5.6	13	5	120	26.0	6.2		
	Y-7321	do	226	27.5	6.5	15	6	169	25.9	6.4		
	4928	do	248	24.6	5.4	18	10	215	25.5	6.2		
	4959	do	246	25.6	6.0	9	5	211	25.7	6.2		
	4551	do	254	26.9	7.1	12	6	206	25.9	6.7		
	Y-7488	do	230	26.4	5.7	13	5	181	25.7	5.7		
Cowdrey, Mr. and Mrs. Irving. West Cheshire, Conn.	B-808	Sire	212	25.0	6.5	104	42	174	25.9	6.2		
	*7832	Dam	252	25.1	6.1	13	9	197	26.5	6.1		
	*7943	do	243	26.5	5.5	9	7	224	26.2	6.3		
	3466	Sire	257	26.7	5.3	54	22	173	26.5	6.3		
	*7734	Dam	244	25.4	6.1	8	5	193	27.2	6.7		
	*7890	do	225	26.0	5.2	12	8	198	26.0	6.3		
	*7895	do	333	27.4	6.3	10	5	171	26.2	6.3		
	3471	Sire	261	25.5	5.2	44	21	182	26.0	6.7		
	*7729	Dam	242	24.7	5.6	9	4	199	26.2	6.2		
	37691	do	268	24.4	5.1	12	6	180	25.8	6.5		
	4352	do	301	25.0	5.9	10	5	190	25.8	5.8		
	7747	do	276	26.7	5.7	7	4	194	26.2	5.6		
	7771	do	188	-----	-----	6	4	204	25.9	6.3		
	7745	do	231	24.4	6.4	8	4	182	25.3	5.5		
	7823	do	208	24.1	6.6	9	6	203	24.7	5.9		
	7697	do	261	26.1	6.6	5	4	225	25.2	5.9		
	5150	do	335	26.6	6.2	8	4	161	25.4	5.6		
	7901	do	206	24.5	4.6	6	4	204	26.3	5.6		
Curtis, R. E. ----- Oakledge Farm, Mallets Bay, Winooski, Vt.	455	do	227	26.3	6.7	9	5	190	25.6	6.8		

See footnotes at end of table.

BARRED PLYMOUTH ROCK

Breeder's name and address	U. S. R. O. P. leg-band No.!	Sire or dam	First-year record of dam or of sire's dam			Daughters				
			Egg production	Egg weight per dozen	Entered	Qualified for U. S. R. O. P.	Average egg production	Average egg weight per dozen	Average body weight	
Dave-Co Farm (David Cohen). Guilford, Conn.	5343	Dam-----	No. 215	Oz. 25.4	Lbs. 5.5	No. 4	No. 220	Oz. 24.7	Lbs. 6.2	
	5481	do-----	266	26.3	5.9	5	4	230	25.1	6.7
	5210	do-----	236	26.1	6.9	5	4	220	25.3	5.9
	5283	do-----	235	24.7	6.3	6	4	214	25.3	6.4
	5011	do-----	257	26.5	6.9	10	7	212	25.9	6.6
	5029	do-----	204	25.0	6.8	7	4	202	24.9	6.5
	Y-6-39	do-----	273	25.8	6.6	7	4	188	26.4	6.0
Golden Rule Poultry Farm--- Bryan, Tex.	1423	Sire-----	261	24.0	-----	65	41	233	24.3	5.7
	*1320	Dam-----	265	24.0	7.3	12	8	232	24.2	5.4
	*1324	do-----	277	25.1	6.8	10	9	238	24.5	5.9
	*1349	do-----	275	24.7	6.7	10	9	249	24.9	5.9
	1424	Sire-----	276	24.0	4.8	47	22	204	25.0	5.4
	*1317	Dam-----	200	24.7	5.4	10	5	220	25.4	5.4
	*1340	do-----	244	24.6	5.6	9	6	206	24.7	5.5
Kelly, Miss Mamie. Holden, Mo.	G-683	do-----	260	26.5	5.9	9	7	199	26.0	6.1
	3348	Sire-----	243	25.6	5.9	46	21	181	25.8	6.4
	8689	do-----	323	27.0	7.1	66	44	200	26.4	6.7
	*231	Dam-----	239	27.8	7.3	10	9	230	27.6	7.4
	*410	do-----	231	25.1	5.5	5	227	26.1	6.7	
	*423	do-----	205	26.9	6.5	12	7	194	26.8	6.7
	*609	do-----	277	24.6	5.6	5	4	208	25.4	6.0
Mooring, F. K. Beach, Va.	*633	do-----	244	26.2	5.5	9	6	181	26.3	6.7
	8691	Sire-----	215	26.0	6.1	53	27	185	25.1	6.3
	*581	Dam-----	302	24.3	5.3	13	7	189	25.3	6.5
	*692	do-----	265	25.1	5.3	11	6	198	25.0	6.1
	*3881	do-----	253	27.5	6.6	10	5	170	25.5	6.1
	164	do-----	254	24.7	5.9	7	7	239	25.0	6.5
	295	do-----	255	25.6	5.8	5	5	227	25.0	6.4
Ohio Beauties Hatchery. Versailles, Ohio.	374	do-----	322	26.1	5.5	7	6	244	26.1	6.6
	132	do-----	246	24.3	5.5	7	4	197	25.9	6.2
	575	do-----	265	24.0	5.5	6	4	205	25.3	6.4
	3385	do-----	311	24.4	6.9	5	4	208	24.4	6.0
	3802	do-----	254	25.6	6.7	12	4	188	25.7	6.6
	3915	do-----	229	25.7	6.1	5	4	209	27.0	6.8
	K-27	do-----	229	24.3	6.1	11	4	161	24.6	5.7
Palmer, C. Harlan. New Haven, Vt.	148	do-----	257	26.4	6.7	14	5	160	25.2	6.2
	S-69	do-----	232	26.2	5.5	4	4	244	25.9	6.3
Pine Top Poultry Farm (W. C. Goodson). Tamworth, N. H.	S-151	do-----	249	25.7	5.4	7	4	163	25.1	6.2
	1-2	Sire-----	225	24.6	-----	70	28	139	24.3	5.2
Riley Poultry Farm, Inc. La Fayette, Ind.	1-4	do-----	225	24.6	-----	72	45	206	25.6	5.2
	*4260	Dam-----	255	25.0	5.2	5	4	215	26.5	5.0
	*4366	do-----	201	24.5	5.7	10	6	205	25.2	5.2
	*1-1581	do-----	210	25.4	7.8	10	6	218	24.7	5.5
	*1-1887	do-----	230	27.2	6.6	8	5	236	25.7	5.3
	*2-4080	do-----	301	24.6	4.9	11	8	216	25.3	4.6
	*2-4534	do-----	214	26.5	5.7	9	6	199	26.5	5.2
	1-6	Sire-----	217	25.1	6.3	85	30	185	25.1	6.2
	*2-4222	Dam-----	240	24.6	6.2	12	4	204	24.3	5.9
	*2-4249	do-----	231	28.7	6.8	18	9	147	26.1	6.8
	3-1-3271	do-----	274	23.5	-----	7	5	193	26.1	5.5
	3-1739	do-----	276	24.0	5.2	11	7	204	26.0	5.1
	3391	do-----	322	24.4	6.0	8	5	190	25.5	6.0
	1-1557	do-----	229	25.7	7.4	11	4	168	25.3	6.2
	1-1602	do-----	282	24.9	6.6	5	4	209	25.1	5.8

See footnotes at end of table.

BARRED PLYMOUTH ROCK—Continued

Breeder's name and address	U. S. R. O. P. leg-band No. ¹	Sire or dam	First-year record of dam or of sire's dam			Daughters ²			
			Egg production	Egg weight per dozen	Body weight	Entered	Qualified for U. S. R. O. P.	Average egg production ³	Average egg weight per dozen
Riley Poultry Farm, Inc.-----	1-1753	Dam-----	No. 206	Oz. 24.3	Lbs. 6.0	No. 6	No. 5	243	24.9
	1-1975	---do---	205	24.9	6.3	6	5	242	26.7
	3320	---do---	256	24.1	5.6	13	6	170	26.5
	4363	---do---	263	24.2	5.8	7	4	196	26.7
	1-1508	---do---	226	25.3	6.9	11	5	179	25.0
	26	---do---	237	24.4	5.8	11	6	195	25.4
	3238	---do---	251	25.5	5.9	12	4	151	25.5
	P-5610	---do---	287	24.6	---	10	4	177	25.6
			No.	Oz.	Lbs.	No.	No.	Oz.	Lbs.
Sterling Poultry Farm----- Sterling, Mich.	9905	---do---	211	25.3	5.3	6	4	169	25.6
	9930	---do---	253	26.5	6.6	6	4	170	25.1
	9935	---do---	246	24.1	7.7	9	4	174	25.7
	9884	---do---	229	26.0	6.2	14	5	179	24.6
	9908	---do---	242	25.1	7.4	7	4	189	25.6
Sunny Poultry Farm----- Mandan, N. Dak.	696	---do---	225	25.4	5.9	9	4	186	24.5
	181	---do---	260	24.0	---	6	4	212	23.9
Wilcox, T. N.----- Tryon, N. C.	G-5	---do---	253	25.6	7.1	5	5	260	28.0
	G-12	---do---	314	25.2	6.5	7	4	233	25.4
	O-390	---do---	279	26.0	5.8	4	4	266	27.0
	O-383	---do---	321	25.7	5.8	5	5	254	26.3
	551	---do---	286	25.5	6.5	5	4	274	25.0
Willis, J. L.----- Clio, S. C.	777	---do---	235	25.2	5.4	6	5	201	25.9

WHITE WYANDOTTE

Taylor, Mrs. E. S.----- Independence, Mo.	³ D-77	Dam-----	247	28.1	6.4	15	7	155	25.4	5.1
	³ F-1382	---do---	219	27.6	5.2	5	4	181	25.1	5.9
	³ F-1404	---do---	207	24.2	5.2	22	8	155	24.9	5.4
	³ G-429	---do---	223	26.1	6.5	14	5	137	25.3	5.3
	³ G-434	---do---	245	24.5	5.6	13	6	164	24.8	5.5
	³ G-434	---do---	231	24.7	5.8	5	4	211	24.9	5.3
	E-700	---do---	246	25.3	4.6	13	6	174	25.1	5.1
	F-1414	---do---	208	25.5	4.6	8	7	213	26.3	5.5
Tummelson, Mrs. J. H.----- Grove City, Minn.	7232	---do---	225	29.0	6.0	10	5	144	26.4	5.5
	7845	---do---	202	25.2	6.2	11	5	130	25.9	5.5
	7138	---do---	200	25.7	5.4	7	5	205	24.8	5.7
	7990	---do---	213	27.9	5.4	11	4	120	25.3	6.0
	7047	---do---	212	25.1	5.6	7	4	197	24.8	6.1

BUFF ORPINGTON

Parker, Miss Pearl----- Shelbina, Mo.	F-6321	Dam-----	215	24.4	5.3	5	4	197	25.1	5.5
--	--------	----------	-----	------	-----	---	---	-----	------	-----

¹ Dams marked with an asterisk were mated with the preceding sire. All other dams, unless otherwise indicated, were mated to non-U. S. R. O. M. sires.

² Hen-housed family average.

³ Mated to more than 1 sire.

**THE
BREEDER HAVING U. S. REGISTER OF MERIT
BIRDS
SUMMARY FOR EACH BREEDER**

ee footnotes at end of table.

SUMMARY FOR EACH BREEDER HAVING U. S. REGISTER OF MERIT BIRDS—Continued

SUMMARY FOR EACH BREEDER HAVING U. S. REGISTER OF MERIT BIRDS—Continued

Breeder's name	Breed and variety ¹	Pullets on farm	Pulletum class ²	Entered		Sires progeny-tested		Dams progeny-tested		U. S. R. O. M. sires		U. S. R. O. M. dams		Total		U. S. R. O. M. for		Qualified for		Dams with 8 or more daughters entered in U. S. R. O. P.	
				Pedigreed U. S. R. O. P. candidates	Entered	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Stratford Plantation	SCWL	700	POD	300	3	6	5	3	0	63	10	12	7	10	12	7	3	3	1	0	
Sunny Poultry Farm	BP.R	185	PCD	177	40	5	0	0	0	50	2	4	1	0	2	4	1	0	1	0	
Taylor, Mrs. E. S.	W.W.Y	600	PT	482	128	20	0	2	0	0	98	8	23	6	6	1	0	1	0	1	0
To-Lani Farm	SCRIR	425	PC	142	82	15	0	0	0	60	4	1	0	0	1	0	0	0	0	0	0
Town Line Poultry Farm	SCWL	1,397	PT	397	107	9	3	5	3	0	87	13	12	7	3	12	7	3	1	0	0
Townslay TrapEase Farm	WPR	800	PT	95	37	4	0	1	0	0	33	1	1	1	1	1	1	0	0	0	0
Tummelson, Mrs. J. H.	W.W.Y	800	PCD	719	145	20	0	6	0	0	128	5	34	5	34	5	34	5	34	0	0
Twitchell, H. S. and M. E.	N.H.	3,249	PO	728	122	13	3	10	3	1	117	18	31	13	31	13	4	13	4	13	4
Ward, A. H.	WPR	1,263	PT	1,255	418	27	5	13	5	0	177	38	76	35	76	35	8	35	8	35	8
Wayne Poultry Farms	SCWL	1,000	PCd	504	220	8	4	6	4	0	73	22	28	20	28	20	6	20	6	20	6
Weldich, J. E. & Son	SCWL	800	PCd	68	42	12	0	0	0	0	39	3	0	0	39	3	0	0	0	0	0
Weldich's Hatchery	SCWL	2,780	PT	770	361	10	6	7	6	2	100	46	55	39	55	39	23	23	23	23	23
Do.	WPR	1,400	PT	492	172	10	4	7	4	0	98	13	26	10	26	10	6	10	6	10	6
Do.	SCRIR	1,100	PT	322	126	9	2	4	2	0	156	14	15	10	15	10	6	10	6	10	6
White Beauty Poultry Farm	SCWL	816	PCd	802	263	10	5	9	5	1	135	26	43	23	43	23	9	23	9	23	9
Whittaker Red Farm	SCRIR	335	PCD	327	151	14	2	1	1	0	94	15	8	7	15	8	2	7	2	7	2
Whittemore, D. H.	SCWL	3,200	PCD	263	39	6	0	4	0	0	53	1	13	1	13	1	0	0	0	0	0
Wilcox, T. N.	BPR	420	PC	142	101	15	16	0	0	0	0	68	5	0	0	68	5	0	0	0	0
Willis, J. L.	BPR	159	PT	147	106	6	0	1	0	0	43	1	3	0	3	0	0	0	0	0	0
Wilson's Red Farm	SCRIR	3,562	PCd	84	30	12	0	0	0	0	44	1	0	0	44	1	0	0	0	0	0
Wintrop College Poultry Farm	SCWL	1,999	PT	231	58	8	0	0	0	0	86	1	2	1	2	1	1	1	1	1	0
Young, B. C.	SCWL	1,000	PCD	172	78	10	0	0	0	0	57	2	4	0	57	2	4	0	0	0	0

¹ Key: SCWL, Single-Comb White Leghorn; SCRIR, Single-Comb Rhode Island Red; BPR, Barred Plymouth Rock; NH, New Hampshire; WPR, White Plymouth Rock;

W WY, White Wyandotte; BFO RP, Buff Orpington.

² Key: PCd, U. S. Pulletum Controlled; PC, U. S. Pulletum Clean; PT, U. S. Pulletum Tested; PP, U. S. Pulletum Passed.